

2022 Florida Youth Substance Abuse Survey

Dixie County Data Tables

Table 1. Major demographic characteristics of surveyed Dixie County and Florida Statewide, 2022

	Dixie County		Florida Statewide	
	N	%	N	%
Sex				
Female	154	52.2	22,957	48.3
Male	139	47.1	23,857	50.1
Race/Ethnic group				
African American	18	6.1	10,187	21.4
American Indian	16	5.4	422	0.9
Asian	2	0.7	785	1.7
Hispanic/Latino	10	3.4	10,291	21.6
Native Hawaiian/Pacific Islander	1	0.3	63	0.1
Other/Multiple	60	20.3	6,956	14.6
White, non-Hispanic	187	63.4	18,419	38.7
Parent/Guardian in the Military				
No	245	83.1	41,174	86.6
Yes	47	15.9	5,980	12.6
Age				
11	10	3.4	2,576	5.4
12	53	18.0	6,243	13.1
13	54	18.3	6,872	14.4
14	48	16.3	7,136	15.0
15	45	15.3	7,278	15.3
16	34	11.5	6,918	14.5
17	37	12.5	6,616	13.9
18	11	3.7	3,403	7.2
Grade				
6th	56	19.0	6,626	13.9
7th	60	20.3	6,817	14.3
8th	56	19.0	7,021	14.8
9th	41	13.9	7,193	15.1
10th	36	12.2	7,025	14.8
11th	25	8.5	6,557	13.8
12th	21	7.1	6,333	13.3
Middle School	172	58.3	20,463	43.0
High School	123	41.7	27,109	57.0
Total	295	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Dixie County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	30.9	44.3	43.2	32.3	31.6	45.5	37.9	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	15.5	16.8	14.2	--	16.8	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	15.1	19.8	17.0	18.2	16.7	19.8	17.5	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	28.2	42.7	43.5	28.0	28.8	43.1	35.7	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	10.7	18.4	17.9	11.6	11.8	18.0	14.7	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	14.8	29.0	26.0	17.7	15.3	30.6	22.1	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	3.2	6.5	0.0	--	2.1	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	10.3	8.2	7.8	10.7	11.3	7.6	9.2	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	1.0	1.0	0.0	2.0	1.0	1.1	1.0	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.5	1.7	2.7	0.5	1.0	2.5	1.6	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.0	0.7	1.6	0.0	1.0	0.8	0.8	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	2.3	0.0	1.5	0.7	2.4	0.0	1.1	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	1.0	0.0	0.9	0.0	1.0	0.0	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	3.6	3.5	5.4	1.7	3.0	4.6	3.5	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	6.0	4.8	7.8	2.9	6.0	5.5	5.4	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	3.1	3.2	2.6	3.7	2.6	3.7	3.2	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.0	0.8	0.9	2.9	2.6	1.5	1.9	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	2.5	2.6	2.5	--	1.6	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	26.7	35.8	36.6	25.8	26.3	38.2	31.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	18.8	14.9	16.6	17.2	18.3	16.5	16.8	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.6	15.4	14.1	13.7	12.3	15.2	14.0	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	39.2	50.9	50.4	39.3	38.4	53.4	45.2	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	8.4	6.6	7.3	7.1	6.8	7.9	7.4	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Dixie County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	14.2	29.3	25.9	17.8	13.9	31.0	22.1	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	8.5	21.3	12.4	18.1	6.4	25.2	15.1	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	4.2	1.0	2.1	3.0	4.3	1.1	2.5	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	17.8	28.3	28.0	18.6	18.0	30.0	23.2	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	6.8	10.8	8.6	9.3	7.6	10.6	8.9	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	9.4	10.7	10.7	9.6	9.6	12.1	10.1	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.0	2.1	0.0	--	0.5	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.6	2.9	2.9	2.7	2.7	3.4	2.8	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	1.0	0.0	1.0	0.0	1.1	0.5	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	1.0	0.0	0.9	0.0	1.0	0.0	0.5	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	0.7	0.7	0.0	0.0	0.8	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	1.0	0.0	0.9	0.0	1.0	0.0	0.5	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	2.1	2.5	3.8	0.7	1.4	3.5	2.3	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	2.4	1.5	2.8	1.1	2.4	1.7	2.0	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.4	1.3	2.2	0.5	1.4	1.5	1.3	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	2.1	0.0	0.9	1.1	2.2	0.0	1.0	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	14.5	16.9	16.8	14.8	14.8	18.1	15.7	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	6.7	7.0	7.9	5.9	6.2	8.7	6.9	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	9.0	18.4	17.9	9.3	7.9	20.1	13.9	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	23.3	35.0	34.4	24.0	22.6	38.0	29.3	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	9.0	5.9	8.8	6.1	8.5	7.4	7.4	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Dixie County, 2012 to 2022

	2012			2014			2016			2018			2020			2022			
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	
Alcohol	35.4	60.2	48.8	41.1	68.8	56.2	30.3	55.1	43.6	24.5	57.6	42.3	--	--	--	30.9	44.3	37.9	
Blacking Out	--	--	--	--	30.3	--	--	23.5	--	--	27.0	--	--	--	--	--	15.5	--	--
Cigarettes	28.8	42.9	36.4	29.5	46.1	38.5	22.0	34.4	28.6	15.2	41.3	29.2	--	--	--	15.1	19.8	17.5	
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	28.2	42.7	35.7	
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.7	18.4	14.7	
Vaporizer / E-Cigarette	--	--	--	--	--	--	19.5	38.2	29.5	20.6	40.1	31.0	--	--	--	--	--	--	
Marijuana or Hashish	8.0	30.2	19.9	14.2	35.9	26.0	11.1	31.4	22.1	10.2	36.0	23.8	--	--	--	14.8	29.0	22.1	
Synthetic Marijuana	--	14.4	--	--	19.8	--	--	7.3	--	--	4.0	--	--	--	--	--	3.2	--	
Inhalants	7.1	3.7	5.3	10.9	4.0	7.1	5.8	3.4	4.5	6.6	4.0	5.3	--	--	--	10.3	8.2	9.2	
Club Drugs	0.0	0.6	0.3	1.1	1.5	1.3	0.6	3.0	1.9	0.6	5.2	3.0	--	--	--	1.0	1.0	1.0	
LSD, PCP or Mushrooms	0.7	1.4	1.1	0.8	4.1	2.6	1.1	5.6	3.6	1.1	2.7	2.0	--	--	--	1.5	1.7	1.6	
Methamphetamine	0.8	0.8	0.8	0.0	1.9	1.0	0.6	1.6	1.1	2.2	0.6	1.4	--	--	--	1.0	0.7	0.8	
Cocaine or Crack	0.9	1.7	1.3	1.9	2.7	2.3	1.1	3.6	2.4	1.2	7.4	4.5	--	--	--	2.3	0.0	1.1	
Heroin	0.4	0.3	0.3	0.4	2.4	1.5	1.2	1.9	1.5	0.6	1.2	0.9	--	--	--	1.0	0.0	0.5	
Prescription Depressants	0.8	5.2	3.2	0.0	6.7	3.6	3.4	5.0	4.3	1.6	4.0	2.9	--	--	--	3.6	3.5	3.5	
Prescription Pain Relievers	2.1	8.4	5.6	5.8	5.9	5.9	2.8	3.8	3.4	1.8	6.5	4.3	--	--	--	6.0	4.8	5.4	
Prescription Amphetamines	0.4	2.6	1.6	0.7	1.8	1.3	2.1	1.4	1.7	1.1	0.9	1.0	--	--	--	3.1	3.2	3.2	
Over-the-Counter Drugs	2.2	3.5	2.9	5.4	5.9	5.7	0.4	5.1	2.9	2.0	2.8	2.4	--	--	--	3.0	0.8	1.9	
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.5	--	
Any illicit drug	15.5	37.8	27.5	24.9	39.7	32.9	19.7	33.4	27.1	16.6	36.2	27.0	--	--	--	26.7	35.8	31.4	
Any illicit drug other than marijuana	9.2	15.9	12.8	15.9	18.1	17.1	12.6	14.8	13.8	11.8	16.1	14.1	--	--	--	18.8	14.9	16.8	
Alcohol only	23.0	27.5	25.4	18.8	32.0	25.9	17.4	25.7	21.8	13.5	21.1	17.5	--	--	--	12.6	15.4	14.0	
Alcohol or any illicit drug	38.5	65.3	52.9	43.8	71.0	58.6	36.7	59.2	48.8	29.9	57.9	44.8	--	--	--	39.2	50.9	45.2	
Any illicit drug, but no alcohol	3.0	4.8	4.0	2.7	2.2	2.4	6.4	4.9	5.6	5.6	0.3	2.8	--	--	--	8.4	6.6	7.4	

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Dixie County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	12.8	32.3	23.3	22.5	38.0	31.0	15.6	28.5	22.6	8.3	35.0	22.6	--	--	--	14.2	29.3	22.1
Binge Drinking	3.8	20.8	13.0	12.5	24.3	18.9	5.1	19.6	13.1	6.7	16.8	12.1	--	--	--	8.5	21.3	15.1
Cigarettes	4.1	12.7	8.7	10.2	19.8	15.4	6.1	10.9	8.6	4.0	19.7	12.4	--	--	--	4.2	1.0	2.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	17.8	28.3	23.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.8	10.8	8.9
Vaporizer / E-Cigarette	--	--	--	--	--	--	5.8	13.8	10.0	7.2	17.5	12.7	--	--	--	--	--	--
Marijuana or Hashish	3.6	10.5	7.4	5.6	16.4	11.5	2.8	18.0	11.1	5.3	26.0	16.2	--	--	--	9.4	10.7	10.1
Synthetic Marijuana	--	8.0	--	--	1.6	--	--	0.0	--	--	1.2	--	--	--	--	--	1.0	--
Inhalants	3.2	1.3	2.2	2.8	2.2	2.5	1.4	0.5	0.9	1.9	1.2	1.5	--	--	--	2.6	2.9	2.8
Club Drugs	0.0	0.8	0.5	0.0	0.4	0.2	0.6	0.0	0.3	0.6	0.0	0.3	--	--	--	0.0	1.0	0.5
LSD, PCP or Mushrooms	0.8	0.3	0.5	0.8	2.2	1.6	0.0	0.0	0.0	0.6	0.0	0.3	--	--	--	1.0	0.0	0.5
Methamphetamine	0.0	0.8	0.5	0.0	0.4	0.2	0.6	0.0	0.3	0.7	0.0	0.3	--	--	--	0.0	0.7	0.3
Cocaine or Crack	0.4	0.5	0.5	0.0	2.4	1.3	0.0	1.2	0.7	1.3	3.2	2.3	--	--	--	0.0	0.0	0.0
Heroin	0.4	0.0	0.2	0.0	0.7	0.4	0.0	1.3	0.7	0.0	0.7	0.4	--	--	--	1.0	0.0	0.5
Prescription Depressants	0.0	1.6	0.9	0.3	2.3	1.4	1.3	1.0	1.1	1.0	1.5	1.3	--	--	--	2.1	2.5	2.3
Prescription Pain Relievers	0.8	1.1	1.0	3.3	0.5	1.7	0.4	2.1	1.3	0.6	3.1	1.9	--	--	--	2.4	1.5	2.0
Prescription Amphetamines	0.4	0.8	0.6	0.8	0.0	0.4	0.0	0.5	0.2	0.0	1.0	0.5	--	--	--	1.4	1.3	1.3
Over-the-Counter Drugs	0.7	1.3	1.0	2.4	1.2	1.7	0.0	3.2	1.8	1.2	1.1	1.1	--	--	--	2.1	0.0	1.0
Any illicit drug	6.9	14.7	11.1	11.6	17.6	14.9	6.8	21.5	14.7	8.0	26.1	17.6	--	--	--	14.5	16.9	15.7
Any illicit drug other than marijuana	3.8	3.5	3.6	8.5	8.2	8.3	4.1	6.8	5.5	4.7	8.6	6.8	--	--	--	6.7	7.0	6.9
Alcohol only	9.1	20.8	15.4	14.8	26.9	21.4	12.2	12.9	12.6	4.2	14.5	9.8	--	--	--	9.0	18.4	13.9
Alcohol or any illicit drug	15.5	35.2	26.1	28.1	44.2	36.9	18.2	33.9	26.7	12.2	40.4	27.2	--	--	--	23.3	35.0	29.3
Any illicit drug, but no alcohol	2.9	2.8	2.8	5.8	6.3	6.1	2.9	5.5	4.3	4.2	5.7	5.0	--	--	--	9.0	5.9	7.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Dixie County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	19.8	14.9	24.6	--	21.6	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	3.0	4.5	1.5	--	3.0	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	7.5	9.3	5.8	--	7.1	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	8.0	12.6	3.4	--	8.4	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	45.2	40.3	49.7	35.4	45.4	37.3	42.7	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	58.6	46.0	58.0	46.6	59.8	43.2	52.2	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	63.9	64.8	64.4	64.5	64.7	63.8	64.3	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	52.6	36.9	46.4	42.6	52.2	38.5	44.5	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	51.7	37.0	48.6	39.6	52.0	37.9	44.2	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	42.5	31.6	37.1	36.6	41.1	30.0	36.9	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	30.6	19.1	25.5	24.0	30.8	17.2	24.7	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	75.3	76.6	78.6	73.6	77.5	76.0	76.0	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	92.2	84.2	87.5	88.5	91.3	85.5	88.1	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	84.5	67.7	76.5	74.9	85.3	65.0	75.8	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	86.8	71.4	80.5	77.0	84.8	72.1	78.9	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	83.8	74.9	78.1	80.1	83.9	73.7	79.2	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	87.8	75.5	82.1	80.6	86.3	76.2	81.4	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	94.7	99.0	98.0	95.8	94.5	98.9	96.9	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	81.3	73.2	81.5	72.4	81.7	72.5	77.2	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	86.8	80.1	84.1	82.5	86.3	79.3	83.4	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	83.8	68.8	74.1	78.0	82.1	68.8	76.1	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	74.0	64.1	65.5	72.2	72.4	63.0	68.9	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	84.0	72.1	74.7	81.1	81.8	73.1	78.0	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	92.9	94.5	92.4	95.0	93.3	93.9	93.7	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Dixie County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	29.0	--	--	38.4	--	--	25.5	--	--	28.6	--	--	--	--	19.8	--	--
Drink monthly	--	10.4	--	--	9.4	--	--	7.9	--	--	3.7	--	--	--	--	3.0	--	--
Smoke cigarettes	--	30.0	--	--	27.4	--	--	23.4	--	--	27.6	--	--	--	--	7.5	--	--
Smoke marijuana	--	11.2	--	--	17.8	--	--	14.7	--	--	17.9	--	--	--	--	8.0	--	--
Great risk of harm																		
Daily alcohol use	44.1	27.2	34.9	41.1	26.0	32.9	39.2	31.5	35.1	45.2	29.2	36.7	--	--	--	45.2	40.3	42.7
5+ drinks daily	--	--	--	55.7	34.0	43.9	46.7	41.9	44.1	54.7	40.3	47.1	--	--	--	58.6	46.0	52.2
Daily cigarette use	65.5	56.8	60.8	67.6	52.6	59.5	65.9	55.4	60.2	62.2	56.7	59.3	--	--	--	63.9	64.8	64.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	52.6	36.9	44.5
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	51.7	37.0	44.2
Marijuana weekly*	--	--	--	54.5	30.2	41.3	54.1	27.8	40.0	49.2	18.4	32.8	--	--	--	42.5	31.6	36.9
Try marijuana	43.9	20.7	31.4	35.9	24.4	29.6	40.1	24.9	31.9	39.5	13.1	25.5	--	--	--	30.6	19.1	24.7
Prescription drugs	--	65.2	65.2	75.8	71.6	73.6	74.0	71.7	72.8	70.3	70.1	70.2	--	--	--	75.3	76.6	76.0
Think it wrong																		
Smoke cigarettes	95.5	70.8	82.0	82.9	63.8	72.7	88.2	77.5	82.5	90.4	75.3	82.4	--	--	--	92.2	84.2	88.1
Drink regularly	81.9	52.7	66.1	74.8	51.0	62.1	84.6	63.0	73.0	81.2	60.0	69.9	--	--	--	84.5	67.7	75.8
Smoke marijuana	95.6	73.3	83.5	86.2	68.6	76.8	86.5	69.4	77.4	87.8	56.8	71.1	--	--	--	86.8	71.4	78.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	83.8	74.9	79.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.8	75.5	81.4
Other illicit drugs	98.1	92.5	95.0	96.6	96.2	96.4	96.2	94.7	95.4	96.9	92.6	94.6	--	--	--	94.7	99.0	96.9
Friends think it wrong																		
Daily alcohol use	--	--	--	73.3	54.8	63.3	81.6	71.0	76.0	81.9	68.5	74.8	--	--	--	81.3	73.2	77.2
Smoke tobacco	--	--	--	79.6	60.2	69.1	90.9	73.0	81.4	90.6	63.8	76.4	--	--	--	86.8	80.1	83.4
Smoke marijuana	--	--	--	79.9	64.8	71.7	87.4	69.7	78.0	82.6	54.8	67.9	--	--	--	83.8	68.8	76.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	74.0	64.1	68.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	84.0	72.1	78.0
Prescription drugs	--	--	--	93.1	93.6	93.4	95.7	94.9	95.3	95.0	89.1	91.9	--	--	--	92.9	94.5	93.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Dixie County and Florida Statewide youth, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	12.4	12.4	12.4	--	12.4	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	4.5	0.0	11.3	--	4.5	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	12.4	9.0	17.4	--	12.4	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	38.9	50.0	22.4	--	38.9	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	1.5	2.5	0.0	--	1.5	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	30.3	26.0	36.5	--	30.3	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Dixie County and Florida Statewide youth, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	30.8	22.1	42.7	--	30.8	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	30.1	33.4	25.6	--	30.1	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	2.4	4.1	0.0	--	2.4	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	7.1	0.0	16.7	--	7.1	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	2.4	4.1	0.0	--	2.4	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	27.2	36.2	15.0	--	27.2	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Dixie County and Florida Statewide youth, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.7	36.9	5.4	--	22.7	--	--	34.2	36.6	31.0	--	34.2	--
2	--	10.3	9.6	11.2	--	10.3	--	--	20.0	22.2	16.3	--	20.0	--
3	--	9.6	9.1	10.2	--	9.6	--	--	15.7	15.6	15.9	--	15.7	--
4	--	17.8	25.0	9.2	--	17.8	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	39.6	19.3	64.1	--	39.6	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Dixie County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.7	6.2	8.2	2.7	4.1	7.9	5.5	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	7.2	7.2	7.9	6.5	7.3	8.2	7.2	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	3.3	3.9	5.0	2.2	4.0	3.8	3.6	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Dixie County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	15.9	12.1	8.3	20.0	14.3	15.8	13.9	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.1	1.0	0.0	2.1	1.1	1.1	1.0	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.0	0.0	1.0	0.0	1.0	0.0	0.5	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.6	1.3	1.3	1.6	1.6	1.5	1.5	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.5	0.0	0.0	0.5	0.5	0.0	0.3	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	25.3	12.9	13.5	24.0	22.2	18.3	18.9	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	10.9	3.5	5.6	8.0	9.3	5.8	7.0	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Dixie County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.2	7.6	7.0	10.6	10.9	10.7	15.8	9.4	12.4	13.9	12.8	13.3	--	--	--	15.9	12.1	13.9
Selling drugs	0.7	3.1	2.0	2.3	8.4	5.6	0.5	3.7	2.2	4.2	10.8	7.7	--	--	--	1.1	1.0	1.0
Attempting to steal a vehicle	1.0	2.6	1.8	0.4	2.1	1.3	0.6	2.8	1.8	3.4	4.0	3.7	--	--	--	1.0	0.0	0.5
Being arrested	0.4	3.4	2.0	3.6	4.7	4.2	1.3	4.1	2.8	2.3	1.9	2.1	--	--	--	1.6	1.3	1.5
Taking a handgun to school	0.7	1.6	1.2	0.0	2.5	1.3	0.6	1.1	0.8	0.7	0.7	0.7	--	--	--	0.5	0.0	0.3
Getting suspended	7.5	7.5	7.5	17.4	10.1	13.5	15.2	9.3	12.0	12.5	8.4	10.4	--	--	--	25.3	12.9	18.9
Attacking someone with intent to harm	4.2	7.1	5.8	5.8	4.7	5.2	6.3	9.0	7.7	7.6	8.2	7.9	--	--	--	10.9	3.5	7.0

Table 14. Percentages of Dixie County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	35.5	34.7	42.9	26.9	36.7	37.6	35.1	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	51.1	42.7	56.3	36.9	51.7	45.3	46.7	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	34.7	30.5	42.3	22.3	35.0	32.7	32.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	50.6	43.7	59.8	33.7	51.4	46.9	47.1	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<i>Suicide</i>														
Thought about committing suicide in the past 12 months	28.1	34.7	37.9	24.7	29.4	35.1	31.5	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	10.1	8.3	14.8	3.1	10.2	9.6	9.2	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Dixie County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.7	12.6	16.7	6.7	13.9	10.4	11.7	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	47.3	31.1	41.8	36.0	47.8	31.1	39.0	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	72.0	50.3	70.0	51.5	72.5	48.9	60.8	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	31.3	34.4	44.9	21.0	31.5	34.0	32.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	22.9	13.6	15.1	20.7	21.4	17.0	18.1	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	42.3	24.8	31.2	34.7	42.8	25.8	33.3	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	17.2	7.8	12.8	12.1	16.3	8.3	12.3	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Dixie County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	12.9	19.6	6.4	--	14.1	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	10.1	13.8	6.5	--	10.6	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.3	12.8	0.0	--	6.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	29.8	38.1	21.7	--	32.4	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	8.5	15.0	2.1	--	5.6	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	27.1	37.2	17.2	--	27.3	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	32.0	47.7	16.6	--	32.8	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	27.2	31.7	22.8	--	28.5	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	29.4	33.7	25.1	--	32.3	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	8.1	12.0	4.3	--	10.1	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Dixie County and Florida Statewide high school youth, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	34.3	21.4	46.9	--	31.7	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	19.0	21.7	16.4	--	20.8	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	15.1	9.9	20.1	--	14.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	9.4	12.4	6.5	--	10.5	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	10.5	17.3	3.9	--	8.9	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	6.4	6.6	6.2	--	8.0	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	1.2	2.5	0.0	--	1.5	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.3	4.7	0.0	--	2.0	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.9	1.9	0.0	--	1.1	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.9	1.9	0.0	--	1.1	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Dixie County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.3	27.0	30.9	23.2	25.5	30.1	27.1	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	22.5	22.5	23.9	21.2	22.8	22.4	22.5	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	36.4	36.1	37.8	34.9	35.1	41.9	36.3	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.0	20.1	21.8	23.7	25.1	23.0	22.9	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	47.9	36.2	47.1	36.4	47.9	37.0	41.8	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	57.1	38.4	59.2	35.8	58.7	40.5	47.4	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Dixie County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Dixie County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	44.5	47.6	45.1	47.0	41.6	52.1	46.1	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	38.3	19.9	26.4	31.6	39.3	20.5	28.8	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	12.1	9.9	9.4	12.3	11.8	7.0	11.0	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	30.3	34.5	45.5	19.4	31.8	32.3	32.5	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	8.3	15.9	16.6	7.9	7.9	12.3	12.2	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Dixie County and Florida Statewide youth, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	25.0	23.3	26.7	--	23.7	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	17.6	17.4	17.7	--	18.2	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	11.0	7.5	14.4	--	11.1	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	8.8	8.5	9.0	--	10.2	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Dixie County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	29.2	--	--	24.2	--	--	23.7	--	--	29.6	--	--	--	--	--	25.0	--
Marijuana	--	22.5	--	--	24.2	--	--	26.9	--	--	31.0	--	--	--	--	--	17.6	--
<i>Driving a vehicle</i>																		
Alcohol	--	11.6	--	--	11.6	--	--	11.8	--	--	17.6	--	--	--	--	--	11.0	--
Marijuana	--	9.2	--	--	15.1	--	--	13.5	--	--	22.0	--	--	--	--	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Dixie County and Florida Statewide youth, 2022

	Dixie County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	63.1	68.7	57.7	74.2	60.7	72.5	66.0	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	24.4	21.2	30.9	14.7	27.1	18.9	22.8	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	12.5	10.0	11.4	11.1	12.2	8.7	11.2	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	26.4	17.0	15.6	27.2	27.2	17.1	21.5	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	7.3	7.9	8.2	7.1	7.8	6.6	7.6	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	34.1	34.7	25.7	43.8	33.7	35.3	34.4	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	19.3	22.7	27.6	14.5	17.3	23.8	21.1	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	13.0	17.6	22.9	7.4	14.0	17.2	15.4	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Dixie County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Dixie County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	52	59	53	55	59	54
	Family Rewards for Prosocial Involvement	40	51	46	49	54	55
School	School Opportunities for Prosocial Involvement	46	61	51	60	57	60
	School Rewards for Prosocial Involvement	39	68	45	56	53	58
Peer and Individual	Religiosity	47	62	36	46	56	62
Average Prevalence Rate		45	60	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Dixie County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Dixie County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	57	44	41	29	42	42
	Perceived Availability of Drugs	45	26	33	15	45	45
	Perceived Availability of Handguns	44	57	25	30	25	42
Family	Poor Family Management	53	35	47	34	44	45
	Family Conflict	46	36	43	34	42	37
School	Poor Academic Performance	46	48	48	48	45	48
	Lack of Commitment to School	69	65	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	46	32	52	39	40	46
	Favorable Attitudes toward ATOD Use	36	32	33	29	39	45
	Early Initiation of Drug Use	30	23	21	13	41	46
Average Prevalence Rate		47	40	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Dixie County, 2012 to 2022

Domain	Scale	Dixie County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	57	60	57	64	--	52
	Family Rewards for Prosocial Involvement	54	50	53	59	--	40
School	School Opportunities for Prosocial Involvement	56	48	47	57	--	46
	School Rewards for Prosocial Involvement	61	55	52	54	--	39
Peer and Individual	Religiosity	63	59	64	65	--	47
Average Prevalence Rate		58	54	55	60	--	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Dixie County, 2012 to 2022

Domain	Scale	Dixie County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	46	57	50	41	--	57
	Perceived Availability of Drugs	44	48	42	33	--	45
	Perceived Availability of Handguns	40	45	40	38	--	44
Family	Poor Family Management	39	52	40	39	--	53
	Family Conflict	33	46	38	24	--	46
School	Poor Academic Performance	45	39	47	47	--	46
	Lack of Commitment to School	50	57	52	58	--	69
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	41	36	42	--	46
	Favorable Attitudes toward ATOD Use	40	50	36	39	--	36
	Early Initiation of Drug Use	43	48	36	32	--	30
Average Prevalence Rate		42	49	42	40	--	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Dixie County, 2012 to 2022

Domain	Scale	Dixie County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	53	68	66	51	--	59
	Family Rewards for Prosocial Involvement	52	61	59	39	--	51
School	School Opportunities for Prosocial Involvement	54	60	61	62	--	61
	School Rewards for Prosocial Involvement	64	70	67	61	--	68
Peer and Individual	Religiosity	73	78	80	68	--	62
Average Prevalence Rate		59	67	67	56	--	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Dixie County, 2012 to 2022

Domain	Scale	Dixie County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	50	43	38	39	--	44
	Perceived Availability of Drugs	34	27	21	32	--	26
	Perceived Availability of Handguns	58	55	53	51	--	57
Family	Poor Family Management	50	43	42	41	--	35
	Family Conflict	31	23	31	28	--	36
School	Poor Academic Performance	37	37	40	51	--	48
	Lack of Commitment to School	46	53	50	55	--	65
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	28	35	40	--	32
	Favorable Attitudes toward ATOD Use	41	42	42	49	--	32
	Early Initiation of Drug Use	38	45	36	40	--	23
Average Prevalence Rate		43	40	39	43	--	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.