

2022 Florida Youth Substance Abuse Survey

Flagler County Data Tables

Table 1. Major demographic characteristics of surveyed Flagler County and Florida Statewide, 2022

	Flagler County		Florida Statewide	
	N	%	N	%
Sex				
Female	422	47.1	22,957	48.3
Male	462	51.6	23,857	50.1
Race/Ethnic group				
African American	101	11.3	10,187	21.4
American Indian	27	3.0	422	0.9
Asian	19	2.1	785	1.7
Hispanic/Latino	89	9.9	10,291	21.6
Native Hawaiian/Pacific Islander	7	0.8	63	0.1
Other/Multiple	282	31.5	6,956	14.6
White, non-Hispanic	363	40.5	18,419	38.7
Parent/Guardian in the Military				
No	717	80.0	41,174	86.6
Yes	175	19.5	5,980	12.6
Age				
11	83	9.3	2,576	5.4
12	210	23.4	6,243	13.1
13	171	19.1	6,872	14.4
14	153	17.1	7,136	15.0
15	169	18.9	7,278	15.3
16	86	9.6	6,918	14.5
17	18	2.0	6,616	13.9
18	2	0.2	3,403	7.2
Grade				
6th	231	25.8	6,626	13.9
7th	180	20.1	6,817	14.3
8th	141	15.7	7,021	14.8
9th	191	21.3	7,193	15.1
10th	123	13.7	7,025	14.8
11th	20	2.2	6,557	13.8
12th	10	1.1	6,333	13.3
Middle School	552	61.6	20,463	43.0
High School	344	38.4	27,109	57.0
Total	896	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Flagler County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.0	37.6	37.1	25.7	22.0	41.8	30.4	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	12.2	18.4	8.4	--	14.7	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	6.1	11.4	11.8	6.9	6.1	12.9	9.1	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	13.6	28.2	26.2	18.6	14.1	31.9	22.0	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	8.6	23.4	19.0	15.6	9.1	26.7	17.1	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	9.0	29.8	22.6	19.7	9.7	34.3	20.8	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	7.0	14.1	2.9	--	8.6	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	7.9	2.8	7.8	2.9	8.0	2.3	5.0	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.4	4.0	3.0	2.1	0.3	4.8	2.5	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	2.9	9.6	6.2	7.2	2.7	11.3	6.7	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.0	0.5	0.6	0.7	0.9	0.5	0.7	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.3	3.7	2.8	1.8	0.7	4.0	2.2	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.4	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.1	7.4	7.4	3.6	2.0	8.7	5.1	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	2.7	7.2	5.5	5.1	2.9	8.1	5.3	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.8	5.4	7.2	2.0	3.0	5.9	4.3	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	4.7	7.8	10.3	3.7	4.4	9.2	6.5	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.6	0.0	0.9	--	0.7	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	19.9	36.2	34.0	25.7	20.8	40.3	29.2	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	14.2	19.4	22.3	13.5	14.7	21.2	17.2	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	9.2	8.0	10.3	7.1	9.6	8.1	8.5	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	29.0	43.7	43.9	32.6	30.3	47.9	37.4	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	8.2	6.6	7.4	7.0	8.2	7.0	7.3	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Flagler County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	6.4	16.8	15.3	10.3	6.6	19.4	12.3	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	3.2	7.6	8.0	4.1	3.2	8.7	5.7	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.1	3.3	3.3	1.6	0.9	4.0	2.4	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	6.3	15.3	15.5	8.7	7.0	17.1	11.5	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	3.6	14.7	8.8	11.0	4.6	16.4	10.0	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.2	15.5	10.1	11.2	4.8	17.6	10.6	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.5	0.8	0.4	--	0.7	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.1	1.2	2.5	1.0	2.4	1.0	1.6	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.1	0.1	0.0	0.2	0.1	0.1	0.1	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.4	0.3	0.0	0.5	0.5	0.1	0.3	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.8	0.6	0.8	0.6	1.1	0.3	0.7	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.1	0.3	0.0	0.4	0.3	0.1	0.2	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.1	0.1	0.0	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.3	0.8	0.3	0.8	0.3	1.0	0.6	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.7	2.2	0.7	2.2	0.6	2.7	1.6	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.7	0.9	0.5	1.0	0.7	1.0	0.8	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.9	1.2	1.6	1.4	1.9	1.2	1.5	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	8.9	19.9	14.7	15.6	10.2	21.7	15.2	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.2	4.9	4.7	5.2	5.7	4.7	5.0	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	3.7	5.3	9.8	0.9	3.3	6.4	4.6	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	12.7	25.0	24.4	16.6	13.5	27.8	19.7	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	6.0	8.6	9.3	6.2	6.5	9.2	7.5	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Flagler County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	35.1	66.7	53.0	27.2	61.2	46.7	23.1	56.4	42.6	23.5	50.3	39.4	27.5	37.2	33.1	21.0	37.6	30.4
Blacking Out	--	--	--	--	20.7	--	--	19.9	--	--	18.0	--	--	10.7	--	--	12.2	--
Cigarettes	19.7	36.0	28.9	12.4	28.6	21.7	10.2	24.4	18.3	7.0	20.0	14.6	8.8	12.2	10.8	6.1	11.4	9.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	20.1	24.6	22.8	13.6	28.2	22.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	10.6	21.1	16.8	8.6	23.4	17.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	16.8	36.6	28.1	19.5	41.9	32.6	--	--	--	--	--	--
Marijuana or Hashish	12.8	36.8	26.4	11.6	39.4	27.6	9.0	35.7	24.3	11.0	36.1	25.5	12.5	24.8	19.7	9.0	29.8	20.8
Synthetic Marijuana	--	17.8	--	--	12.1	--	--	6.0	--	--	4.3	--	--	2.6	--	--	7.0	--
Inhalants	14.6	5.5	9.4	6.5	4.2	5.2	6.7	4.1	5.2	8.9	4.4	6.3	9.4	4.8	6.7	7.9	2.8	5.0
Club Drugs	0.9	6.2	3.9	1.0	3.9	2.7	0.3	3.1	1.9	0.4	2.8	1.8	1.5	1.7	1.6	0.4	4.0	2.5
LSD, PCP or Mushrooms	2.8	4.8	4.0	1.4	4.1	2.9	0.5	6.5	4.0	2.1	5.9	4.3	2.8	5.9	4.7	2.9	9.6	6.7
Methamphetamine	1.1	1.7	1.5	0.6	1.3	1.0	0.5	0.2	0.3	0.4	1.0	0.8	0.4	1.1	0.8	1.0	0.5	0.7
Cocaine or Crack	2.6	4.0	3.4	0.8	2.5	1.8	0.1	4.0	2.4	0.9	3.6	2.5	1.8	3.0	2.5	0.3	3.7	2.2
Heroin	1.1	1.6	1.4	0.4	0.8	0.6	0.4	0.6	0.5	0.2	0.9	0.6	0.0	0.9	0.5	0.4	0.3	0.3
Prescription Depressants	3.2	7.3	5.5	1.0	6.0	3.9	1.4	11.3	7.0	2.9	8.0	5.8	2.9	7.5	5.6	2.1	7.4	5.1
Prescription Pain Relievers	5.1	12.5	9.3	4.8	8.8	7.1	3.3	8.3	6.1	4.5	5.1	4.9	4.0	4.8	4.5	2.7	7.2	5.3
Prescription Amphetamines	2.4	4.0	3.3	1.0	2.9	2.1	1.4	4.2	3.0	1.9	3.3	2.7	3.2	3.7	3.4	2.8	5.4	4.3
Over-the-Counter Drugs	6.5	9.8	8.4	3.9	5.4	4.8	3.7	7.3	5.8	4.7	5.5	5.2	5.4	3.8	4.5	4.7	7.8	6.5
Needle to Inject Drugs	--	--	--	--	--	--	--	0.8	--	--	1.5	--	--	2.2	--	--	0.6	--
Any illicit drug	26.5	45.9	37.4	18.9	44.5	33.5	18.3	40.1	30.8	20.0	39.1	31.0	22.8	33.5	29.1	19.9	36.2	29.2
Any illicit drug other than marijuana	21.1	24.8	23.2	12.4	17.9	15.5	12.5	21.9	17.8	15.2	16.0	15.7	16.3	18.7	17.7	14.2	19.4	17.2
Alcohol only	16.0	25.5	21.4	13.2	21.3	17.9	12.1	21.3	17.5	12.8	18.3	16.1	13.2	15.3	14.5	9.2	8.0	8.5
Alcohol or any illicit drug	42.4	71.2	58.7	32.2	66.1	51.5	30.0	61.3	47.9	32.1	57.4	46.8	35.5	48.5	43.1	29.0	43.7	37.4
Any illicit drug, but no alcohol	7.4	4.5	5.8	5.3	5.0	5.1	7.5	5.1	6.1	9.6	7.4	8.3	8.3	11.2	10.0	8.2	6.6	7.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Flagler County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	15.2	37.5	27.8	9.7	30.6	21.7	9.1	27.4	19.8	9.5	22.8	17.3	10.9	15.4	13.5	6.4	16.8	12.3
Binge Drinking	7.2	16.9	12.7	4.0	15.2	10.4	2.8	12.2	8.2	1.9	11.3	7.4	5.8	7.3	6.7	3.2	7.6	5.7
Cigarettes	3.5	13.4	9.1	4.0	10.2	7.5	0.9	8.2	5.1	0.9	4.5	3.0	1.7	1.7	1.7	1.1	3.3	2.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	9.2	11.7	10.6	6.3	15.3	11.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	4.9	9.5	7.6	3.6	14.7	10.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	6.5	12.4	9.8	6.6	19.0	13.8	--	--	--	--	--	--
Marijuana or Hashish	6.5	21.9	15.3	5.8	18.9	13.3	4.6	19.8	13.3	5.2	24.6	16.5	6.6	12.6	10.1	4.2	15.5	10.6
Synthetic Marijuana	--	9.7	--	--	1.1	--	--	0.7	--	--	1.9	--	--	1.0	--	--	0.5	--
Inhalants	5.4	1.6	3.2	2.1	0.7	1.3	1.8	0.6	1.1	3.6	1.0	2.1	2.3	1.5	1.8	2.1	1.2	1.6
Club Drugs	0.5	1.4	1.0	0.5	1.3	0.9	0.4	0.7	0.6	0.2	1.0	0.6	0.6	0.7	0.7	0.1	0.1	0.1
LSD, PCP or Mushrooms	1.3	1.5	1.4	0.3	0.6	0.5	0.5	1.4	1.0	0.7	1.2	1.0	0.0	2.4	1.4	0.4	0.3	0.3
Methamphetamine	0.6	0.0	0.3	0.8	1.0	0.9	0.5	0.2	0.3	0.2	0.6	0.4	0.0	0.3	0.2	0.8	0.6	0.7
Cocaine or Crack	1.7	0.4	1.0	0.9	1.4	1.2	0.5	1.2	0.9	0.2	2.0	1.2	1.1	1.4	1.3	0.1	0.3	0.2
Heroin	0.5	0.7	0.6	0.4	0.5	0.4	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1
Prescription Depressants	0.9	2.5	1.8	1.0	2.3	1.7	0.1	4.5	2.6	0.6	2.6	1.7	0.8	1.7	1.3	0.3	0.8	0.6
Prescription Pain Relievers	2.3	5.3	4.0	2.9	2.2	2.5	1.1	2.1	1.7	2.1	1.9	2.0	0.7	1.2	1.0	0.7	2.2	1.6
Prescription Amphetamines	0.9	0.7	0.8	1.1	1.1	1.1	0.0	1.6	0.9	0.6	1.0	0.8	1.0	1.5	1.3	0.7	0.9	0.8
Over-the-Counter Drugs	2.0	3.9	3.1	2.6	1.8	2.2	1.9	3.2	2.6	2.2	2.1	2.2	2.2	1.3	1.7	1.9	1.2	1.5
Any illicit drug	13.6	27.4	21.4	9.0	21.8	16.3	8.4	22.8	16.7	11.1	26.2	19.8	10.1	17.6	14.5	8.9	19.9	15.2
Any illicit drug other than marijuana	9.6	10.6	10.2	6.6	7.4	7.1	5.0	9.5	7.6	6.9	6.1	6.5	4.8	7.9	6.6	5.2	4.9	5.0
Alcohol only	7.1	16.4	12.4	5.9	16.0	11.7	5.5	11.2	8.9	5.2	10.5	8.3	5.8	7.7	6.9	3.7	5.3	4.6
Alcohol or any illicit drug	20.4	43.6	33.5	14.7	37.8	27.9	13.2	34.0	25.1	15.9	36.1	27.6	15.7	25.1	21.2	12.7	25.0	19.7
Any illicit drug, but no alcohol	5.4	6.3	5.9	5.3	7.5	6.6	4.9	6.8	6.0	6.8	13.7	10.8	5.1	9.9	7.9	6.0	8.6	7.5

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Flagler County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	19.1	32.8	11.1	--	20.1	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	5.8	8.3	4.5	--	6.3	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	6.8	4.2	8.0	--	7.4	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	14.0	15.7	13.1	--	15.6	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	49.0	35.8	46.8	37.1	49.0	31.8	41.5	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	61.6	45.4	57.1	48.2	60.6	45.7	52.4	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	69.6	66.5	67.0	68.1	69.1	66.5	67.8	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	54.2	38.0	40.4	48.3	52.9	37.0	44.9	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	54.7	24.0	37.7	36.9	53.3	21.3	37.3	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	48.5	20.2	32.4	32.4	46.4	18.2	32.4	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	32.5	15.3	23.2	22.1	32.0	12.6	22.7	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.1	67.3	71.5	67.0	71.0	67.1	69.0	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	95.3	93.6	91.7	96.4	95.2	93.1	94.3	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	87.9	77.5	78.4	84.4	87.4	75.1	81.9	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	88.2	59.9	69.2	73.8	87.1	56.5	71.9	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	89.7	81.2	81.3	87.4	89.4	79.1	84.9	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	88.8	69.8	71.0	82.7	88.5	67.4	77.9	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	96.4	91.4	89.3	96.7	96.2	92.3	93.6	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	90.5	87.0	83.5	92.4	90.6	85.6	88.5	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	93.0	90.8	87.3	95.4	93.2	89.8	91.8	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	85.8	65.7	69.6	78.2	85.0	63.4	74.4	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	83.3	71.3	71.9	80.2	83.4	67.3	76.5	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	84.3	65.2	68.6	77.4	84.0	62.3	73.5	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	94.3	90.5	86.8	96.3	94.5	89.2	92.1	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Flagler County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	29.5	--	--	20.6	--	--	22.7	--	--	18.5	--	--	13.7	--	--	19.1	--
Drink monthly	--	6.0	--	--	3.6	--	--	3.8	--	--	3.8	--	--	3.3	--	--	5.8	--
Smoke cigarettes	--	19.9	--	--	12.3	--	--	13.7	--	--	9.5	--	--	6.7	--	--	6.8	--
Smoke marijuana	--	10.8	--	--	12.4	--	--	13.3	--	--	13.6	--	--	9.1	--	--	14.0	--
Great risk of harm																		
Daily alcohol use	48.3	34.5	40.5	45.7	37.7	41.1	41.7	39.3	40.3	45.0	34.5	38.8	47.0	44.5	45.6	49.0	35.8	41.5
5+ drinks daily	--	--	--	57.3	52.4	54.5	57.4	54.4	55.7	61.0	49.7	54.3	57.0	53.6	55.0	61.6	45.4	52.4
Daily cigarette use	71.2	64.4	67.3	67.7	69.8	68.9	69.4	69.8	69.6	70.8	67.1	68.6	65.9	68.0	67.1	69.6	66.5	67.8
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	48.2	43.4	45.4	54.2	38.0	44.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	48.0	37.9	42.1	54.7	24.0	37.3
Marijuana weekly*	--	--	--	50.2	23.0	34.7	48.5	22.7	33.7	47.8	17.3	29.8	45.5	23.7	32.8	48.5	20.2	32.4
Try marijuana	36.1	18.0	25.8	33.9	13.7	22.3	33.9	15.2	23.2	29.2	12.9	19.6	28.1	16.3	21.2	32.5	15.3	22.7
Prescription drugs	--	69.9	69.9	76.7	77.1	76.9	73.7	75.4	74.7	68.3	74.7	72.1	69.7	67.8	68.6	71.1	67.3	69.0
Think it wrong																		
Smoke cigarettes	92.3	74.5	82.2	92.0	81.1	85.7	95.9	82.6	88.2	96.1	85.0	89.5	94.9	88.0	90.9	95.3	93.6	94.3
Drink regularly	85.9	59.6	71.0	84.1	57.1	68.6	88.2	65.6	75.2	85.1	60.7	70.7	87.5	74.7	80.1	87.9	77.5	81.9
Smoke marijuana	88.8	62.5	73.9	83.0	58.2	68.7	88.0	56.3	69.8	80.7	48.0	61.4	86.3	61.3	71.7	88.2	59.9	71.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	87.7	81.4	84.1	89.7	81.2	84.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.0	74.0	79.4	88.8	69.8	77.9
Other illicit drugs	96.5	92.6	94.3	97.8	93.5	95.3	97.2	92.9	94.8	97.5	92.1	94.3	94.9	95.5	95.3	96.4	91.4	93.6
Friends think it wrong																		
Daily alcohol use	--	--	--	90.8	72.1	80.0	92.8	77.4	84.0	91.4	74.4	81.4	89.8	85.2	87.1	90.5	87.0	88.5
Smoke tobacco	--	--	--	92.6	77.2	83.8	96.0	80.2	87.0	94.0	87.1	89.9	93.8	86.9	89.8	93.0	90.8	91.8
Smoke marijuana	--	--	--	82.8	51.3	64.7	85.7	55.5	68.3	80.3	48.9	61.9	86.4	60.0	71.0	85.8	65.7	74.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	81.7	73.9	77.1	83.3	71.3	76.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	86.1	68.8	76.0	84.3	65.2	73.5
Prescription drugs	--	--	--	98.3	90.2	93.6	96.9	89.5	92.6	94.6	92.5	93.4	96.9	91.5	93.7	94.3	90.5	92.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Flagler County and Florida Statewide youth, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	16.6	23.7	10.5	--	16.6	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	1.1	2.4	0.0	--	1.1	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	32.5	12.9	49.4	--	32.5	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	7.4	6.8	7.9	--	7.4	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	22.9	20.5	25.1	--	22.9	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	19.4	33.8	7.0	--	19.4	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Flagler County and Florida Statewide youth, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	71.1	65.3	76.8	--	71.1	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	4.2	3.9	4.6	--	4.2	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	11.6	23.4	0.0	--	11.6	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.5	0.9	0.0	--	0.5	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	5.8	4.7	6.9	--	5.8	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.4	0.0	0.9	--	0.4	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	1.2	0.0	2.4	--	1.2	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	5.1	1.7	8.5	--	5.1	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Flagler County and Florida Statewide youth, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	8.2	14.0	2.6	--	8.2	--	--	34.2	36.6	31.0	--	34.2	--
2	--	50.3	29.2	71.1	--	50.3	--	--	20.0	22.2	16.3	--	20.0	--
3	--	12.3	22.5	2.3	--	12.3	--	--	15.7	15.6	15.9	--	15.7	--
4	--	19.1	28.1	10.2	--	19.1	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	10.0	6.2	13.9	--	10.0	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Flagler County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.8	9.6	12.4	2.5	3.2	10.6	6.6	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	5.0	18.3	14.0	11.6	5.6	20.3	12.5	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	2.0	4.2	5.0	1.9	2.1	4.5	3.2	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Flagler County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.6	9.5	6.7	9.1	7.0	9.9	8.2	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.2	4.0	1.1	3.2	0.2	4.7	2.3	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.3	2.5	0.3	3.2	1.2	2.9	2.0	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.4	8.1	1.2	8.1	1.2	9.5	5.2	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.1	0.5	0.0	0.6	0.1	0.6	0.3	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	12.3	19.2	12.8	18.8	11.5	22.0	16.2	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	7.0	8.7	3.6	11.0	7.0	9.5	8.0	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Flagler County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	8.4	4.5	6.2	3.9	6.7	5.5	2.6	7.4	5.3	8.1	9.0	8.6	7.3	3.3	5.0	6.6	9.5	8.2
Selling drugs	2.5	10.7	7.1	1.7	7.3	4.9	2.6	7.0	5.1	1.3	6.0	4.0	2.4	5.4	4.2	0.2	4.0	2.3
Attempting to steal a vehicle	0.8	2.3	1.6	1.2	1.8	1.5	0.7	2.2	1.5	0.9	3.3	2.3	1.1	1.5	1.4	1.3	2.5	2.0
Being arrested	2.5	3.5	3.1	1.9	2.8	2.4	1.2	3.9	2.8	2.0	4.6	3.5	2.5	2.2	2.3	1.4	8.1	5.2
Taking a handgun to school	0.8	1.4	1.1	0.6	0.8	0.7	0.0	1.4	0.8	0.1	1.4	0.9	0.0	0.3	0.2	0.1	0.5	0.3
Getting suspended	14.1	10.5	12.1	10.5	8.4	9.3	11.9	11.0	11.4	10.5	11.7	11.2	13.9	8.5	10.8	12.3	19.2	16.2
Attacking someone with intent to harm	13.1	7.2	9.8	6.6	8.3	7.5	5.4	8.9	7.4	7.2	5.1	6.0	7.6	3.9	5.4	7.0	8.7	8.0

Table 14. Percentages of Flagler County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	33.3	39.4	49.6	26.7	32.9	41.7	36.8	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	47.5	43.9	58.3	35.3	47.4	46.0	45.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	31.9	32.2	42.2	24.0	32.1	34.6	32.0	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.2	55.9	69.1	42.4	50.7	55.8	53.9	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	37.6	44.0	53.0	32.5	38.9	46.2	41.2	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	10.3	13.9	17.8	7.8	11.6	13.9	12.3	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Flagler County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.5	9.5	19.7	4.2	12.5	8.0	10.7	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	52.4	27.7	43.6	33.3	51.9	27.7	37.9	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	72.4	64.8	74.0	63.3	71.2	65.7	67.9	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	36.0	26.6	42.0	21.8	36.6	26.8	30.4	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	25.7	17.2	22.7	19.0	25.1	18.1	20.7	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	38.2	27.4	29.8	33.2	38.1	28.4	31.9	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	15.2	13.2	18.7	10.4	15.8	13.5	14.1	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Flagler County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	21.5	28.1	17.2	--	23.0	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	13.3	15.0	12.4	--	13.3	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	10.2	19.7	4.6	--	11.2	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	37.6	53.9	27.9	--	39.6	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	10.7	22.9	3.3	--	11.6	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	39.0	42.7	36.9	--	41.5	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	46.2	54.3	41.2	--	50.9	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	29.7	40.7	22.8	--	32.4	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	39.8	57.3	29.4	--	44.1	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	9.0	23.5	0.4	--	10.2	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Flagler County and Florida Statewide high school youth, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	25.9	18.1	30.7	--	24.4	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	19.0	15.9	21.0	--	15.2	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	16.5	10.8	20.0	--	18.0	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	9.4	11.4	8.2	--	10.2	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	7.8	5.5	8.9	--	8.3	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.7	12.4	1.6	--	5.4	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	6.8	10.0	4.9	--	8.1	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	1.7	2.7	1.1	--	2.0	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	4.6	6.2	3.5	--	5.5	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	2.3	6.0	0.0	--	2.5	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.4	1.0	0.0	--	0.4	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Flagler County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	31.6	35.1	37.3	30.7	32.6	32.5	33.6	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	31.4	32.4	38.6	26.9	32.2	34.8	32.0	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	27.6	28.7	32.8	24.5	28.2	30.9	28.3	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.8	28.9	33.4	24.0	28.0	25.4	28.0	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	32.7	33.2	38.1	28.7	31.3	34.4	33.0	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	52.1	33.8	58.9	28.5	51.8	30.0	41.7	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Flagler County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	23.1	29.2	25.1	27.8	25.8	27.2	26.7	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	43.5	18.6	30.5	28.0	40.2	20.5	28.9	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	10.5	9.2	10.5	9.1	10.3	7.5	9.8	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	22.9	17.0	22.0	17.5	22.5	18.0	19.4	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	12.6	13.9	11.9	14.5	12.3	10.6	13.3	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Flagler County and Florida Statewide youth, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	15.2	25.3	8.8	--	15.0	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	18.8	24.6	15.1	--	19.9	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	2.6	5.9	0.6	--	3.2	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	14.3	16.4	13.1	--	17.1	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Flagler County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	20.1	--	--	20.0	--	--	16.9	--	--	15.1	--	--	14.5	--	--	15.2	--
Marijuana	--	23.1	--	--	23.8	--	--	24.5	--	--	28.4	--	--	17.7	--	--	18.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	9.5	--	--	5.2	--	--	6.6	--	--	4.8	--	--	4.3	--	--	2.6	--
Marijuana	--	12.6	--	--	12.1	--	--	12.7	--	--	14.1	--	--	8.1	--	--	14.3	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Flagler County and Florida Statewide youth, 2022

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	55.9	63.6	51.7	66.9	55.7	62.2	60.3	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	31.2	26.8	33.4	25.2	31.4	28.0	28.7	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	12.9	9.6	14.9	7.9	12.8	9.8	11.0	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	15.0	18.4	12.5	20.4	14.4	17.8	17.0	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	9.0	8.7	8.1	9.3	9.5	5.6	8.8	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	30.0	23.4	20.0	31.0	29.3	24.6	26.3	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	24.5	25.6	25.5	24.8	24.9	26.8	25.1	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	21.4	23.9	34.0	14.6	21.8	25.2	22.9	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Flagler County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	47	45	53	55	59	54
	Family Rewards for Prosocial Involvement	41	40	46	49	54	55
School	School Opportunities for Prosocial Involvement	45	58	51	60	57	60
	School Rewards for Prosocial Involvement	47	49	45	56	53	58
Peer and Individual	Religiosity	30	35	36	46	56	62
Average Prevalence Rate		42	45	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Flagler County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	39	29	41	29	42	42
	Perceived Availability of Drugs	37	17	33	15	45	45
	Perceived Availability of Handguns	29	37	25	30	25	42
Family	Poor Family Management	47	37	47	34	44	45
	Family Conflict	51	40	43	34	42	37
School	Poor Academic Performance	48	54	48	48	45	48
	Lack of Commitment to School	73	68	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	54	40	52	39	40	46
	Favorable Attitudes toward ATOD Use	30	32	33	29	39	45
	Early Initiation of Drug Use	19	22	21	13	41	46
Average Prevalence Rate		43	38	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Flagler County, 2012 to 2022

Domain	Scale	Flagler County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	53	57	63	56	56	47
	Family Rewards for Prosocial Involvement	48	55	57	47	47	41
School	School Opportunities for Prosocial Involvement	42	45	43	53	53	45
	School Rewards for Prosocial Involvement	49	50	48	50	48	47
Peer and Individual	Religiosity	49	48	39	34	42	30
Average Prevalence Rate		48	51	50	48	49	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Flagler County, 2012 to 2022

Domain	Scale	Flagler County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	40	37	41	43	37	39
	Perceived Availability of Drugs	55	46	42	49	41	37
	Perceived Availability of Handguns	31	29	28	31	23	29
Family	Poor Family Management	42	42	41	44	42	47
	Family Conflict	43	38	39	44	46	51
School	Poor Academic Performance	41	45	47	47	48	48
	Lack of Commitment to School	48	56	61	63	71	73
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	46	41	43	48	46	54
	Favorable Attitudes toward ATOD Use	38	36	36	42	35	30
	Early Initiation of Drug Use	35	29	22	28	27	19
Average Prevalence Rate		42	40	40	44	42	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Flagler County, 2012 to 2022

Domain	Scale	Flagler County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	56	55	56	55	52	45
	Family Rewards for Prosocial Involvement	54	55	53	51	49	40
School	School Opportunities for Prosocial Involvement	64	66	63	68	62	58
	School Rewards for Prosocial Involvement	57	59	57	53	53	49
Peer and Individual	Religiosity	51	53	44	46	47	35
Average Prevalence Rate		56	58	55	55	53	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Flagler County, 2012 to 2022

Domain	Scale	Flagler County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	40	37	37	42	33	29
	Perceived Availability of Drugs	35	32	30	30	18	17
	Perceived Availability of Handguns	40	43	37	40	29	37
Family	Poor Family Management	44	34	40	35	38	37
	Family Conflict	37	34	36	43	37	40
School	Poor Academic Performance	42	40	46	48	45	54
	Lack of Commitment to School	48	48	59	61	63	68
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	38	38	40	32	40
	Favorable Attitudes toward ATOD Use	42	42	42	43	30	32
	Early Initiation of Drug Use	34	26	26	22	16	22
Average Prevalence Rate		40	37	39	40	34	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.