

2022 Florida Youth Substance Abuse Survey

Franklin County Data Tables

Table 1. Major demographic characteristics of surveyed Franklin County and Florida Statewide, 2022

	Franklin County		Florida Statewide	
	N	%	N	%
Sex				
Female	81	50.9	22,957	48.3
Male	77	48.4	23,857	50.1
Race/Ethnic group				
African American	19	11.9	10,187	21.4
American Indian	7	4.4	422	0.9
Asian	1	0.6	785	1.7
Hispanic/Latino	8	5.0	10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0	63	0.1
Other/Multiple	33	20.8	6,956	14.6
White, non-Hispanic	91	57.2	18,419	38.7
Parent/Guardian in the Military				
No	132	83.0	41,174	86.6
Yes	27	17.0	5,980	12.6
Age				
11	8	5.0	2,576	5.4
12	32	20.1	6,243	13.1
13	30	18.9	6,872	14.4
14	35	22.0	7,136	15.0
15	23	14.5	7,278	15.3
16	19	11.9	6,918	14.5
17	9	5.7	6,616	13.9
18	3	1.9	3,403	7.2
Grade				
6th	26	16.4	6,626	13.9
7th	38	23.9	6,817	14.3
8th	29	18.2	7,021	14.8
9th	31	19.5	7,193	15.1
10th	15	9.4	7,025	14.8
11th	17	10.7	6,557	13.8
12th	3	1.9	6,333	13.3
Middle School	93	58.5	20,463	43.0
High School	66	41.5	27,109	57.0
Total	159	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Franklin County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	29.4	46.4	29.4	43.2	30.0	44.7	37.3	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	8.4	7.8	9.5	--	8.1	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	21.9	12.7	15.9	19.5	23.6	11.9	17.6	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	32.6	37.0	33.6	34.3	32.6	44.8	34.6	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	23.9	18.9	26.2	15.8	22.7	24.5	21.7	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	28.3	36.0	35.5	29.2	26.5	40.5	31.9	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	6.7	5.3	8.4	--	7.8	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	12.7	5.9	12.2	7.4	13.0	6.4	9.6	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	2.0	0.0	0.0	2.1	2.0	0.0	1.1	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	9.0	3.2	7.0	5.7	6.5	7.2	6.3	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.0	0.4	0.4	0.0	0.4	0.0	0.2	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	2.7	0.7	0.0	3.4	2.7	0.8	1.8	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.7	0.0	0.6	0.0	0.8	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.5	0.5	0.4	2.6	2.8	0.0	1.5	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	1.8	2.1	1.3	2.6	2.4	1.7	1.9	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.0	1.3	1.8	0.6	1.0	1.7	1.2	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	2.4	0.0	0.8	1.8	2.3	0.0	1.3	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	1.2	1.1	1.3	--	0.9	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	35.3	41.7	44.8	31.3	33.8	46.6	38.3	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	23.0	11.4	21.6	14.3	21.1	15.9	17.6	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.7	20.6	7.9	24.4	13.7	12.4	16.4	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	48.0	62.0	52.7	55.3	47.5	58.8	54.6	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	18.6	16.6	23.3	12.9	17.5	15.3	17.7	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Franklin County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	14.8	14.3	15.3	12.2	14.4	17.6	14.6	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	3.3	9.1	6.0	6.1	3.9	10.4	6.0	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.2	1.1	0.5	1.8	1.6	0.7	1.2	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	15.5	23.0	24.5	12.4	13.3	31.7	19.0	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	12.6	9.7	13.1	7.7	9.8	15.8	11.3	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	15.4	14.0	16.2	13.8	12.8	21.0	14.8	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.7	0.0	1.3	--	0.9	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	3.2	1.3	4.1	0.7	3.1	1.6	2.3	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	1.3	1.3	0.0	0.0	1.6	0.6	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	3.9	0.0	3.0	1.3	1.2	3.8	2.1	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	2.7	0.7	0.0	3.4	2.7	0.8	1.8	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.7	0.0	0.6	0.0	0.8	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.8	0.0	0.0	1.9	1.8	0.0	1.0	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.1	0.0	1.3	0.0	1.1	0.0	0.6	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	18.1	18.3	19.5	15.4	15.4	26.0	18.2	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	11.3	3.3	9.7	5.8	8.5	7.8	7.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	6.6	4.5	6.6	4.8	6.4	5.6	5.6	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	24.7	22.3	26.2	19.8	21.4	31.5	23.6	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	10.0	8.5	10.8	8.1	7.1	14.5	9.3	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Franklin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	43.5	75.0	58.9	26.4	70.8	47.4	40.8	59.1	50.3	23.2	43.3	34.0	21.7	46.5	33.2	29.4	46.4	37.3
Blacking Out	--	--	--	--	29.2	--	--	26.4	--	--	14.6	--	--	27.7	--	--	8.4	--
Cigarettes	29.7	52.0	40.6	24.8	54.0	38.7	21.1	42.0	31.6	15.2	24.7	20.3	13.3	39.2	25.3	21.9	12.7	17.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	14.3	49.6	30.4	32.6	37.0	34.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	12.0	37.6	23.6	23.9	18.9	21.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	24.4	41.5	33.1	27.7	32.0	30.0	--	--	--	--	--	--
Marijuana or Hashish	15.9	51.9	33.7	9.6	57.3	31.8	22.6	40.7	32.1	12.6	30.1	22.3	15.8	46.9	30.2	28.3	36.0	31.9
Synthetic Marijuana	--	21.3	--	--	25.9	--	--	11.0	--	--	1.5	--	--	11.9	--	--	6.7	--
Inhalants	15.4	9.6	12.6	9.7	16.8	13.0	7.7	9.1	8.4	15.3	10.3	12.6	2.0	7.1	4.4	12.7	5.9	9.6
Club Drugs	1.4	2.7	2.0	0.0	11.0	5.2	2.6	8.5	5.7	3.9	1.5	2.6	0.0	4.0	1.8	2.0	0.0	1.1
LSD, PCP or Mushrooms	1.4	7.7	4.5	0.0	9.4	4.4	5.2	9.8	7.5	0.0	0.8	0.4	0.0	5.3	2.4	9.0	3.2	6.3
Methamphetamine	1.7	0.8	1.2	0.0	4.4	2.1	0.0	2.5	1.3	3.9	0.8	2.2	1.5	3.7	2.5	0.0	0.4	0.2
Cocaine or Crack	2.1	6.1	4.1	0.0	14.8	7.0	0.0	3.7	1.9	2.5	0.8	1.6	0.0	5.8	2.6	2.7	0.7	1.8
Heroin	1.4	1.5	1.4	0.0	4.9	2.3	1.2	3.6	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3
Prescription Depressants	2.5	12.5	7.4	3.0	20.7	11.3	4.3	17.3	11.0	0.0	0.8	0.4	0.0	16.0	7.3	2.5	0.5	1.5
Prescription Pain Relievers	9.2	16.6	12.8	4.6	13.3	8.7	3.4	14.4	9.2	1.6	4.9	3.4	3.7	4.8	4.2	1.8	2.1	1.9
Prescription Amphetamines	6.6	13.2	9.8	1.8	7.3	4.4	3.9	15.1	9.8	0.0	1.9	1.1	0.4	14.4	6.7	1.0	1.3	1.2
Over-the-Counter Drugs	8.1	11.0	9.5	2.1	9.5	5.5	2.6	16.9	10.0	3.5	11.9	8.4	1.4	8.5	4.6	2.4	0.0	1.3
Needle to Inject Drugs	--	--	--	--	--	--	--	4.7	--	--	10.3	--	--	0.0	--	--	1.2	--
Any illicit drug	36.3	60.8	48.3	21.8	60.4	39.8	27.5	45.3	36.7	25.6	32.0	29.1	20.0	58.8	37.8	35.3	41.7	38.3
Any illicit drug other than marijuana	26.0	32.5	29.2	15.5	32.2	23.3	16.1	31.6	24.1	17.5	17.0	17.3	9.0	30.8	18.9	23.0	11.4	17.6
Alcohol only	16.5	20.1	18.3	14.1	18.8	16.3	17.9	17.9	17.9	16.7	11.4	13.9	10.6	6.4	8.7	12.7	20.6	16.4
Alcohol or any illicit drug	52.4	80.7	66.2	36.2	79.5	56.6	44.2	63.1	53.8	41.1	44.6	43.0	29.7	66.6	46.8	48.0	62.0	54.6
Any illicit drug, but no alcohol	8.6	5.5	7.1	10.4	8.9	9.7	5.6	3.7	4.6	18.4	1.6	9.3	8.4	21.0	14.2	18.6	16.6	17.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Franklin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.8	52.3	37.4	14.3	44.8	28.7	22.2	30.2	26.3	5.5	24.4	15.6	9.1	20.9	14.5	14.8	14.3	14.6
Binge Drinking	5.8	34.7	19.9	5.5	22.3	13.3	7.6	17.9	12.9	5.7	21.4	14.8	7.6	15.5	11.2	3.3	9.1	6.0
Cigarettes	5.6	21.5	13.4	1.2	19.6	10.0	6.0	22.0	14.1	2.9	10.5	7.0	5.7	11.7	8.5	1.2	1.1	1.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	7.7	25.8	15.7	15.5	23.0	19.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	8.9	22.6	14.9	12.6	9.7	11.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	7.0	11.5	9.3	10.5	22.1	16.6	--	--	--	--	--	--
Marijuana or Hashish	5.3	34.9	19.8	4.1	30.4	16.4	14.1	22.0	18.2	2.6	17.7	10.7	10.1	32.0	20.2	15.4	14.0	14.8
Synthetic Marijuana	--	9.2	--	--	6.6	--	--	4.0	--	--	6.7	--	--	4.0	--	--	0.7	--
Inhalants	7.9	1.2	4.6	3.4	8.6	5.9	3.5	3.8	3.7	0.0	6.7	3.6	0.0	0.0	0.0	3.2	1.3	2.3
Club Drugs	0.0	1.2	0.6	0.0	7.0	3.3	1.3	1.0	1.2	0.0	0.8	0.4	0.0	1.6	0.7	0.0	1.3	0.6
LSD, PCP or Mushrooms	0.7	0.7	0.7	0.0	4.5	2.1	1.5	3.5	2.5	0.0	0.8	0.4	0.5	1.5	0.9	3.9	0.0	2.1
Methamphetamine	1.0	0.0	0.5	0.0	2.1	1.0	0.0	0.0	0.0	0.0	0.8	0.4	1.5	0.0	0.8	0.0	0.0	0.0
Cocaine or Crack	1.5	2.8	2.1	0.0	8.6	4.1	0.0	1.6	0.8	0.0	0.8	0.4	0.0	0.0	0.0	2.7	0.7	1.8
Heroin	0.0	0.0	0.0	0.0	2.5	1.1	1.3	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3
Prescription Depressants	0.0	6.8	3.3	0.0	13.2	6.3	1.6	8.1	5.0	0.0	0.8	0.4	0.0	1.6	0.7	0.0	0.0	0.0
Prescription Pain Relievers	1.8	6.2	4.0	1.4	9.1	5.0	2.1	2.4	2.3	1.5	2.0	1.8	1.5	2.5	2.0	1.8	0.0	1.0
Prescription Amphetamines	2.0	3.5	2.7	0.0	5.0	2.3	0.0	2.4	1.2	0.0	2.0	1.1	0.0	8.5	3.8	0.0	0.0	0.0
Over-the-Counter Drugs	5.2	3.5	4.3	0.0	8.2	3.8	2.7	5.8	4.3	3.4	9.5	6.8	1.5	1.5	1.5	1.1	0.0	0.6
Any illicit drug	19.7	36.8	28.1	8.8	41.0	23.9	17.5	25.9	21.8	6.8	19.1	13.3	14.7	33.3	23.1	18.1	18.3	18.2
Any illicit drug other than marijuana	16.7	12.1	14.4	4.8	21.9	12.8	10.7	17.3	14.2	4.3	9.9	7.3	4.4	9.5	6.7	11.3	3.3	7.6
Alcohol only	14.1	23.8	18.9	8.4	16.5	12.2	6.1	8.8	7.6	5.6	8.7	7.3	2.5	1.4	2.0	6.6	4.5	5.6
Alcohol or any illicit drug	33.4	60.6	46.7	16.8	57.8	36.0	22.1	34.2	28.2	12.1	27.7	20.4	18.3	37.3	26.9	24.7	22.3	23.6
Any illicit drug, but no alcohol	10.4	8.3	9.4	2.8	13.4	7.8	1.0	4.2	2.7	6.8	3.7	5.1	9.9	17.0	13.2	10.0	8.5	9.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Franklin County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	33.6	20.3	47.7	--	30.3	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	1.4	2.8	0.0	--	1.8	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	10.8	9.2	12.9	--	9.8	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	12.9	10.2	16.3	--	15.2	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	37.7	44.3	39.3	42.8	37.3	42.9	40.7	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	48.5	41.7	53.2	38.9	47.9	50.2	45.3	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	60.6	66.7	63.0	65.2	59.7	70.5	63.5	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	45.6	33.6	53.5	28.4	44.8	40.6	40.0	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	50.3	26.2	42.8	36.0	49.3	31.3	38.9	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	28.4	16.8	28.3	18.3	28.3	19.5	22.9	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	22.4	17.6	23.8	17.2	23.1	19.5	20.1	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	61.1	60.1	63.9	58.8	60.7	61.3	60.6	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	88.5	89.9	87.1	90.7	87.2	89.9	89.1	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	78.0	75.4	78.3	74.9	74.3	76.0	76.8	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	78.3	60.1	75.5	63.9	75.7	66.1	69.8	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	86.9	71.9	81.0	80.6	83.2	71.1	79.9	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	83.9	63.6	80.7	70.1	81.1	70.4	74.4	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.7	92.1	96.6	94.6	97.0	92.7	95.6	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	88.3	74.4	87.4	78.1	85.0	73.2	81.8	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	90.8	89.1	90.4	91.4	88.5	90.3	90.0	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	81.2	57.6	79.6	63.0	78.0	63.1	70.1	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	81.8	66.4	77.5	73.5	78.2	64.1	74.6	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	83.2	62.9	82.4	67.4	80.2	70.1	73.8	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	93.5	89.1	90.9	93.7	92.0	88.9	91.4	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Franklin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	37.7	--	--	30.1	--	--	35.7	--	--	24.5	--	--	30.3	--	--	33.6	--
Drink monthly	--	13.1	--	--	7.9	--	--	11.4	--	--	13.7	--	--	8.6	--	--	1.4	--
Smoke cigarettes	--	36.2	--	--	33.4	--	--	23.1	--	--	19.7	--	--	27.1	--	--	10.8	--
Smoke marijuana	--	27.2	--	--	25.7	--	--	20.4	--	--	18.0	--	--	33.3	--	--	12.9	--
Great risk of harm																		
Daily alcohol use	40.8	24.7	32.9	39.4	25.8	32.9	31.5	32.6	32.0	48.5	29.7	38.5	50.1	27.9	39.3	37.7	44.3	40.7
5+ drinks daily	--	--	--	54.6	46.6	50.7	38.0	37.4	37.7	51.1	32.7	41.3	60.7	33.4	47.5	48.5	41.7	45.3
Daily cigarette use	67.9	71.8	69.8	64.1	56.3	60.3	55.1	56.7	55.9	67.8	56.9	61.9	67.3	51.1	59.5	60.6	66.7	63.5
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	60.7	35.5	48.5	45.6	33.6	40.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	56.1	30.4	43.6	50.3	26.2	38.9
Marijuana weekly*	--	--	--	56.5	13.4	35.6	39.3	15.9	27.6	51.3	19.7	34.4	52.2	15.6	34.4	28.4	16.8	22.9
Try marijuana	39.2	17.1	28.4	42.2	11.9	27.4	26.6	10.9	18.7	30.4	15.6	22.5	43.8	16.4	30.5	22.4	17.6	20.1
Prescription drugs	--	59.7	59.7	68.1	66.5	67.3	61.9	61.2	61.6	56.6	52.9	54.6	72.0	38.2	55.6	61.1	60.1	60.6
Think it wrong																		
Smoke cigarettes	88.3	63.5	76.3	85.5	71.4	78.8	92.3	68.5	80.4	94.0	83.9	88.7	93.9	54.2	75.0	88.5	89.9	89.1
Drink regularly	80.8	42.9	62.4	85.4	50.9	68.7	76.5	54.3	65.4	85.2	62.2	73.1	82.5	47.2	65.5	78.0	75.4	76.8
Smoke marijuana	84.9	50.8	68.3	81.4	50.9	66.6	84.0	45.2	64.7	90.5	50.9	69.8	83.2	32.3	58.2	78.3	60.1	69.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	93.6	48.9	72.0	86.9	71.9	79.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.3	41.3	66.1	83.9	63.6	74.4
Other illicit drugs	96.7	89.9	93.4	98.6	92.2	95.5	97.2	89.4	93.3	98.4	88.4	93.1	99.1	71.6	85.8	98.7	92.1	95.6
Friends think it wrong																		
Daily alcohol use	--	--	--	83.1	61.2	72.5	78.5	55.0	66.6	83.7	62.7	72.8	87.3	55.2	71.8	88.3	74.4	81.8
Smoke tobacco	--	--	--	88.0	69.5	79.1	87.8	71.2	79.5	94.1	70.9	82.1	93.7	50.2	72.7	90.8	89.1	90.0
Smoke marijuana	--	--	--	88.0	55.4	72.0	79.2	50.4	64.7	87.2	47.2	66.0	79.0	33.9	57.2	81.2	57.6	70.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	85.0	42.5	64.5	81.8	66.4	74.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	82.7	35.8	60.0	83.2	62.9	73.8
Prescription drugs	--	--	--	95.4	87.6	91.7	92.2	81.2	86.7	89.3	72.6	80.7	92.3	70.1	81.6	93.5	89.1	91.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Franklin County and Florida Statewide youth, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	8.4	18.2	0.0	--	8.4	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	8.3	0.0	15.4	--	8.3	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	13.9	24.1	5.2	--	13.9	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	28.6	19.9	36.0	--	28.6	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	14.6	24.0	6.6	--	14.6	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	26.2	13.8	36.8	--	26.2	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Franklin County and Florida Statewide youth, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	28.8	24.6	31.5	--	28.8	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	20.6	20.3	20.8	--	20.6	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	11.4	17.7	7.4	--	11.4	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	2.8	7.2	0.0	--	2.8	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	10.2	0.0	16.6	--	10.2	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	26.2	30.1	23.7	--	26.2	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Franklin County and Florida Statewide youth, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	32.5	36.1	29.2	--	32.5	--	--	34.2	36.6	31.0	--	34.2	--
2	--	20.4	25.5	15.9	--	20.4	--	--	20.0	22.2	16.3	--	20.0	--
3	--	31.2	33.8	28.8	--	31.2	--	--	15.7	15.6	15.9	--	15.7	--
4	--	10.6	0.0	20.1	--	10.6	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	5.3	4.6	5.9	--	5.3	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Franklin County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.0	6.6	7.3	2.3	2.9	8.2	4.6	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	12.2	12.8	11.2	13.8	11.8	16.0	12.4	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	3.3	3.1	2.4	4.0	3.2	3.9	3.2	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Franklin County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	17.5	19.6	10.0	26.2	17.0	12.7	18.4	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.9	5.2	2.1	3.5	0.9	6.6	2.8	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.4	3.6	1.5	2.2	0.4	4.5	1.9	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	6.1	6.7	5.7	7.1	5.2	9.5	6.4	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	3.6	1.5	1.7	0.0	4.5	1.6	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	22.2	17.6	16.9	23.4	19.6	25.1	20.1	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	5.7	10.9	7.6	8.6	6.1	12.7	8.0	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Franklin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	10.8	11.5	11.1	13.6	10.8	12.3	10.8	17.4	14.2	11.1	8.4	9.6	2.8	12.2	7.0	17.5	19.6	18.4
Selling drugs	5.4	10.2	7.7	0.0	7.1	3.5	2.8	18.2	10.6	0.0	8.0	4.5	2.0	9.9	5.5	0.9	5.2	2.8
Attempting to steal a vehicle	0.6	2.2	1.4	1.5	6.0	3.6	1.4	4.4	2.9	0.0	8.0	4.5	1.0	0.0	0.6	0.4	3.6	1.9
Being arrested	2.4	3.8	3.1	3.4	2.5	3.0	2.4	5.3	3.9	0.0	3.2	1.9	1.3	0.0	0.8	6.1	6.7	6.4
Taking a handgun to school	0.0	1.5	0.7	0.0	0.0	0.0	0.0	1.5	0.8	0.0	3.2	1.8	0.5	0.0	0.3	0.0	3.6	1.6
Getting suspended	16.1	19.1	17.5	10.6	19.2	14.7	16.5	11.7	14.0	15.3	13.1	14.1	7.2	18.2	12.0	22.2	17.6	20.1
Attacking someone with intent to harm	9.9	10.6	10.2	5.7	9.3	7.4	15.4	10.4	12.9	10.2	13.3	11.9	7.7	11.7	9.5	5.7	10.9	8.0

Table 14. Percentages of Franklin County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	33.7	45.6	41.3	36.0	30.4	49.4	39.2	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	49.7	61.2	72.3	38.2	47.2	66.8	55.0	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	29.5	43.9	41.5	30.0	26.1	47.7	36.2	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	55.0	62.5	67.6	49.5	52.3	68.6	58.5	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	39.7	41.7	42.8	37.5	39.4	39.2	40.6	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	16.1	8.6	21.6	3.4	15.6	10.7	12.7	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Franklin County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	15.9	17.2	28.2	4.3	13.6	24.2	16.5	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	59.5	38.1	50.6	47.3	59.0	33.1	49.4	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	72.1	53.3	74.0	52.7	69.7	54.5	63.2	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	33.1	37.7	42.6	27.4	31.3	48.5	35.3	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	34.0	21.5	21.0	35.0	38.0	18.1	28.0	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	44.5	17.6	35.7	28.6	43.3	20.2	31.6	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	19.2	11.9	20.4	11.9	18.3	14.9	15.7	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Franklin County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	28.9	26.3	27.8	--	25.2	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	12.4	8.4	11.7	--	16.4	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	18.6	17.9	20.0	--	11.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	41.0	34.6	43.1	--	53.6	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	10.1	8.8	11.7	--	13.4	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	31.4	50.0	17.0	--	41.0	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	34.9	42.1	25.8	--	32.5	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	40.2	40.2	42.0	--	52.1	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	49.1	47.0	48.5	--	50.1	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	22.2	29.5	16.8	--	29.3	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Franklin County and Florida Statewide high school youth, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	28.9	33.9	25.8	--	21.6	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	6.9	3.0	10.8	--	9.1	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	13.2	13.3	13.6	--	15.6	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	11.8	12.2	12.1	--	15.5	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	17.1	8.3	25.7	--	9.2	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.4	6.5	0.0	--	7.0	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	6.2	9.0	4.0	--	8.2	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	7.1	12.0	3.0	--	9.3	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	3.4	1.8	5.0	--	4.5	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Franklin County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.9	40.6	31.4	34.4	27.8	37.9	33.7	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	27.6	28.7	28.0	26.8	26.8	35.8	28.1	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	29.5	27.9	29.0	27.2	29.3	33.9	28.8	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	29.6	19.4	16.4	30.5	29.1	23.5	24.9	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	34.7	26.8	28.1	32.1	33.5	33.5	31.0	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	51.7	41.7	47.9	45.3	51.3	38.8	47.1	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Franklin County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	49.4	62.9	52.7	57.7	48.6	69.4	55.8	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	28.6	18.7	22.0	26.0	26.4	24.6	23.9	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	7.2	4.0	10.9	1.1	4.3	9.0	5.7	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	24.4	15.1	29.9	11.4	23.6	12.3	20.0	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	8.9	15.1	15.9	8.3	11.0	9.3	11.8	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Franklin County and Florida Statewide youth, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	30.9	28.6	30.1	--	27.4	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	29.5	36.8	23.6	--	33.6	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	3.6	6.0	1.3	--	3.3	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	10.0	9.0	11.4	--	11.3	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Franklin County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	34.0	--	--	34.1	--	--	34.9	--	--	31.2	--	--	26.9	--	--	30.9	--
Marijuana	--	44.5	--	--	37.2	--	--	35.5	--	--	36.2	--	--	38.3	--	--	29.5	--
<i>Driving a vehicle</i>																		
Alcohol	--	18.5	--	--	20.4	--	--	13.4	--	--	18.4	--	--	18.1	--	--	3.6	--
Marijuana	--	23.0	--	--	19.0	--	--	21.2	--	--	21.4	--	--	30.5	--	--	10.0	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Franklin County and Florida Statewide youth, 2022

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	58.5	64.3	59.2	64.1	61.2	62.0	61.1	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	27.0	24.8	25.5	25.0	26.9	27.4	26.0	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	14.4	10.9	15.3	10.9	11.9	10.6	12.8	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	16.6	25.8	19.8	22.0	19.3	20.9	20.7	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	11.9	7.5	9.9	10.1	12.2	8.4	9.9	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	38.4	29.9	26.0	42.8	38.1	33.7	34.6	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	21.3	14.3	24.4	12.9	21.1	17.2	18.1	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	11.9	22.5	19.9	12.2	9.4	19.8	16.7	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Franklin County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Franklin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	44	49	53	55	59	54
	Family Rewards for Prosocial Involvement	36	40	46	49	54	55
School	School Opportunities for Prosocial Involvement	43	50	51	60	57	60
	School Rewards for Prosocial Involvement	41	44	45	56	53	58
Peer and Individual	Religiosity	37	54	36	46	56	62
Average Prevalence Rate		40	47	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Franklin County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Franklin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	53	32	41	29	42	42
	Perceived Availability of Drugs	46	30	33	15	45	45
	Perceived Availability of Handguns	40	56	25	30	25	42
Family	Poor Family Management	60	54	47	34	44	45
	Family Conflict	47	43	43	34	42	37
School	Poor Academic Performance	55	50	48	48	45	48
	Lack of Commitment to School	78	81	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	68	40	52	39	40	46
	Favorable Attitudes toward ATOD Use	47	30	33	29	39	45
	Early Initiation of Drug Use	38	20	21	13	41	46
Average Prevalence Rate		53	44	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Franklin County, 2012 to 2022

Domain	Scale	Franklin County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	56	76	53	34	57	44
	Family Rewards for Prosocial Involvement	48	67	46	21	56	36
School	School Opportunities for Prosocial Involvement	48	65	50	41	58	43
	School Rewards for Prosocial Involvement	70	61	49	39	64	41
Peer and Individual	Religiosity	63	59	63	54	58	37
Average Prevalence Rate		57	66	52	38	59	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Franklin County, 2012 to 2022

Domain	Scale	Franklin County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	51	46	53	53	56	53
	Perceived Availability of Drugs	58	44	55	22	38	46
	Perceived Availability of Handguns	44	48	44	26	13	40
Family	Poor Family Management	51	33	51	53	48	60
	Family Conflict	50	38	35	39	29	47
School	Poor Academic Performance	46	51	42	64	49	55
	Lack of Commitment to School	65	52	58	72	57	78
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	49	42	45	31	38	68
	Favorable Attitudes toward ATOD Use	46	30	50	38	34	47
	Early Initiation of Drug Use	47	35	34	30	26	38
Average Prevalence Rate		51	42	47	43	39	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Franklin County, 2012 to 2022

Domain	Scale	Franklin County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	54	52	61	44	39	49
	Family Rewards for Prosocial Involvement	46	53	63	41	32	40
School	School Opportunities for Prosocial Involvement	49	48	53	51	32	50
	School Rewards for Prosocial Involvement	55	50	50	58	33	44
Peer and Individual	Religiosity	55	55	56	52	56	54
Average Prevalence Rate		52	52	57	49	38	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Franklin County, 2012 to 2022

Domain	Scale	Franklin County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	44	49	41	53	57	32
	Perceived Availability of Drugs	50	42	38	24	39	30
	Perceived Availability of Handguns	60	61	58	51	59	56
Family	Poor Family Management	54	51	45	51	44	54
	Family Conflict	33	44	43	20	43	43
School	Poor Academic Performance	57	58	41	41	54	50
	Lack of Commitment to School	66	53	62	72	82	81
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	44	36	40	51	48	40
	Favorable Attitudes toward ATOD Use	54	49	52	47	63	30
	Early Initiation of Drug Use	55	49	44	33	39	20
Average Prevalence Rate		52	49	46	44	53	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.