

2022 Florida Youth Substance Abuse Survey

Martin County Data Tables

Table 1. Major demographic characteristics of surveyed Martin County and Florida Statewide, 2022

	Martin County		Florida Statewide	
	N	%	N	%
Sex				
Female	356	48.0	22,957	48.3
Male	378	50.9	23,857	50.1
Race/Ethnic group				
African American	30	4.0	10,187	21.4
American Indian	4	0.5	422	0.9
Asian	11	1.5	785	1.7
Hispanic/Latino	145	19.5	10,291	21.6
Native Hawaiian/Pacific Islander	2	0.3	63	0.1
Other/Multiple	165	22.2	6,956	14.6
White, non-Hispanic	381	51.3	18,419	38.7
Parent/Guardian in the Military				
No	673	90.7	41,174	86.6
Yes	64	8.6	5,980	12.6
Age				
11	45	6.1	2,576	5.4
12	125	16.8	6,243	13.1
13	163	22.0	6,872	14.4
14	114	15.4	7,136	15.0
15	103	13.9	7,278	15.3
16	79	10.6	6,918	14.5
17	78	10.5	6,616	13.9
18	28	3.8	3,403	7.2
Grade				
6th	101	13.6	6,626	13.9
7th	188	25.3	6,817	14.3
8th	146	19.7	7,021	14.8
9th	75	10.1	7,193	15.1
10th	88	11.9	7,025	14.8
11th	85	11.5	6,557	13.8
12th	59	8.0	6,333	13.3
Middle School	435	58.6	20,463	43.0
High School	307	41.4	27,109	57.0
Total	742	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Martin County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	18.9	40.7	34.7	28.7	19.4	41.2	31.8	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	13.2	19.0	7.7	--	14.1	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	2.5	7.4	4.3	6.3	2.7	7.0	5.4	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	9.3	24.5	22.9	14.0	8.6	27.1	18.3	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	3.6	17.8	13.8	9.6	3.9	18.9	11.9	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	4.3	21.3	16.0	12.2	4.4	22.4	14.3	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.1	1.5	2.7	--	2.7	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	5.6	3.0	5.4	2.7	5.1	3.8	4.1	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.4	0.5	0.5	0.4	0.4	0.7	0.5	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.2	3.8	1.7	2.3	0.2	3.4	2.3	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.7	0.8	0.7	0.7	0.7	1.0	0.8	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.3	0.7	1.0	0.0	0.3	0.9	0.5	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.4	0.6	0.2	0.8	0.2	0.9	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.0	1.0	1.4	0.6	1.4	0.8	1.0	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	2.8	2.3	2.7	2.3	2.6	2.9	2.5	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.2	2.0	1.8	1.5	1.1	2.0	1.7	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	1.1	3.1	3.8	0.8	1.0	3.9	2.3	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	1.4	0.8	2.0	--	1.8	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	13.1	28.3	25.9	18.0	12.7	30.9	22.0	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	9.3	11.8	12.8	8.4	8.8	12.7	10.8	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.6	18.4	13.6	17.5	12.1	17.4	15.6	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	24.5	46.8	40.0	35.2	24.6	48.5	37.6	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	6.0	6.5	5.7	6.9	5.5	7.6	6.3	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Martin County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	5.3	19.7	16.6	10.8	5.5	18.9	13.8	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	1.3	8.7	7.2	4.2	0.8	9.1	5.6	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.2	0.6	0.1	0.7	0.2	0.8	0.4	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	2.2	11.3	9.5	5.9	2.0	11.9	7.6	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	0.9	9.7	5.3	6.8	1.3	10.4	6.0	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	1.6	12.2	6.9	8.3	1.7	12.4	7.8	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.5	0.0	0.9	--	0.6	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.2	0.3	1.6	0.6	2.0	0.4	1.1	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.2	0.5	0.4	0.4	0.1	0.7	0.4	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.2	1.0	0.4	0.9	0.2	0.6	0.6	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	0.2	0.0	0.3	0.0	0.3	0.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.4	0.5	0.0	0.0	0.5	0.2	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.2	0.0	0.0	0.2	0.0	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.6	0.4	0.6	0.3	0.5	0.5	0.5	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.6	1.0	1.2	0.5	0.6	1.2	0.8	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.3	0.4	0.0	0.7	0.2	0.5	0.3	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.2	0.3	0.5	0.0	0.1	0.4	0.3	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	5.1	13.4	9.8	9.8	4.7	14.1	10.0	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	3.9	2.8	3.3	3.3	3.4	3.2	3.3	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	4.2	11.1	11.4	5.4	4.7	9.6	8.2	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	9.3	24.3	21.0	15.1	9.3	23.5	18.1	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.2	4.5	4.6	4.1	4.0	4.4	4.3	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Martin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	28.9	61.6	48.2	23.9	53.9	41.6	22.2	56.8	43.2	20.5	55.3	41.3	23.4	44.5	35.6	18.9	40.7	31.8
Blacking Out	--	--	--	--	22.4	--	--	15.9	--	--	19.8	--	--	17.3	--	--	13.2	--
Cigarettes	10.2	32.0	23.1	5.6	23.0	15.8	5.0	16.1	11.6	7.2	18.5	13.9	4.1	8.2	6.5	2.5	7.4	5.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	16.3	36.5	28.1	9.3	24.5	18.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	6.7	26.5	18.2	3.6	17.8	11.9
Vaporizer / E-Cigarette	--	--	--	--	--	--	11.9	35.5	26.0	20.1	48.4	36.8	--	--	--	--	--	--
Marijuana or Hashish	9.2	37.9	26.2	9.1	38.3	26.2	5.2	33.0	22.0	8.0	35.1	24.0	6.4	32.1	21.3	4.3	21.3	14.3
Synthetic Marijuana	--	12.2	--	--	7.7	--	--	3.4	--	--	2.9	--	--	0.7	--	--	2.1	--
Inhalants	8.7	4.4	6.1	10.6	4.9	7.2	4.7	4.4	4.5	10.5	6.0	7.8	9.7	3.0	5.8	5.6	3.0	4.1
Club Drugs	0.6	4.5	2.9	1.8	2.2	2.0	0.7	2.0	1.5	0.9	1.9	1.5	0.9	2.2	1.7	0.4	0.5	0.5
LSD, PCP or Mushrooms	1.7	5.2	3.8	2.0	6.3	4.6	1.5	7.0	4.8	1.6	6.4	4.4	0.9	5.1	3.3	0.2	3.8	2.3
Methamphetamine	1.0	0.4	0.6	1.1	0.5	0.7	0.9	0.8	0.8	0.0	0.2	0.1	0.9	0.7	0.8	0.7	0.8	0.8
Cocaine or Crack	1.6	1.6	1.6	1.4	3.8	2.8	0.5	2.8	1.9	1.9	4.0	3.1	0.4	1.1	0.8	0.3	0.7	0.5
Heroin	0.6	0.4	0.5	0.4	0.5	0.5	0.2	0.3	0.3	0.5	0.2	0.3	0.0	0.2	0.1	0.4	0.6	0.5
Prescription Depressants	1.2	7.0	4.7	1.9	6.1	4.4	2.0	6.7	4.8	3.2	6.5	5.1	2.4	5.8	4.4	1.0	1.0	1.0
Prescription Pain Relievers	2.9	8.2	6.0	4.0	6.2	5.3	3.7	6.3	5.2	3.0	6.7	5.2	3.8	3.5	3.6	2.8	2.3	2.5
Prescription Amphetamines	0.7	5.2	3.4	1.0	5.5	3.7	1.2	4.9	3.4	2.2	6.0	4.5	1.2	5.8	3.9	1.2	2.0	1.7
Over-the-Counter Drugs	3.0	6.1	4.8	3.1	5.8	4.7	3.6	4.4	4.1	4.1	5.9	5.2	2.2	4.0	3.3	1.1	3.1	2.3
Needle to Inject Drugs	--	--	--	--	--	--	--	0.9	--	--	0.4	--	--	0.4	--	--	1.4	--
Any illicit drug	16.8	41.6	31.4	19.5	40.9	32.1	14.8	38.2	28.8	18.7	41.6	32.3	17.5	35.9	28.2	13.1	28.3	22.0
Any illicit drug other than marijuana	12.6	19.3	16.6	14.8	21.8	18.9	11.7	18.3	15.7	14.9	18.9	17.3	12.6	12.7	12.6	9.3	11.8	10.8
Alcohol only	17.6	21.9	20.2	13.8	18.6	16.6	12.2	23.7	19.2	10.0	18.1	14.9	12.2	14.4	13.5	11.6	18.4	15.6
Alcohol or any illicit drug	34.4	63.6	51.5	33.2	59.5	48.7	27.0	61.7	47.8	28.2	59.8	46.9	29.4	50.0	41.3	24.5	46.8	37.6
Any illicit drug, but no alcohol	5.5	2.1	3.5	9.3	5.5	7.1	5.4	5.0	5.2	8.3	4.5	6.0	6.2	6.1	6.1	6.0	6.5	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Martin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	12.9	37.9	27.7	7.6	27.8	19.5	7.4	30.4	21.4	6.2	27.9	19.1	7.4	22.2	16.0	5.3	19.7	13.8
Binge Drinking	6.7	16.9	12.7	3.3	15.1	10.2	3.3	11.7	8.4	3.0	15.0	10.1	2.4	10.7	7.2	1.3	8.7	5.6
Cigarettes	2.9	9.9	7.0	1.6	10.3	6.7	1.1	3.3	2.4	1.9	5.1	3.8	1.0	1.2	1.1	0.2	0.6	0.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	9.6	19.4	15.3	2.2	11.3	7.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	4.2	14.0	9.9	0.9	9.7	6.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	4.9	15.1	11.0	12.7	31.1	23.5	--	--	--	--	--	--
Marijuana or Hashish	5.0	21.1	14.5	4.1	23.8	15.6	3.2	21.2	14.1	5.4	21.5	15.0	4.3	17.7	12.1	1.6	12.2	7.8
Synthetic Marijuana	--	2.9	--	--	1.1	--	--	1.2	--	--	0.9	--	--	0.3	--	--	0.5	--
Inhalants	3.5	0.6	1.8	4.3	1.0	2.4	2.3	1.1	1.6	3.8	2.0	2.7	4.2	0.6	2.1	2.2	0.3	1.1
Club Drugs	0.1	0.2	0.2	1.1	0.9	1.0	0.4	0.3	0.3	0.1	0.0	0.0	0.9	0.6	0.7	0.2	0.5	0.4
LSD, PCP or Mushrooms	0.5	0.3	0.4	0.6	2.6	1.8	0.3	3.5	2.3	0.3	2.1	1.4	0.6	1.5	1.1	0.2	1.0	0.6
Methamphetamine	0.9	0.2	0.5	0.5	0.2	0.3	0.5	0.2	0.3	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.2	0.1
Cocaine or Crack	1.0	0.0	0.4	1.1	1.3	1.2	0.1	2.1	1.3	0.9	0.3	0.6	0.2	0.5	0.3	0.0	0.4	0.2
Heroin	0.0	0.7	0.4	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.0	0.1	0.2	0.2	0.2	0.2	0.0	0.1
Prescription Depressants	0.2	2.6	1.6	1.0	1.9	1.5	0.8	2.3	1.7	1.6	2.6	2.2	0.8	1.6	1.3	0.6	0.4	0.5
Prescription Pain Relievers	1.0	2.0	1.6	1.0	1.8	1.5	1.3	2.5	2.1	1.4	0.7	1.0	1.0	1.3	1.2	0.6	1.0	0.8
Prescription Amphetamines	0.4	1.6	1.1	0.2	2.2	1.4	0.6	1.2	1.0	0.5	1.2	0.9	0.6	1.4	1.1	0.3	0.4	0.3
Over-the-Counter Drugs	1.2	1.9	1.6	1.8	1.9	1.9	1.4	1.9	1.7	1.0	1.6	1.4	0.8	1.9	1.4	0.2	0.3	0.3
Any illicit drug	9.3	23.5	17.7	8.3	24.2	17.7	6.9	23.5	17.0	10.4	25.9	19.6	9.0	21.1	16.0	5.1	13.4	10.0
Any illicit drug other than marijuana	5.9	6.9	6.5	6.9	8.5	7.9	5.3	8.9	7.5	6.8	7.6	7.3	6.0	5.9	5.9	3.9	2.8	3.3
Alcohol only	8.7	19.2	14.9	3.9	12.4	9.0	4.4	15.6	11.3	2.1	11.5	7.7	4.1	8.4	6.6	4.2	11.1	8.2
Alcohol or any illicit drug	17.6	42.4	32.1	11.9	36.5	26.4	11.4	38.9	27.9	12.2	37.4	27.1	13.0	29.2	22.4	9.3	24.3	18.1
Any illicit drug, but no alcohol	4.9	4.6	4.7	4.2	8.7	6.9	4.4	8.7	7.0	6.3	9.6	8.3	5.6	7.5	6.7	4.2	4.5	4.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Martin County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	14.0	16.8	11.3	--	15.9	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.7	3.1	2.4	--	3.5	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	4.6	3.7	5.5	--	4.7	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	4.3	4.3	4.3	--	4.6	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	54.8	47.4	56.2	44.5	53.7	48.0	50.5	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	66.0	60.2	63.2	61.7	66.5	59.2	62.6	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	75.8	74.9	79.6	71.2	77.4	72.9	75.3	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	60.0	47.1	55.8	49.8	61.3	46.1	52.5	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	62.0	40.4	53.3	45.9	61.2	40.2	49.4	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	54.9	27.1	40.1	37.2	52.6	28.1	38.7	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	38.5	19.1	28.9	25.6	37.1	19.2	27.2	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	76.9	76.4	80.5	72.9	77.9	75.7	76.6	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	96.9	93.3	96.8	92.8	96.9	92.9	94.8	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	93.2	71.5	78.5	82.2	92.6	72.5	80.5	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	94.5	72.3	84.0	79.4	93.7	72.6	81.6	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	94.5	86.7	89.4	90.3	95.2	86.6	90.0	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	94.9	78.9	86.6	84.8	94.9	78.7	85.6	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.0	97.3	98.5	95.8	97.6	96.3	97.2	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	95.0	88.6	94.5	88.0	95.1	88.7	91.3	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	95.6	90.9	92.5	93.1	95.6	90.6	92.9	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	93.7	74.0	82.8	81.8	92.9	73.5	82.2	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	91.3	79.6	80.1	88.3	90.9	80.7	84.5	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	92.6	77.6	83.0	84.8	93.1	76.6	83.8	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	97.2	95.1	97.2	94.8	97.6	94.7	96.0	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Martin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	22.5	--	--	18.1	--	--	16.6	--	--	19.8	--	--	15.3	--	--	14.0	--
Drink monthly	--	5.5	--	--	2.6	--	--	2.2	--	--	3.1	--	--	3.0	--	--	2.7	--
Smoke cigarettes	--	14.5	--	--	10.7	--	--	6.9	--	--	7.3	--	--	2.8	--	--	4.6	--
Smoke marijuana	--	12.1	--	--	10.9	--	--	10.6	--	--	11.6	--	--	8.3	--	--	4.3	--
Great risk of harm																		
Daily alcohol use	50.1	36.0	41.8	48.4	42.4	44.8	46.7	37.4	41.1	52.2	40.9	45.5	50.7	42.5	46.0	54.8	47.4	50.5
5+ drinks daily	--	--	--	62.6	57.2	59.4	62.3	47.6	53.5	64.1	53.6	57.9	58.6	51.3	54.4	66.0	60.2	62.6
Daily cigarette use	72.5	69.7	70.8	64.5	74.5	70.4	72.9	70.2	71.3	70.9	71.1	71.0	66.9	68.5	67.8	75.8	74.9	75.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	53.3	43.8	47.8	60.0	47.1	52.5
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	54.1	36.4	43.8	62.0	40.4	49.4
Marijuana weekly*	--	--	--	52.2	24.9	35.9	57.4	22.2	36.4	48.8	23.8	33.9	44.9	21.9	31.6	54.9	27.1	38.7
Try marijuana	41.0	14.4	25.3	33.8	13.7	21.9	38.9	14.2	24.1	31.3	14.1	21.1	32.1	14.3	21.8	38.5	19.1	27.2
Prescription drugs	--	69.3	69.3	66.8	75.4	71.9	71.5	70.8	71.1	67.2	69.5	68.6	70.1	70.8	70.5	76.9	76.4	76.6
Think it wrong																		
Smoke cigarettes	94.9	76.5	84.0	95.7	82.1	87.7	95.5	89.1	91.6	95.2	89.2	91.7	97.0	93.2	94.8	96.9	93.3	94.8
Drink regularly	90.2	55.0	69.5	88.2	61.3	72.3	89.4	59.0	71.1	90.2	65.5	75.6	88.1	73.0	79.3	93.2	71.5	80.5
Smoke marijuana	91.8	65.4	76.2	90.6	58.3	71.5	91.2	57.6	70.8	87.9	57.2	69.7	89.0	68.3	77.0	94.5	72.3	81.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	89.7	83.2	85.9	94.5	86.7	90.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.0	76.9	82.8	94.9	78.9	85.6
Other illicit drugs	97.1	94.0	95.3	97.5	90.5	93.3	98.0	92.1	94.4	97.1	88.4	92.0	97.6	94.1	95.6	97.0	97.3	97.2
Friends think it wrong																		
Daily alcohol use	--	--	--	92.6	77.3	83.6	92.3	78.4	83.9	93.7	78.0	84.4	92.9	86.0	88.9	95.0	88.6	91.3
Smoke tobacco	--	--	--	96.0	82.5	88.0	96.0	86.5	90.3	94.9	87.6	90.6	93.7	90.8	92.0	95.6	90.9	92.9
Smoke marijuana	--	--	--	91.0	56.6	70.6	87.6	52.5	66.5	87.4	55.6	68.6	90.8	61.8	74.0	93.7	74.0	82.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	86.5	70.8	77.4	91.3	79.6	84.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.1	68.2	77.8	92.6	77.6	83.8
Prescription drugs	--	--	--	96.2	91.5	93.4	95.5	91.0	92.8	94.6	92.2	93.2	96.5	93.4	94.7	97.2	95.1	96.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Martin County and Florida Statewide youth, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	19.1	14.6	28.0	--	19.1	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	5.0	0.0	14.7	--	5.0	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	51.2	58.3	37.3	--	51.2	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	5.1	7.8	0.0	--	5.1	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	19.6	19.4	19.9	--	19.6	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Martin County and Florida Statewide youth, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	37.0	41.1	30.2	--	37.0	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	34.8	32.0	39.6	--	34.8	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	2.2	3.5	0.0	--	2.2	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	10.8	11.3	9.9	--	10.8	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	2.8	4.4	0.0	--	2.8	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	2.3	0.0	6.2	--	2.3	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	10.0	7.6	14.1	--	10.0	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Martin County and Florida Statewide youth, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	31.6	35.6	20.9	--	31.6	--	--	34.2	36.6	31.0	--	34.2	--
2	--	25.4	25.8	26.4	--	25.4	--	--	20.0	22.2	16.3	--	20.0	--
3	--	21.0	18.6	26.2	--	21.0	--	--	15.7	15.6	15.9	--	15.7	--
4	--	9.6	7.4	13.7	--	9.6	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	12.4	12.7	12.8	--	12.4	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Martin County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	1.5	2.7	0.3	4.0	1.2	2.1	2.2	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	1.9	8.2	5.6	5.5	1.3	8.9	5.5	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.6	1.2	0.9	1.8	1.4	1.5	1.3	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Martin County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.1	6.8	3.3	10.7	6.2	7.9	6.9	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.7	3.7	0.8	4.1	1.1	3.2	2.4	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.3	0.4	0.5	1.0	0.9	0.7	0.7	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.2	1.4	0.7	1.9	1.1	1.7	1.3	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.3	0.0	0.0	0.3	0.3	0.0	0.1	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	10.7	6.8	4.6	12.3	9.0	8.9	8.4	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	4.5	0.8	2.2	2.6	4.1	1.0	2.4	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Martin County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.3	4.2	4.2	6.2	6.2	6.2	5.0	7.3	6.4	4.4	5.0	4.7	4.7	3.7	4.1	7.1	6.8	6.9
Selling drugs	2.4	7.3	5.3	1.6	11.3	7.4	2.0	6.8	4.9	2.9	9.9	7.2	1.5	5.4	3.8	0.7	3.7	2.4
Attempting to steal a vehicle	1.2	1.1	1.1	1.5	0.7	1.0	0.4	1.3	1.0	1.5	1.5	1.5	0.1	0.7	0.5	1.3	0.4	0.7
Being arrested	2.0	2.4	2.3	1.9	3.4	2.8	1.7	1.7	1.7	1.5	3.2	2.6	3.3	2.2	2.7	1.2	1.4	1.3
Taking a handgun to school	0.7	0.6	0.7	0.9	0.8	0.9	0.5	0.6	0.5	0.2	0.4	0.3	0.0	0.0	0.0	0.3	0.0	0.1
Getting suspended	11.1	11.4	11.3	7.5	9.9	8.9	8.9	8.9	8.9	8.8	9.6	9.3	12.3	9.4	10.6	10.7	6.8	8.4
Attacking someone with intent to harm	7.2	5.6	6.2	4.3	5.5	5.0	4.6	3.7	4.1	5.7	5.0	5.3	4.7	2.6	3.5	4.5	0.8	2.4

Table 14. Percentages of Martin County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	24.1	24.5	29.6	18.3	23.3	27.4	24.4	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	39.6	34.2	44.1	28.0	39.2	35.0	36.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	22.3	26.3	30.6	18.2	22.3	27.1	24.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	36.5	38.9	45.6	29.6	35.9	40.0	37.9	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	28.5	27.5	33.8	20.9	29.7	26.8	27.9	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	6.0	4.1	6.2	3.7	5.5	4.8	4.9	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Martin County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.7	11.6	16.6	5.3	9.6	13.0	10.8	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	40.8	26.9	30.3	34.7	41.0	26.7	32.7	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	68.4	56.7	68.6	54.2	68.4	55.0	61.6	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	28.0	30.8	36.7	22.6	27.5	33.5	29.6	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	18.0	9.9	12.3	14.2	17.3	10.7	13.3	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	34.6	28.8	33.9	28.6	32.8	30.5	31.2	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	11.7	12.8	14.8	9.9	10.4	13.3	12.3	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Martin County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	12.9	19.9	5.7	--	14.2	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	6.8	7.4	6.2	--	7.1	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	4.9	7.6	2.1	--	5.3	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	32.2	35.1	29.2	--	28.8	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	5.3	4.4	6.2	--	5.1	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	22.9	25.7	20.0	--	24.2	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	26.5	32.2	20.4	--	28.2	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	15.2	12.3	18.3	--	15.5	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	26.3	33.8	18.6	--	27.9	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	5.7	6.4	5.1	--	7.0	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Martin County and Florida Statewide high school youth, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	41.4	34.7	48.5	--	42.2	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	21.2	22.9	19.4	--	18.4	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	11.4	11.4	11.4	--	13.2	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.7	10.8	10.5	--	9.4	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	5.0	7.2	2.8	--	4.8	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	4.5	5.4	3.6	--	4.9	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	3.8	6.8	0.6	--	4.9	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	1.6	0.5	2.7	--	2.0	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.4	0.3	0.5	--	0.2	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Martin County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	31.0	25.7	26.3	29.3	28.5	29.1	27.9	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	22.4	20.1	20.5	21.3	21.8	19.9	21.1	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	27.5	30.9	28.2	30.8	27.1	34.0	29.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	21.6	24.7	22.2	25.0	20.1	28.5	23.4	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	29.2	19.1	26.6	20.2	27.0	20.0	23.2	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	43.0	27.1	37.7	29.7	41.4	28.7	33.6	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Martin County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	23.9	42.4	37.6	32.4	23.3	46.2	34.7	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	48.6	31.9	39.5	38.7	47.1	34.1	38.8	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	24.4	13.7	17.8	17.9	24.9	13.7	18.1	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	21.0	36.6	41.0	20.2	24.2	37.9	30.1	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	12.9	20.8	21.1	14.4	12.5	21.0	17.5	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Martin County and Florida Statewide youth, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	13.5	15.5	11.7	--	13.5	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	14.1	14.1	13.3	--	14.2	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	3.3	3.0	3.6	--	3.4	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	6.1	5.9	6.3	--	6.3	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Martin County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	23.4	--	--	17.8	--	--	15.8	--	--	16.2	--	--	14.7	--	--	13.5	--
Marijuana	--	27.8	--	--	26.5	--	--	25.8	--	--	23.1	--	--	18.6	--	--	14.1	--
<i>Driving a vehicle</i>																		
Alcohol	--	7.7	--	--	7.3	--	--	4.6	--	--	4.6	--	--	5.4	--	--	3.3	--
Marijuana	--	13.8	--	--	12.7	--	--	12.9	--	--	11.3	--	--	10.9	--	--	6.1	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Martin County and Florida Statewide youth, 2022

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	63.4	65.5	63.8	65.1	64.2	65.4	64.6	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	23.3	24.8	25.4	23.2	22.7	24.4	24.2	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	13.4	9.7	10.8	11.8	13.1	10.2	11.2	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	19.6	13.6	11.5	20.9	17.3	15.7	16.1	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	10.2	13.4	12.4	12.0	12.3	10.0	12.1	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	33.0	32.0	23.5	41.6	33.1	31.5	32.4	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	23.2	26.6	31.3	18.7	23.6	26.6	25.2	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	14.0	14.3	21.3	6.8	13.6	16.1	14.2	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Martin County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Martin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	59	53	53	55	59	54
	Family Rewards for Prosocial Involvement	54	53	46	49	54	55
School	School Opportunities for Prosocial Involvement	48	62	51	60	57	60
	School Rewards for Prosocial Involvement	48	56	45	56	53	58
Peer and Individual	Religiosity	44	55	36	46	56	62
Average Prevalence Rate		51	56	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Martin County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Martin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	33	22	41	29	42	42
	Perceived Availability of Drugs	32	16	33	15	45	45
	Perceived Availability of Handguns	25	32	25	30	25	42
Family	Poor Family Management	44	30	47	34	44	45
	Family Conflict	38	33	43	34	42	37
School	Poor Academic Performance	39	33	48	48	45	48
	Lack of Commitment to School	73	66	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	42	52	39	40	46
	Favorable Attitudes toward ATOD Use	29	26	33	29	39	45
	Early Initiation of Drug Use	17	12	21	13	41	46
Average Prevalence Rate		38	31	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Martin County, 2012 to 2022

Domain	Scale	Martin County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	63	66	61	57	58	59
	Family Rewards for Prosocial Involvement	56	60	58	53	52	54
School	School Opportunities for Prosocial Involvement	45	40	50	46	44	48
	School Rewards for Prosocial Involvement	48	49	42	44	39	48
Peer and Individual	Religiosity	52	51	49	47	43	44
Average Prevalence Rate		53	53	52	49	47	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Martin County, 2012 to 2022

Domain	Scale	Martin County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	36	34	35	41	41	33
	Perceived Availability of Drugs	43	46	35	41	36	32
	Perceived Availability of Handguns	27	28	21	27	24	25
Family	Poor Family Management	40	37	44	46	43	44
	Family Conflict	35	35	32	37	39	38
School	Poor Academic Performance	35	34	35	37	41	39
	Lack of Commitment to School	56	52	58	63	72	73
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	43	44	37	42	50	50
	Favorable Attitudes toward ATOD Use	30	30	31	36	33	29
	Early Initiation of Drug Use	26	19	19	23	24	17
Average Prevalence Rate		37	36	35	39	40	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Martin County, 2012 to 2022

Domain	Scale	Martin County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	60	55	60	64	63	53
	Family Rewards for Prosocial Involvement	56	56	56	57	60	53
School	School Opportunities for Prosocial Involvement	64	60	59	57	60	62
	School Rewards for Prosocial Involvement	61	62	56	51	59	56
Peer and Individual	Religiosity	57	57	55	52	58	55
Average Prevalence Rate		60	58	57	56	60	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Martin County, 2012 to 2022

Domain	Scale	Martin County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	36	33	35	32	27	22
	Perceived Availability of Drugs	33	34	30	32	18	16
	Perceived Availability of Handguns	37	39	39	38	29	32
Family	Poor Family Management	42	37	41	38	27	30
	Family Conflict	31	31	34	30	30	33
School	Poor Academic Performance	37	35	36	39	37	33
	Lack of Commitment to School	47	58	60	58	60	66
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	40	43	40	35	42
	Favorable Attitudes toward ATOD Use	43	42	45	38	28	26
	Early Initiation of Drug Use	31	24	23	22	16	12
Average Prevalence Rate		38	37	39	37	31	31

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.