

2020 Florida Youth Substance Abuse Survey

Lafayette County Data Tables

Table 1. Major demographic characteristics of surveyed Lafayette County and Florida Statewide youth, 2020

	Lafayette County			Florida Statewide	
	N	%		N	%
Sex					
Female	95	47.7		25,191	48.4
Male	102	51.3		26,328	50.5
Race/Ethnic group					
African American	20	10.1		11,284	21.7
American Indian	8	4.0		491	0.9
Asian	0	0.0		671	1.3
Hispanic/Latino	31	15.6		11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0		68	0.1
Other/Multiple	24	12.1		7,227	13.9
White, non-Hispanic	114	57.3		20,904	40.1
Age					
10	0	0.0		44	0.1
11	8	4.0		3,151	6.0
12	19	9.5		7,124	13.7
13	23	11.6		7,698	14.8
14	40	20.1		7,616	14.6
15	39	19.6		7,582	14.6
16	24	12.1		7,502	14.4
17	31	15.6		7,073	13.6
18	8	4.0		3,807	7.3
19 or older	7	3.5		394	0.8
Grade					
6th	25	12.6		7,718	14.8
7th	22	11.1		7,555	14.5
8th	37	18.6		7,632	14.6
9th	36	18.1		7,668	14.7
10th	36	18.1		7,481	14.4
11th	20	10.1		7,117	13.7
12th	23	11.6		6,923	13.3
Overall Middle School	84	42.2		22,904	44.0
Overall High School	115	57.8		29,189	56.0
Total	199	100.0		52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Lafayette County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	18.0	50.1	35.9	34.4	21.4	50.0	35.6	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	19.5	17.9	19.5	--	18.9	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	11.9	26.5	20.8	18.6	12.6	25.0	19.8	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	18.0	40.9	31.2	29.6	21.4	40.9	30.4	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	5.4	9.7	9.2	6.5	7.1	5.8	7.8	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	7.4	18.0	12.8	13.1	10.6	14.9	13.1	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.7	2.0	1.4	--	1.0	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	3.9	8.2	5.4	6.0	4.7	8.0	6.2	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	3.4	1.3	3.3	1.3	3.2	0.0	2.3	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.8	0.0	0.8	0.0	0.8	0.0	0.4	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.6	0.0	0.0	0.6	0.0	0.7	0.3	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.1	4.9	6.1	1.4	3.0	3.8	3.6	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	1.4	3.7	3.7	1.7	0.8	4.0	2.6	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	4.0	2.8	5.6	1.4	4.3	1.4	3.4	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	4.9	4.7	1.7	6.7	7.4	2.7	4.8	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	16.8	23.4	20.3	19.2	20.2	19.7	20.4	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	14.1	11.8	13.0	11.9	15.0	10.3	12.8	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	7.8	30.9	17.7	23.1	7.9	33.4	20.3	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	24.5	53.1	38.6	40.8	27.7	52.7	40.3	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	5.8	2.8	2.8	5.5	5.8	3.1	4.2	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Lafayette County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	14.8	26.6	22.2	19.0	16.1	25.8	21.2	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	4.9	21.6	15.7	12.0	4.7	20.6	13.9	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	0.0	4.7	3.2	2.0	0.0	3.3	2.5	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	11.7	22.8	16.7	19.1	14.1	22.9	17.7	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	3.4	4.7	5.5	2.8	4.7	1.4	4.1	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	4.8	7.5	5.9	6.8	5.9	4.8	6.3	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.0	2.2	0.0	--	0.0	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.3	0.8	3.4	0.6	2.5	1.7	1.9	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.7	0.0	0.0	0.6	0.0	0.7	0.3	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	3.4	0.0	2.7	0.6	2.6	0.7	1.6	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.9	1.5	2.5	0.0	1.4	0.0	1.2	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.7	1.0	1.1	0.6	0.0	0.7	0.8	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.7	0.5	0.6	0.6	0.6	0.7	0.6	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	5.9	0.0	0.0	5.2	4.9	0.7	2.7	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	12.7	10.1	11.3	11.5	13.9	6.3	11.3	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	10.8	2.2	7.6	4.9	10.0	1.7	6.1	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	9.6	20.9	13.9	16.0	10.8	21.7	15.7	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	20.9	29.0	24.3	25.1	23.0	26.3	25.3	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	6.7	1.9	2.2	5.9	7.7	0.8	4.1	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Lafayette County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total															
Alcohol	33.2	52.7	43.2	35.8	63.8	51.3	18.0	63.0	43.1	13.6	47.8	32.4	14.6	61.8	40.6	18.0	50.1	35.6
Blacking Out	--	--	--	--	--	--	--	30.0	--	--	18.3	--	--	32.0	--	--	19.5	--
Cigarettes	23.9	44.2	34.4	22.2	37.0	30.3	15.6	48.2	33.6	12.1	36.8	25.4	13.0	37.0	26.0	11.9	26.5	19.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	18.0	40.9	30.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.4	9.7	7.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	5.7	40.7	24.7	11.3	55.7	35.1	--	--	--
Marijuana or Hashish	11.3	22.6	17.2	7.5	33.8	22.1	6.0	30.7	19.9	1.0	28.2	16.0	3.2	31.2	18.7	7.4	18.0	13.1
Synthetic Marijuana	--	--	--	--	20.9	--	--	3.7	--	--	8.0	--	--	3.1	--	--	1.7	--
Inhalants	6.7	7.7	7.2	15.3	11.1	13.0	6.6	4.5	5.4	0.8	0.8	0.8	4.6	8.1	6.6	3.9	8.2	6.2
Club Drugs	0.9	6.8	4.0	1.0	7.3	4.5	0.0	0.0	0.0	0.0	2.8	1.6	0.0	1.9	1.0	0.0	0.0	0.0
LSD, PCP or Mushrooms	0.0	4.4	2.3	2.0	5.0	3.6	0.0	0.7	0.4	0.0	3.8	2.2	0.0	3.7	2.0	3.4	1.3	2.3
Methamphetamine	0.0	4.4	2.3	2.4	3.8	3.2	0.0	0.0	0.0	0.0	0.8	0.5	0.0	1.3	0.7	0.8	0.0	0.4
Cocaine or Crack	1.0	2.4	1.7	0.0	4.6	2.6	0.0	1.1	0.6	0.0	5.7	3.2	0.0	1.9	1.0	0.0	0.0	0.0
Heroin	0.9	2.5	1.7	0.0	2.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.6	0.0	0.3
Prescription Depressants	1.9	4.1	3.0	3.5	4.7	4.1	0.7	0.5	0.6	0.0	7.1	3.9	2.2	5.5	4.0	2.1	4.9	3.6
Prescription Pain Relievers	4.9	12.7	8.9	3.2	6.7	5.2	3.7	3.2	3.4	2.1	6.8	4.8	5.9	6.2	6.1	1.4	3.7	2.6
Prescription Amphetamines	1.9	0.0	0.9	1.0	2.2	1.7	2.8	0.0	1.2	2.0	5.6	4.0	1.1	5.3	3.4	4.0	2.8	3.4
Over-the-Counter Drugs	3.4	3.2	3.3	3.1	3.6	3.4	3.6	4.7	4.2	2.0	2.8	2.5	3.0	5.1	4.1	4.9	4.7	4.8
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	--	--	0.0	--
Any illicit drug	17.5	27.0	22.4	23.4	37.5	31.3	12.7	35.4	25.3	7.6	31.1	20.5	10.8	39.6	26.4	16.8	23.4	20.4
Any illicit drug other than marijuana	12.2	21.4	17.0	19.8	16.2	17.8	9.9	9.3	9.5	6.6	14.2	10.8	9.7	20.8	15.7	14.1	11.8	12.8
Alcohol only	20.2	31.6	26.0	18.7	29.3	24.6	10.8	29.5	21.3	10.1	21.2	16.3	10.8	25.0	18.6	7.8	30.9	20.3
Alcohol or any illicit drug	37.5	57.4	47.8	41.3	66.8	55.4	23.0	64.9	46.1	18.3	51.6	36.3	21.0	64.8	44.7	24.5	53.1	40.3
Any illicit drug, but no alcohol	4.6	5.4	5.0	5.6	3.0	4.1	5.6	1.8	3.5	6.0	3.6	4.6	7.2	3.4	5.1	5.8	2.8	4.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Lafayette County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total															
Alcohol	21.7	38.7	30.2	15.4	37.4	27.6	11.0	31.2	22.3	8.7	25.5	18.0	4.6	38.5	23.2	14.8	26.6	21.2
Binge Drinking	8.2	25.6	17.3	5.8	24.4	16.1	5.6	22.8	15.1	4.1	19.7	12.7	4.0	23.1	14.7	4.9	21.6	13.9
Cigarettes	8.3	17.4	13.0	2.8	20.6	12.6	7.2	18.4	13.4	2.9	20.5	12.4	1.0	12.8	7.4	0.0	4.7	2.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11.7	22.8	17.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.4	4.7	4.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	3.8	20.4	12.8	4.6	31.5	19.1	--	--	--
Marijuana or Hashish	3.7	7.3	5.6	4.0	14.1	9.7	0.9	10.2	6.2	0.0	11.4	6.4	1.0	14.7	8.5	4.8	7.5	6.3
Synthetic Marijuana	--	--	--	--	5.9	--	--	0.0	--	--	1.4	--	--	0.7	--	--	1.0	--
Inhalants	3.7	6.0	4.9	10.6	3.1	6.4	4.5	1.8	2.9	0.8	0.0	0.4	3.9	0.0	1.8	3.3	0.8	1.9
Club Drugs	1.0	4.4	2.7	1.1	2.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.7	0.0	0.3
LSD, PCP or Mushrooms	0.0	2.5	1.3	2.1	0.0	0.9	0.0	0.7	0.4	0.0	0.9	0.5	0.0	3.2	1.7	3.4	0.0	1.6
Methamphetamine	0.0	2.6	1.3	2.5	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	1.0	2.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	2.0	4.3	3.2	1.1	3.6	2.5	0.0	0.5	0.3	0.0	2.1	1.2	0.0	5.1	2.8	0.9	1.5	1.2
Prescription Pain Relievers	1.9	2.6	2.2	2.3	5.9	4.3	3.1	1.5	2.2	2.2	2.6	2.4	2.0	1.2	1.6	0.7	1.0	0.8
Prescription Amphetamines	1.0	0.0	0.5	1.1	2.2	1.7	1.5	0.0	0.7	0.0	0.9	0.5	0.0	4.3	2.3	0.7	0.5	0.6
Over-the-Counter Drugs	1.8	1.5	1.7	2.0	1.3	1.6	1.6	1.9	1.8	0.0	1.2	0.6	1.9	3.6	2.9	5.9	0.0	2.7
Any illicit drug	8.1	10.5	9.3	14.7	15.5	15.2	7.4	13.6	10.9	3.9	15.9	10.5	5.9	16.1	11.5	12.7	10.1	11.3
Any illicit drug other than marijuana	6.3	7.1	6.7	13.8	6.7	9.8	7.4	5.0	6.1	3.9	5.4	4.7	5.9	9.3	7.7	10.8	2.2	6.1
Alcohol only	16.1	29.9	23.1	10.8	23.1	17.7	6.8	24.4	16.8	6.3	14.1	10.7	2.8	24.1	14.5	9.6	20.9	15.7
Alcohol or any illicit drug	23.3	37.5	30.6	24.4	39.3	32.7	13.3	37.8	26.8	10.9	29.2	20.8	8.4	40.5	26.0	20.9	29.0	25.3
Any illicit drug, but no alcohol	1.9	1.8	1.9	9.7	2.3	5.6	2.9	6.8	5.2	3.0	3.1	3.1	4.1	2.4	3.2	6.7	1.9	4.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Lafayette County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	12.7	11.1	14.5	--	9.8	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	6.2	5.4	7.0	--	3.7	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	8.1	10.6	6.3	--	5.2	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	3.9	2.6	5.1	--	2.1	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	48.8	35.9	42.1	40.4	50.3	32.1	41.7	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	71.6	38.1	56.1	50.7	68.0	37.1	53.1	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	70.1	49.9	59.1	59.4	68.1	49.2	59.0	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	47.0	25.7	36.9	32.8	44.8	27.0	35.3	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	58.4	30.2	43.2	42.8	55.3	29.4	42.9	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	48.8	23.6	35.8	33.1	45.2	22.4	34.9	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	34.1	15.4	26.5	21.2	29.6	13.5	23.9	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	69.3	67.9	75.9	62.3	68.5	69.7	68.6	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	95.8	80.6	86.8	88.1	94.1	84.9	87.6	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	87.9	56.9	67.2	75.2	84.7	60.0	71.1	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	92.8	73.2	79.8	84.0	89.1	76.6	82.2	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	85.0	56.5	65.4	72.7	85.2	55.9	69.6	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	91.6	75.9	79.0	86.3	90.4	77.1	83.0	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	96.8	96.3	96.8	96.2	97.8	96.1	96.5	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	85.5	72.6	85.6	71.7	84.9	72.7	78.4	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.5	76.0	90.2	79.1	92.6	75.8	84.0	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	94.0	76.5	86.9	83.0	90.9	79.9	84.4	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	79.3	54.0	69.3	62.3	76.7	53.6	65.3	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	91.2	80.7	87.7	84.3	91.0	81.4	85.5	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	97.4	89.9	95.1	92.7	96.8	88.7	93.3	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Lafayette County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total															
Early ATOD use																		
Try alcohol	--	24.3	--	--	25.6	--	--	19.0	--	--	13.8	--	--	14.7	--	--	12.7	--
Drink monthly	--	12.2	--	--	9.4	--	--	2.4	--	--	1.8	--	--	5.4	--	--	6.2	--
Smoke cigarettes	--	28.5	--	--	29.5	--	--	25.2	--	--	16.0	--	--	13.8	--	--	8.1	--
Smoke marijuana	--	9.3	--	--	11.1	--	--	8.7	--	--	8.1	--	--	6.9	--	--	3.9	--
Great risk of harm																		
Daily alcohol use	48.6	43.4	45.9	50.9	26.0	37.1	48.4	46.1	47.1	45.7	40.4	42.8	47.2	26.3	35.7	48.8	35.9	41.7
5+ drinks daily	--	--	--	--	--	--	64.5	55.2	59.4	63.6	51.5	57.0	59.5	34.0	45.5	71.6	38.1	53.1
Daily cigarette use	73.7	57.5	65.3	76.3	61.0	67.8	69.5	71.3	70.5	64.6	63.1	63.8	62.7	57.1	59.6	70.1	49.9	59.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	47.0	25.7	35.3
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	58.4	30.2	42.9
Marijuana weekly*	--	--	--	--	--	--	61.3	33.1	45.7	64.2	44.1	53.4	57.6	25.9	40.2	48.8	23.6	34.9
Try marijuana	54.1	41.9	47.8	49.4	24.9	35.8	50.2	23.9	35.8	49.1	34.9	41.4	43.6	19.6	30.4	34.1	15.4	23.9
Prescription drugs	--	--	--	--	75.5	75.5	74.9	72.3	73.4	66.1	76.2	71.6	66.7	71.0	69.0	69.3	67.9	68.6
Think it wrong																		
Smoke cigarettes	91.8	71.1	81.0	93.3	67.7	79.3	92.2	76.7	83.6	98.1	71.7	83.7	94.0	62.8	77.1	95.8	80.6	87.6
Drink regularly	86.4	55.2	70.3	82.0	59.0	69.3	90.8	64.4	76.1	91.6	65.7	77.5	89.7	47.6	66.9	87.9	56.9	71.1
Smoke marijuana	95.6	83.6	89.5	92.7	67.5	78.8	96.4	84.5	89.8	96.0	73.6	83.9	93.8	57.6	74.3	92.8	73.2	82.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	85.0	56.5	69.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.6	75.9	83.0
Other illicit drugs	98.2	95.9	97.0	99.1	95.6	97.2	99.4	98.2	98.7	99.0	98.3	98.6	97.0	94.2	95.5	96.8	96.3	96.5
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	86.9	72.7	79.1	92.5	66.4	78.3	92.4	52.8	71.0	85.5	72.6	78.4
Smoke tobacco	--	--	--	--	--	--	90.3	71.8	80.1	96.2	71.3	82.7	95.8	65.7	79.6	93.5	76.0	84.0
Smoke marijuana	--	--	--	--	--	--	92.5	78.3	84.7	96.1	68.8	81.2	93.4	61.6	76.3	94.0	76.5	84.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	79.3	54.0	65.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.2	80.7	85.5
Prescription drugs	--	--	--	--	--	--	98.0	97.3	97.6	96.2	88.6	92.1	95.9	93.1	94.4	97.4	89.9	93.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Lafayette County and Florida Statewide youth, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	33.2	29.2	43.2	--	31.2	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	49.6	53.7	42.5	--	56.1	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	10.0	12.3	8.8	--	5.1	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	7.2	4.8	5.5	--	7.7	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Lafayette County and Florida Statewide youth, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	15.9	25.1	0.0	--	12.5	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	36.5	49.2	28.9	--	32.9	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	47.6	25.7	71.1	--	54.6	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lafayette County and Florida Statewide youth, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	14.6	21.8	0.0	--	12.6	--	--	31.9	34.7	28.6	--	32.9	--
2	--	9.3	12.0	7.6	--	9.3	--	--	21.8	24.0	19.2	--	21.1	--
3	--	17.1	9.1	23.3	--	19.7	--	--	16.1	15.5	16.7	--	16.2	--
4	--	14.9	18.4	13.0	--	18.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	44.1	38.8	56.0	--	40.4	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Lafayette County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	8.0	9.4	4.3	4.1	9.5	6.6	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	2.0	8.6	4.9	6.4	4.4	3.8	5.7	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	1.9	3.7	6.4	0.0	2.0	4.5	2.9	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Lafayette County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.3	20.6	7.2	21.9	13.6	19.4	15.6	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	0.0	3.0	2.8	0.8	0.0	2.7	1.7	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	0.0	2.9	2.8	0.6	0.0	3.6	1.6	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	16.3	12.2	10.1	16.9	15.3	11.4	14.0	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	5.1	2.6	7.3	0.8	3.2	5.1	3.7	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Lafayette County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
Carrying a handgun	4.5	13.1	8.8	10.5	3.2	6.4	10.4	17.4	14.4	3.4	10.7	7.4	12.2	16.6	14.6	9.3	20.6	15.6
Selling drugs	1.0	5.3	3.2	1.0	6.2	3.9	0.0	3.5	2.0	0.0	0.9	0.5	0.0	3.2	1.7	0.0	3.0	1.7
Attempting to steal a vehicle	1.8	0.9	1.4	0.0	0.0	0.0	0.0	1.0	0.6	0.0	0.0	0.0	0.0	2.1	1.1	0.0	0.0	0.0
Being arrested	1.7	5.6	3.7	4.0	2.2	3.0	0.0	1.0	0.6	0.9	0.0	0.4	1.9	0.6	1.2	0.0	2.9	1.6
Taking a handgun to school	0.0	0.9	0.4	0.0	1.5	0.8	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Getting suspended	13.2	16.5	14.8	5.0	14.3	10.2	10.8	17.0	14.3	12.6	7.3	9.7	5.6	13.7	9.9	16.3	12.2	14.0
Attacking someone with intent to harm	8.0	10.1	9.1	5.3	5.5	5.4	4.7	7.2	6.1	3.6	3.6	3.6	5.5	5.9	5.8	5.1	2.6	3.7

Table 14. Percentages of Lafayette County and Florida Statewide youth who reported symptoms of depression, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	24.9	27.4	27.3	24.2	24.9	26.9	26.2	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	45.9	45.0	52.2	38.7	43.9	47.5	45.4	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	29.0	24.4	29.3	23.9	25.3	30.6	26.5	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.2	46.0	60.0	37.3	48.8	48.8	48.4	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Lafayette County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	7.6	11.0	15.5	3.3	11.0	9.6	9.5	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	42.7	21.1	22.7	37.7	42.3	21.7	30.9	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	60.7	37.2	56.8	40.1	58.0	43.8	48.0	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	23.0	17.7	31.3	10.6	22.4	20.3	20.1	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	13.8	12.1	10.3	15.3	14.7	13.4	12.9	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	24.8	19.7	21.6	21.9	25.3	22.2	22.1	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	5.9	12.8	11.1	7.4	8.4	13.0	9.6	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Lafayette County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	12.9	20.7	5.9	--	12.6	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	4.7	8.4	1.7	--	3.6	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	5.0	8.5	2.3	--	6.2	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	40.6	52.4	31.5	--	44.7	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	5.6	6.6	5.1	--	5.3	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	26.4	34.2	19.2	--	24.2	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	29.5	37.8	20.6	--	27.1	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	25.8	27.3	25.2	--	30.1	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	26.4	34.5	19.5	--	27.6	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.5	7.7	5.9	--	6.7	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Lafayette County and Florida Statewide high school youth, 2020

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	35.9	32.1	40.0	--	32.2	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	22.4	19.2	25.7	--	26.4	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	11.8	10.7	13.0	--	12.4	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	5.6	0.0	7.5	--	3.3	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	14.5	20.8	9.8	--	16.6	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	2.8	4.2	1.7	--	2.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	2.9	3.8	2.2	--	3.0	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	3.0	6.8	0.0	--	2.3	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	1.0	2.4	0.0	--	1.4	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Lafayette County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	40.8	25.6	30.2	34.6	40.8	26.0	32.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	27.3	21.6	27.9	20.9	23.8	24.8	24.1	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	22.2	31.6	26.5	29.0	23.8	31.5	27.5	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	31.0	25.6	28.3	28.1	30.0	28.2	27.9	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	45.5	32.4	42.7	34.6	43.9	35.9	38.1	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	45.0	43.9	52.7	36.8	43.2	45.0	44.4	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Lafayette County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	64.6	52.1	60.1	56.7	64.9	48.1	57.8	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	33.1	19.3	23.9	27.5	31.6	21.8	25.6	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	4.3	8.8	6.2	6.2	6.2	8.6	6.7	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	19.3	25.9	27.8	18.9	19.9	27.7	22.9	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	4.9	10.1	5.9	9.5	4.6	12.9	7.7	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lafayette County and Florida Statewide youth, 2020

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	17.3	19.7	14.8	--	16.9	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	14.7	17.6	12.8	--	14.1	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	9.3	4.4	12.5	--	7.3	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	7.1	7.5	7.0	--	4.0	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Lafayette County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	26.5	--	--	18.1	--	--	23.0	--	--	26.7	--	--	17.3	--
Marijuana	--	--	--	--	20.4	--	--	12.7	--	--	18.8	--	--	26.3	--	--	14.7	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	6.9	--	--	17.7	--	--	13.0	--	--	13.6	--	--	9.3	--
Marijuana	--	--	--	--	8.6	--	--	7.6	--	--	8.0	--	--	10.9	--	--	7.1	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Lafayette County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Lafayette County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	74	61	57	57	59	54
	Family Rewards for Prosocial Involvement	57	53	50	53	54	55
School	School Opportunities for Prosocial Involvement	56	57	51	60	57	60
	School Rewards for Prosocial Involvement	44	57	44	54	53	58
Peer and Individual	Religiosity	79	75	42	52	56	62
Average Prevalence Rate		62	61	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Lafayette County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Lafayette County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	50	29	41	32	42	42
	Perceived Availability of Drugs	31	16	34	20	45	45
	Perceived Availability of Handguns	33	41	23	31	25	42
Family	Poor Family Management	37	28	43	35	44	45
	Family Conflict	32	29	42	34	42	37
School	Poor Academic Performance	47	42	46	46	45	48
	Lack of Commitment to School	63	59	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	39	49	38	40	46
	Favorable Attitudes toward ATOD Use	32	36	35	32	39	45
	Early Initiation of Drug Use	19	22	24	17	41	46
Average Prevalence Rate		38	34	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Lafayette County, 2010 to 2020

Domain	Scale	Lafayette County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	62	64	72	68	66	74
	Family Rewards for Prosocial Involvement	57	59	75	60	52	57
School	School Opportunities for Prosocial Involvement	56	64	59	46	51	56
	School Rewards for Prosocial Involvement	51	58	65	59	53	44
Peer and Individual	Religiosity	72	70	71	75	73	79
Average Prevalence Rate		60	63	68	62	59	62

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Lafayette County, 2010 to 2020

Domain	Scale	Lafayette County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	51	35	33	36	39	50
	Perceived Availability of Drugs	45	44	23	31	26	31
	Perceived Availability of Handguns	37	41	34	37	30	33
Family	Poor Family Management	39	29	27	30	40	37
	Family Conflict	35	40	22	36	31	32
School	Poor Academic Performance	41	48	41	57	54	47
	Lack of Commitment to School	53	47	45	44	60	63
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	31	20	29	40	39
	Favorable Attitudes toward ATOD Use	36	34	18	18	28	32
	Early Initiation of Drug Use	38	37	18	17	16	19
Average Prevalence Rate		42	39	28	34	36	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Lafayette County, 2010 to 2020

Domain	Scale	Lafayette County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	58	58	60	69	57	61
	Family Rewards for Prosocial Involvement	52	65	54	66	45	53
School	School Opportunities for Prosocial Involvement	59	70	72	64	55	57
	School Rewards for Prosocial Involvement	66	79	71	69	58	57
Peer and Individual	Religiosity	76	80	66	86	72	75
Average Prevalence Rate		62	70	65	71	57	61

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Lafayette County, 2010 to 2020

Domain	Scale	Lafayette County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	41	31	47	34	52	29
	Perceived Availability of Drugs	20	29	24	23	24	16
	Perceived Availability of Handguns	35	52	62	52	55	41
Family	Poor Family Management	53	37	40	22	39	28
	Family Conflict	28	17	33	21	29	29
School	Poor Academic Performance	44	57	45	40	43	42
	Lack of Commitment to School	49	40	60	43	61	59
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	32	35	28	30	37	39
	Favorable Attitudes toward ATOD Use	34	37	22	28	51	36
	Early Initiation of Drug Use	33	33	45	24	34	22
Average Prevalence Rate		37	37	41	32	43	34

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.