

2020 Florida Youth Substance Abuse Survey

Nassau County Data Tables

Table 1. Major demographic characteristics of surveyed Nassau County and Florida Statewide youth, 2020

	Nassau County		Florida Statewide	
	N	%	N	%
Sex				
Female	427	48.7	25,191	48.4
Male	431	49.1	26,328	50.5
Race/Ethnic group				
African American	65	7.4	11,284	21.7
American Indian	34	3.9	491	0.9
Asian	12	1.4	671	1.3
Hispanic/Latino	40	4.6	11,091	21.3
Native Hawaiian/Pacific Islander	1	0.1	68	0.1
Other/Multiple	144	16.4	7,227	13.9
White, non-Hispanic	572	65.2	20,904	40.1
Age				
10	3	0.3	44	0.1
11	51	5.8	3,151	6.0
12	147	16.8	7,124	13.7
13	172	19.6	7,698	14.8
14	138	15.7	7,616	14.6
15	91	10.4	7,582	14.6
16	107	12.2	7,502	14.4
17	109	12.4	7,073	13.6
18	54	6.2	3,807	7.3
19 or older	2	0.2	394	0.8
Grade				
6th	155	17.7	7,718	14.8
7th	166	18.9	7,555	14.5
8th	164	18.7	7,632	14.6
9th	88	10.0	7,668	14.7
10th	101	11.5	7,481	14.4
11th	99	11.3	7,117	13.7
12th	104	11.9	6,923	13.3
Overall Middle School	485	55.3	22,904	44.0
Overall High School	392	44.7	29,189	56.0
Total	877	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Nassau County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Nassau County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	31.8	56.5	51.3	41.2	33.1	54.9	46.1	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	21.8	24.9	19.8	--	22.4	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	9.3	19.2	16.6	13.6	9.1	18.4	15.1	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	23.0	43.9	41.1	30.2	25.2	43.3	35.3	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	8.4	28.3	22.3	18.3	10.7	26.6	20.2	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	11.0	34.3	25.7	24.1	12.8	32.7	24.7	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	5.1	4.0	6.3	--	5.6	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	11.0	6.1	8.3	8.1	10.9	6.2	8.1	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.1	1.5	1.2	1.5	0.9	1.6	1.4	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.8	4.4	2.7	4.9	2.7	3.8	3.8	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	1.3	1.4	0.8	1.6	1.1	1.8	1.4	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.6	2.7	2.3	2.3	1.3	2.8	2.2	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.7	0.6	0.1	1.2	0.6	0.3	0.7	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.3	7.1	5.0	5.0	2.7	7.0	5.1	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.3	4.2	3.9	4.0	2.9	5.0	3.9	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	3.8	5.0	4.8	4.4	3.9	5.5	4.5	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	4.7	5.6	5.2	5.5	5.2	5.0	5.2	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	1.3	0.0	2.7	--	1.1	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	20.4	43.7	36.7	31.9	22.8	41.7	34.0	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	15.7	20.0	18.3	18.1	16.7	18.2	18.2	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	15.6	18.2	19.3	14.9	15.3	18.6	17.1	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	36.8	61.7	55.9	47.0	38.6	60.2	51.2	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	5.4	5.4	4.8	6.1	5.8	5.5	5.4	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Nassau County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Nassau County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	15.0	31.5	26.5	22.6	15.8	31.4	24.6	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	5.5	17.7	12.5	12.4	6.0	17.8	12.6	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.2	3.8	2.2	4.1	2.0	4.5	3.1	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	8.3	25.6	20.4	17.2	10.5	24.5	18.5	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	5.1	14.7	10.9	10.6	6.1	15.5	10.8	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	5.8	20.5	13.8	15.3	8.2	18.8	14.5	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	2.2	0.9	3.5	--	2.8	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.9	1.6	2.4	2.7	4.1	1.4	2.5	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.7	0.1	0.3	0.4	0.6	0.2	0.4	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.9	1.7	0.9	2.0	0.8	2.2	1.4	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.4	0.8	0.1	0.9	0.3	1.0	0.6	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.5	0.8	0.8	0.5	0.3	1.0	0.6	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.8	1.8	1.3	1.4	1.2	1.7	1.3	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	2.2	1.0	1.0	2.0	1.9	1.3	1.5	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	1.3	1.4	1.5	1.3	1.0	1.5	1.4	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	3.0	2.2	2.5	2.6	3.7	1.8	2.5	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	10.9	25.4	19.6	19.2	13.2	24.2	19.4	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	7.1	6.8	7.1	6.7	8.3	6.3	6.9	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	8.9	14.8	13.3	11.3	8.9	14.7	12.3	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	19.4	39.8	32.2	30.0	21.7	38.5	31.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	4.9	8.6	6.1	7.8	6.3	7.4	7.0	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Nassau County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total															
Alcohol	34.5	65.2	51.8	36.9	59.5	49.6	29.8	55.6	44.2	24.9	56.8	43.5	16.0	47.7	34.1	31.8	56.5	46.1
Blacking Out	--	--	--	--	--	--	--	21.6	--	--	20.3	--	--	15.6	--	--	21.8	--
Cigarettes	21.7	39.0	31.4	17.8	32.5	26.0	14.0	28.2	21.9	10.6	21.4	16.8	7.0	15.5	11.9	9.3	19.2	15.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	23.0	43.9	35.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.4	28.3	20.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	17.7	36.5	28.5	13.1	38.8	27.8	--	--	--
Marijuana or Hashish	10.4	36.5	25.1	8.4	34.3	22.9	9.5	30.6	21.2	9.2	31.3	22.1	4.5	25.6	16.6	11.0	34.3	24.7
Synthetic Marijuana	--	--	--	--	16.7	--	--	9.1	--	--	4.7	--	--	3.0	--	--	5.1	--
Inhalants	15.2	8.7	11.5	12.9	6.0	9.0	8.9	7.4	8.1	5.9	7.1	6.6	6.9	3.6	5.0	11.0	6.1	8.1
Club Drugs	0.9	5.3	3.4	1.0	2.9	2.1	1.5	5.6	3.8	1.6	3.5	2.7	0.2	1.7	1.1	1.1	1.5	1.4
LSD, PCP or Mushrooms	1.2	3.4	2.5	2.0	3.6	2.9	2.1	6.3	4.4	0.6	4.0	2.6	0.2	2.7	1.6	2.8	4.4	3.8
Methamphetamine	0.0	1.2	0.7	1.4	0.4	0.9	1.0	2.3	1.7	0.2	1.2	0.8	0.1	1.0	0.6	1.3	1.4	1.4
Cocaine or Crack	1.2	4.1	2.8	1.2	1.5	1.4	1.1	3.9	2.7	0.6	3.9	2.6	0.7	1.8	1.4	1.6	2.7	2.2
Heroin	1.1	1.0	1.1	0.5	0.0	0.2	1.0	1.9	1.5	0.4	1.0	0.7	0.0	0.0	0.0	0.7	0.6	0.7
Prescription Depressants	2.2	9.0	6.0	2.7	6.8	5.0	3.6	9.8	7.0	3.2	5.8	4.7	1.1	6.0	3.9	2.3	7.1	5.1
Prescription Pain Relievers	5.8	12.4	9.5	7.5	12.0	10.0	5.2	8.8	7.2	2.8	6.1	4.7	5.8	7.7	6.9	3.3	4.2	3.9
Prescription Amphetamines	1.0	5.5	3.6	1.0	4.4	2.9	2.7	11.1	7.4	2.5	7.4	5.3	0.8	6.3	3.9	3.8	5.0	4.5
Over-the-Counter Drugs	2.4	9.3	6.3	7.9	7.3	7.6	6.5	8.6	7.7	2.7	4.3	3.6	1.8	3.0	2.5	4.7	5.6	5.2
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.9	--	--	0.0	--	--	1.3	--
Any illicit drug	24.2	43.6	35.1	25.4	43.3	35.4	20.2	39.8	31.1	15.5	34.5	26.5	14.3	33.0	25.0	20.4	43.7	34.0
Any illicit drug other than marijuana	20.3	25.6	23.3	22.9	22.4	22.6	16.4	26.9	22.3	11.3	16.7	14.4	11.5	16.7	14.4	15.7	20.0	18.2
Alcohol only	17.8	27.5	23.3	19.4	24.3	22.1	15.3	22.0	19.0	14.0	26.6	21.4	8.0	20.7	15.3	15.6	18.2	17.1
Alcohol or any illicit drug	41.8	71.1	58.3	44.7	67.4	57.4	35.4	61.6	50.0	29.0	61.1	47.6	22.0	53.6	40.0	36.8	61.7	51.2
Any illicit drug, but no alcohol	7.7	5.9	6.7	8.0	8.0	8.0	5.8	5.9	5.8	4.6	4.3	4.4	6.3	5.7	6.0	5.4	5.4	5.4

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Nassau County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total															
Alcohol	15.8	36.3	27.3	21.7	35.1	29.2	11.1	27.0	20.0	11.8	25.7	20.0	4.6	23.0	15.1	15.0	31.5	24.6
Binge Drinking	6.6	20.3	14.3	7.2	18.2	13.3	5.4	15.7	11.2	6.1	14.6	11.0	1.5	14.7	9.1	5.5	17.7	12.6
Cigarettes	4.8	15.5	10.8	4.5	8.2	6.6	4.0	7.2	5.8	2.3	6.9	5.0	1.0	4.2	2.9	2.2	3.8	3.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.3	25.6	18.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.1	14.7	10.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.4	12.4	9.9	5.6	23.5	15.8	--	--	--
Marijuana or Hashish	5.2	17.3	12.1	5.0	9.8	7.7	4.4	15.6	10.7	3.9	13.6	9.5	1.9	12.3	7.8	5.8	20.5	14.5
Synthetic Marijuana	--	--	--	--	4.8	--	--	1.3	--	--	0.7	--	--	0.5	--	--	2.2	--
Inhalants	4.5	1.2	2.6	6.2	1.7	3.7	4.3	2.1	3.1	2.4	0.2	1.1	1.8	0.3	0.9	3.9	1.6	2.5
Club Drugs	0.0	1.6	0.9	0.8	0.5	0.6	0.5	1.7	1.2	0.0	1.0	0.6	0.7	0.0	0.3	0.7	0.1	0.4
LSD, PCP or Mushrooms	0.0	1.8	1.0	0.2	1.2	0.8	1.2	2.9	2.1	0.0	1.2	0.7	0.7	0.0	0.3	0.9	1.7	1.4
Methamphetamine	0.0	0.3	0.2	0.5	0.0	0.2	0.5	1.4	1.0	0.0	1.0	0.6	0.8	0.0	0.4	0.4	0.8	0.6
Cocaine or Crack	0.0	0.8	0.4	0.1	0.9	0.6	0.1	0.4	0.2	0.0	1.2	0.7	0.0	0.0	0.0	0.5	0.8	0.6
Heroin	0.2	0.0	0.1	0.4	0.0	0.2	0.6	1.0	0.8	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1
Prescription Depressants	0.6	1.9	1.3	0.4	2.3	1.4	1.6	3.1	2.5	1.4	2.6	2.1	0.0	0.7	0.4	0.8	1.8	1.3
Prescription Pain Relievers	2.9	3.8	3.4	2.3	2.3	2.3	2.5	3.5	3.0	1.0	2.1	1.7	2.3	3.4	2.9	2.2	1.0	1.5
Prescription Amphetamines	1.0	2.2	1.7	0.5	1.9	1.3	0.8	2.5	1.8	0.9	2.2	1.7	0.0	0.4	0.2	1.3	1.4	1.4
Over-the-Counter Drugs	0.5	3.3	2.1	4.1	2.2	3.0	3.2	2.3	2.7	1.7	2.3	2.1	0.7	1.0	0.9	3.0	2.2	2.5
Any illicit drug	10.2	20.0	15.7	14.7	15.9	15.4	11.8	21.9	17.5	8.8	15.3	12.6	6.4	15.7	11.7	10.9	25.4	19.4
Any illicit drug other than marijuana	7.1	7.8	7.5	11.1	8.4	9.6	10.0	13.1	11.7	6.0	5.9	6.0	4.5	4.9	4.8	7.1	6.8	6.9
Alcohol only	8.7	21.7	16.0	14.5	24.4	20.0	5.7	12.7	9.7	7.8	15.9	12.6	2.8	13.6	8.9	8.9	14.8	12.3
Alcohol or any illicit drug	18.5	41.9	31.6	29.7	40.0	35.4	17.4	34.7	27.1	16.0	31.0	24.7	8.9	29.4	20.6	19.4	39.8	31.2
Any illicit drug, but no alcohol	3.0	5.8	4.5	8.3	5.1	6.5	6.6	7.8	7.3	4.5	5.3	5.0	4.5	6.3	5.5	4.9	8.6	7.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Nassau County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Nassau County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	19.3	18.0	19.1	--	19.0	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	3.2	2.9	3.0	--	2.4	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	9.8	9.3	10.1	--	10.4	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	12.4	13.8	11.3	--	12.7	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	50.0	34.9	41.9	40.7	47.6	36.8	41.2	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	62.3	47.6	55.6	52.6	61.8	48.8	53.8	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	65.6	65.4	66.5	65.1	64.9	67.7	65.5	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	46.1	36.3	41.1	40.0	44.9	38.4	40.4	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	51.0	35.0	43.4	40.5	49.9	37.1	41.7	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	48.6	21.6	34.7	31.5	46.4	23.0	33.0	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	28.5	14.3	19.0	21.3	27.3	15.7	20.2	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	74.2	76.7	77.5	74.3	76.4	77.2	75.7	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	94.3	86.1	88.7	90.4	93.8	86.8	89.5	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	85.1	58.1	68.8	70.4	82.8	58.9	69.5	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	88.3	53.3	68.5	67.8	85.4	54.3	68.0	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	88.5	67.8	75.1	77.5	87.1	68.5	76.5	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	91.1	65.9	76.5	76.4	88.0	68.0	76.4	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.4	91.1	94.3	93.3	97.2	90.9	93.7	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.7	77.7	83.7	81.7	88.2	79.2	82.7	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	92.4	78.7	83.7	84.8	90.8	79.0	84.5	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	86.9	54.2	68.1	67.5	83.7	55.8	68.0	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	82.4	57.0	66.8	68.5	78.7	57.6	67.8	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	87.5	60.5	72.0	71.8	84.5	61.4	72.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.2	89.2	92.0	89.4	91.6	90.6	90.9	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Nassau County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total															
Early ATOD use																		
Try alcohol	--	24.3	--	--	24.8	--	--	23.9	--	--	20.1	--	--	17.3	--	--	19.3	--
Drink monthly	--	2.1	--	--	3.6	--	--	6.1	--	--	3.0	--	--	1.3	--	--	3.2	--
Smoke cigarettes	--	21.5	--	--	15.8	--	--	16.1	--	--	13.9	--	--	7.7	--	--	9.8	--
Smoke marijuana	--	11.6	--	--	10.7	--	--	12.0	--	--	8.8	--	--	8.3	--	--	12.4	--
Great risk of harm																		
Daily alcohol use	43.6	42.8	43.2	36.9	35.6	36.2	44.7	34.8	39.2	45.9	36.1	40.2	54.6	37.1	44.6	50.0	34.9	41.2
5+ drinks daily	--	--	--	--	--	--	58.2	47.0	52.0	58.1	54.1	55.8	69.1	54.6	60.8	62.3	47.6	53.8
Daily cigarette use	65.2	66.8	66.1	63.9	73.0	69.0	68.6	68.3	68.4	71.9	69.6	70.6	71.4	73.7	72.7	65.6	65.4	65.5
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	46.1	36.3	40.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	51.0	35.0	41.7
Marijuana weekly*	--	--	--	--	--	--	58.1	30.7	42.7	54.9	28.9	39.8	65.9	25.0	42.5	48.6	21.6	33.0
Try marijuana	39.5	20.2	28.7	33.8	21.2	26.8	37.6	18.8	27.1	36.6	18.8	26.2	41.2	20.2	29.2	28.5	14.3	20.2
Prescription drugs	--	--	--	--	69.7	69.7	78.2	69.5	73.3	72.6	76.3	74.7	76.6	73.1	74.6	74.2	76.7	75.7
Think it wrong																		
Smoke cigarettes	90.4	73.3	80.8	92.0	73.2	81.5	93.4	81.6	86.8	95.6	80.7	86.9	96.7	87.9	91.7	94.3	86.1	89.5
Drink regularly	81.3	56.4	67.4	80.3	57.0	67.3	86.2	59.8	71.5	88.7	57.2	70.3	92.7	71.9	80.8	85.1	58.1	69.5
Smoke marijuana	89.6	70.9	79.1	91.0	70.0	79.3	90.7	67.4	77.7	89.5	66.2	75.9	94.4	65.5	77.7	88.3	53.3	68.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.5	67.8	76.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.1	65.9	76.4
Other illicit drugs	97.5	96.6	97.0	97.8	93.3	95.3	98.0	91.9	94.6	97.5	94.9	96.0	99.5	98.0	98.6	97.4	91.1	93.7
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	88.0	69.9	77.9	91.5	75.8	82.4	93.5	79.3	85.3	89.7	77.7	82.7
Smoke tobacco	--	--	--	--	--	--	92.5	75.6	83.1	96.0	76.4	84.6	96.6	85.4	90.2	92.4	78.7	84.5
Smoke marijuana	--	--	--	--	--	--	89.2	65.7	76.0	89.7	63.5	74.4	93.1	65.5	77.3	86.9	54.2	68.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.4	57.0	67.8
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.5	60.5	72.0
Prescription drugs	--	--	--	--	--	--	93.9	89.9	91.7	96.2	90.5	92.9	97.0	95.2	96.0	93.2	89.2	90.9

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Nassau County and Florida Statewide youth, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	3.9	1.5	7.2	--	3.6	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	3.6	1.6	6.4	--	2.5	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	1.1	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	23.7	22.2	26.8	--	24.3	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	45.0	53.6	33.6	--	48.2	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	12.4	11.7	13.9	--	11.1	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	10.4	9.4	12.1	--	10.3	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Nassau County and Florida Statewide youth, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	36.7	32.5	40.7	--	34.2	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	48.9	58.1	41.0	--	51.3	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	1.3	0.0	2.8	--	1.7	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	1.7	1.7	1.8	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	3.5	1.6	5.8	--	4.7	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	1.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.3	0.0	0.6	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	6.5	6.0	7.3	--	8.0	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Nassau County and Florida Statewide youth, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	24.1	25.4	21.8	--	22.6	--	--	31.9	34.7	28.6	--	32.9	--
2	--	17.2	16.8	18.3	--	19.0	--	--	21.8	24.0	19.2	--	21.1	--
3	--	17.8	21.0	15.4	--	17.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	9.7	9.8	9.9	--	8.8	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	31.2	27.0	34.5	--	32.4	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Nassau County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	6.6	9.6	10.1	7.0	6.9	10.2	8.4	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	5.6	18.4	13.4	13.4	7.2	17.9	13.2	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	4.4	5.4	6.7	3.4	5.2	5.0	5.0	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Nassau County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.0	8.6	3.8	12.8	8.0	9.0	8.4	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.7	7.0	3.4	6.9	2.5	7.0	5.3	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.7	1.5	0.5	2.2	1.4	1.7	1.6	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.9	1.9	0.6	2.8	1.6	2.2	1.9	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.3	0.7	0.2	0.9	0.2	0.7	0.5	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	11.7	9.2	6.6	13.4	10.4	11.0	10.2	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	10.3	5.7	5.1	9.5	9.4	6.5	7.6	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Nassau County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
Carrying a handgun	6.3	3.1	4.5	5.5	4.7	5.1	6.3	7.9	7.2	7.6	8.7	8.2	7.6	9.4	8.6	8.0	8.6	8.4
Selling drugs	2.3	6.8	4.9	2.0	6.0	4.2	1.9	7.5	5.0	2.2	6.8	4.8	0.5	3.1	2.1	2.7	7.0	5.3
Attempting to steal a vehicle	2.3	1.3	1.7	0.5	0.4	0.4	0.6	1.5	1.1	1.1	1.4	1.3	0.7	0.4	0.5	1.7	1.5	1.6
Being arrested	2.5	3.4	3.0	1.2	3.2	2.3	1.9	4.6	3.4	1.7	1.8	1.7	0.2	0.9	0.6	1.9	1.9	1.9
Taking a handgun to school	0.0	0.6	0.4	0.6	0.5	0.5	0.4	1.1	0.8	0.0	0.6	0.3	0.0	0.0	0.0	0.3	0.7	0.5
Getting suspended	10.5	7.7	8.9	11.2	8.7	9.8	9.4	7.5	8.3	7.5	5.3	6.2	8.9	5.0	6.7	11.7	9.2	10.2
Attacking someone with intent to harm	8.0	7.5	7.7	6.7	6.0	6.3	6.6	4.9	5.7	7.8	8.1	8.0	2.8	3.7	3.3	10.3	5.7	7.6

Table 14. Percentages of Nassau County and Florida Statewide youth who reported symptoms of depression, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	33.9	33.3	45.0	22.7	33.9	33.8	33.5	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	48.3	49.4	58.5	40.1	48.6	49.7	48.9	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	34.9	30.0	42.0	22.8	35.5	29.9	32.1	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	47.7	48.2	64.7	32.4	46.7	48.6	48.0	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Nassau County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.3	12.6	17.9	5.3	11.0	12.5	11.6	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	50.1	35.5	40.4	43.7	49.0	36.7	41.9	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	74.0	59.8	72.1	60.4	73.1	59.6	65.9	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	29.9	36.3	44.8	22.7	31.7	35.0	33.5	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	25.7	11.9	12.5	22.3	24.0	12.8	17.7	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	37.7	28.1	28.1	36.0	38.0	27.2	32.1	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	11.1	14.7	14.2	12.5	12.9	13.6	13.1	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Nassau County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.0	18.5	10.0	--	13.5	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	9.3	7.6	11.5	--	10.6	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	4.9	7.6	2.5	--	5.1	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	44.2	45.1	43.3	--	44.6	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	11.9	12.2	12.3	--	11.8	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	30.9	35.3	27.5	--	31.8	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	37.3	42.6	32.9	--	36.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	27.5	32.4	23.4	--	28.0	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	28.4	35.2	22.1	--	27.6	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.2	11.1	3.7	--	6.7	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Nassau County and Florida Statewide high school youth, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	26.5	21.0	31.2	--	26.9	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	21.7	20.4	22.1	--	20.1	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	18.6	20.7	17.4	--	19.7	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	11.2	12.7	10.4	--	11.2	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.7	6.6	8.3	--	7.4	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	5.1	5.9	4.5	--	5.2	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.9	5.1	3.0	--	4.6	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.5	4.1	1.2	--	2.9	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.1	1.8	0.6	--	0.9	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.7	1.5	0.0	--	0.9	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.8	0.3	1.3	--	0.2	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Nassau County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	33.8	26.0	32.5	26.3	33.0	26.2	29.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	27.7	19.5	26.7	19.3	27.7	19.4	22.8	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	33.5	35.0	35.6	34.2	33.3	35.3	34.4	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	31.3	26.4	29.5	27.7	30.7	27.7	28.4	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	37.5	24.9	30.8	29.1	35.7	25.1	30.2	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	55.3	37.7	50.4	39.9	53.7	37.8	45.0	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Nassau County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Nassau County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	35.5	39.5	37.4	39.0	36.0	39.1	37.8	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	38.7	20.0	28.4	28.2	38.9	19.4	28.0	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	14.8	10.1	13.5	11.3	14.5	9.2	12.1	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	16.1	28.5	30.3	17.4	16.0	28.3	23.2	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	10.7	14.9	17.3	9.4	10.5	15.8	13.1	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Nassau County and Florida Statewide youth, 2020

	Nassau County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	15.2	14.9	14.9	--	15.8	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	24.4	27.3	21.9	--	25.4	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	6.5	4.4	8.7	--	7.3	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	12.7	12.9	13.1	--	12.1	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Nassau County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	23.6	--	--	17.9	--	--	21.8	--	--	10.9	--	--	15.2	--
Marijuana	--	--	--	--	23.3	--	--	16.7	--	--	22.6	--	--	15.7	--	--	24.4	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	6.7	--	--	8.2	--	--	5.6	--	--	6.5	--	--	6.5	--
Marijuana	--	--	--	--	6.2	--	--	7.5	--	--	7.2	--	--	8.0	--	--	12.7	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Nassau County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Nassau County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	58	57	57	57	59	54
	Family Rewards for Prosocial Involvement	52	53	50	53	54	55
School	School Opportunities for Prosocial Involvement	50	65	51	60	57	60
	School Rewards for Prosocial Involvement	46	61	44	54	53	58
Peer and Individual	Religiosity	41	58	42	52	56	62
Average Prevalence Rate		49	59	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Nassau County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Nassau County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	41	37	41	32	42	42
	Perceived Availability of Drugs	38	28	34	20	45	45
	Perceived Availability of Handguns	32	46	23	31	25	42
Family	Poor Family Management	43	28	43	35	44	45
	Family Conflict	44	31	42	34	42	37
School	Poor Academic Performance	46	37	46	46	45	48
	Lack of Commitment to School	78	62	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	57	48	49	38	40	46
	Favorable Attitudes toward ATOD Use	42	42	35	32	39	45
	Early Initiation of Drug Use	33	24	24	17	41	46
Average Prevalence Rate		45	38	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Nassau County, 2010 to 2020

Domain	Scale	Nassau County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	54	59	61	68	59	58
	Family Rewards for Prosocial Involvement	48	53	56	62	55	52
School	School Opportunities for Prosocial Involvement	43	49	56	58	60	50
	School Rewards for Prosocial Involvement	46	53	54	51	44	46
Peer and Individual	Religiosity	63	69	61	59	59	41
Average Prevalence Rate		51	57	58	60	55	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Nassau County, 2010 to 2020

Domain	Scale	Nassau County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	50	41	37	37	32	41
	Perceived Availability of Drugs	57	50	45	43	38	38
	Perceived Availability of Handguns	39	35	37	35	33	32
Family	Poor Family Management	41	41	34	36	25	43
	Family Conflict	50	35	37	40	36	44
School	Poor Academic Performance	41	38	34	36	29	46
	Lack of Commitment to School	51	48	52	55	60	78
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	48	46	34	40	37	57
	Favorable Attitudes toward ATOD Use	42	38	31	31	30	42
	Early Initiation of Drug Use	35	38	29	26	18	33
Average Prevalence Rate		45	41	37	38	34	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Nassau County, 2010 to 2020

Domain	Scale	Nassau County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	64	61	69	70	57
	Family Rewards for Prosocial Involvement	55	60	62	63	57	53
School	School Opportunities for Prosocial Involvement	64	61	64	66	67	65
	School Rewards for Prosocial Involvement	63	64	69	63	67	61
Peer and Individual	Religiosity	75	69	67	65	62	58
Average Prevalence Rate		63	64	65	65	65	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Nassau County, 2010 to 2020

Domain	Scale	Nassau County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	35	38	31	34	37	37
	Perceived Availability of Drugs	38	34	35	29	28	28
	Perceived Availability of Handguns	45	48	49	46	36	46
Family	Poor Family Management	40	33	32	32	30	28
	Family Conflict	31	34	30	35	35	31
School	Poor Academic Performance	37	37	37	30	30	37
	Lack of Commitment to School	47	46	48	55	55	62
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	36	35	33	39	31	48
	Favorable Attitudes toward ATOD Use	39	39	39	42	30	42
	Early Initiation of Drug Use	37	32	27	24	17	24
Average Prevalence Rate		39	38	36	37	33	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.