

# **2018 Florida Youth Substance Abuse Survey**

**Glades Data Tables**



**Table 1. Major demographic characteristics of surveyed Glades and Florida Statewide, 2018**

	Glades		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	113	48.7	26,340	48.2
Male	114	49.1	27,468	50.3
<b>Race/Ethnic group</b>				
African American	33	14.2	12,088	22.1
American Indian	10	4.3	555	1.0
Asian	1	0.4	659	1.2
Hispanic/Latino	90	38.8	11,242	20.6
Native Hawaiian/Pacific Islander	2	0.9	79	0.1
Other/Multiple	33	14.2	6,899	12.6
White, non-Hispanic	61	26.3	22,618	41.4
<b>Age</b>				
10	0	0.0	50	0.1
11	16	6.9	3,339	6.1
12	37	15.9	7,363	13.5
13	61	26.3	7,738	14.2
14	35	15.1	7,864	14.4
15	20	8.6	7,982	14.6
16	25	10.8	7,926	14.5
17	23	9.9	7,725	14.1
18	11	4.7	3,990	7.3
19 or older	2	0.9	495	0.9
<b>Grade</b>				
6th	54	23.3	8,050	14.7
7th	41	17.7	7,706	14.1
8th	54	23.3	7,715	14.1
9th	22	9.5	8,024	14.7
10th	24	10.3	7,925	14.5
11th	15	6.5	7,775	14.2
12th	22	9.5	7,417	13.6
Overall Middle School	149	64.2	23,470	43.0
Overall High School	83	35.8	31,141	57.0
<b>Total</b>	<b>232</b>	<b>100.0</b>	<b>54,611</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Glades and Florida Statewide youth who reported having used various drugs in their lifetimes, 2018**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	24.7	47.2	38.4	28.0	23.7	48.9	32.9	20.8	48.0	38.9	34.1	22.9	48.1	36.5
Blacking Out	--	15.7	20.3	10.5	--	16.5	--	--	14.2	15.0	13.5	--	14.0	--
Cigarettes	4.6	22.4	15.3	7.1	4.7	22.5	11.1	6.7	14.7	11.1	11.4	6.7	14.7	11.3
Vaporizer / E-Cigarette	12.9	35.0	21.9	20.2	12.1	36.7	21.0	15.1	36.0	26.5	27.6	16.7	36.4	27.1
Marijuana or Hashish	3.9	24.7	12.9	10.5	3.8	25.7	11.5	7.6	29.7	21.0	19.4	8.7	29.8	20.2
Synthetic Marijuana	--	3.7	2.6	5.0	--	3.5	--	--	3.5	3.7	3.3	--	3.5	--
Inhalants	7.9	5.5	7.3	6.5	7.7	7.0	7.0	7.8	4.3	6.7	4.9	7.6	4.3	5.8
Flakka	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	0.8	--	0.7	--
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	1.2	1.4	0.7	1.7	1.3
LSD, PCP or Mushrooms	0.0	2.4	1.8	0.0	0.0	3.1	0.9	1.0	4.0	2.3	3.1	1.1	3.9	2.7
Methamphetamine	0.0	1.2	0.9	0.0	0.0	1.6	0.4	0.7	0.7	0.6	0.8	0.7	0.6	0.7
Cocaine or Crack Cocaine	0.0	2.7	0.9	1.0	0.0	3.4	1.0	0.8	1.9	1.3	1.6	0.8	1.7	1.4
Heroin	0.9	0.0	0.0	1.2	0.9	0.0	0.6	0.4	0.3	0.3	0.4	0.4	0.3	0.4
Prescription Depressants	2.4	5.7	3.0	4.2	2.4	7.0	3.6	2.3	5.9	4.4	4.3	2.5	5.9	4.4
Prescription Pain Relievers	0.9	2.6	2.0	1.0	0.9	3.2	1.5	2.6	5.0	4.4	3.6	2.8	4.9	4.0
Prescription Amphetamines	0.4	3.6	1.8	0.8	0.4	2.9	1.5	1.2	3.6	2.6	2.6	1.4	3.4	2.6
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.5	0.6	0.7	0.4	0.5
Over-the-Counter Drugs	2.0	13.1	6.1	6.0	2.0	13.2	5.9	3.2	4.9	4.3	4.1	3.4	4.9	4.2
Needle to Inject Illegal Drugs	--	1.4	0.0	2.8	--	0.0	--	--	0.6	0.5	0.8	--	0.6	--
Any illicit drug	10.5	32.0	19.5	17.3	10.5	33.7	18.3	16.5	34.8	28.7	25.2	17.4	34.9	26.9
Any illicit drug other than marijuana	9.1	18.8	12.6	12.4	9.1	20.2	12.5	12.6	16.2	15.5	13.7	12.8	16.2	14.6
Alcohol only	16.8	22.1	21.4	16.9	15.8	22.4	18.7	11.3	19.8	16.8	15.6	12.4	19.7	16.2
Alcohol or any illicit drug	26.9	55.2	41.5	33.6	25.9	57.3	37.2	27.5	54.4	45.2	40.5	29.5	54.5	42.9
Any illicit drug, but no alcohol	2.4	8.2	3.1	5.9	2.4	8.7	4.5	6.9	6.6	6.7	6.7	6.9	6.7	6.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Glades and Florida Statewide youth who reported having used various drugs in the past 30 days, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	15.6	22.8	18.6	18.1	14.0	25.0	18.2	7.3	21.2	16.8	13.8	8.1	20.9	15.3
Binge Drinking	3.0	10.3	2.7	8.8	3.8	8.2	5.7	3.1	9.6	6.7	6.9	3.2	9.4	6.8
Cigarettes	0.8	8.9	3.9	3.7	0.8	6.1	3.7	1.2	3.5	2.6	2.4	1.2	3.3	2.5
Vaporizer / E-Cigarette	2.4	13.4	3.0	9.6	3.2	11.7	6.4	6.4	19.2	13.5	14.0	7.5	19.1	13.7
Marijuana or Hashish	0.0	13.3	3.0	6.4	0.0	9.8	4.6	3.7	16.3	11.0	10.7	4.2	16.2	10.9
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	1.1	1.1	1.1	--	1.1	--
Inhalants	2.5	1.3	2.0	2.1	2.4	1.6	2.0	2.8	1.1	2.1	1.6	2.6	1.1	1.8
Flakka	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.4	--	0.3	--
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.5	0.2	0.5	0.4
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.7	0.9	0.4	1.2	0.8
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.5	0.4	0.4	0.4
Cocaine or Crack Cocaine	0.0	2.9	1.0	1.1	0.0	3.7	1.0	0.3	0.5	0.4	0.5	0.3	0.4	0.4
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Prescription Depressants	1.6	5.2	1.0	4.7	1.6	6.0	2.8	0.9	1.6	1.4	1.2	0.9	1.6	1.3
Prescription Pain Relievers	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	1.5	0.9	1.0	1.5	1.2
Prescription Amphetamines	0.4	0.0	0.0	0.0	0.4	0.0	0.3	0.5	1.0	0.8	0.7	0.5	1.0	0.8
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	1.6	5.0	1.9	3.6	1.6	6.0	2.7	1.4	1.8	1.7	1.5	1.5	1.8	1.6
Any illicit drug	2.8	15.8	6.9	7.7	2.8	13.5	7.5	7.9	19.0	15.0	13.4	8.3	19.1	14.3
Any illicit drug other than marijuana	2.8	8.4	4.9	4.3	2.8	10.5	4.8	5.5	6.0	6.5	5.1	5.5	6.1	5.8
Alcohol only	12.6	11.8	13.4	11.7	11.0	14.6	12.3	4.3	11.1	9.0	7.4	4.8	10.9	8.2
Alcohol or any illicit drug	15.5	27.1	20.2	19.5	13.9	27.5	19.7	12.1	29.5	23.7	20.4	12.9	29.4	22.0
Any illicit drug, but no alcohol	0.0	4.5	1.7	1.6	0.0	2.7	1.6	4.9	8.6	7.2	6.9	5.1	8.8	7.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Glades, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total															
Alcohol	47.1	73.6	58.8	44.1	70.9	56.0	38.6	46.2	41.6	28.0	47.3	35.9	26.3	49.2	35.0	24.7	47.2	32.9
Blacking Out	--	--	--	--	--	--	--	--	--	--	13.8	--	--	18.8	--	--	15.7	--
Cigarettes	30.3	46.4	37.3	24.1	51.7	36.3	24.0	33.4	27.8	16.7	30.2	22.0	11.0	21.3	14.9	4.6	22.4	11.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	9.0	34.1	18.5	12.9	35.0	21.0
Marijuana or Hashish	9.3	20.9	14.4	10.5	25.1	17.0	17.1	25.0	20.2	6.8	26.4	14.8	5.4	28.0	13.9	3.9	24.7	11.5
Synthetic Marijuana	--	--	--	--	--	--	--	3.9	--	--	8.6	--	--	6.0	--	--	3.7	--
Inhalants	10.2	3.8	7.4	11.4	8.8	10.3	9.4	3.3	7.0	8.1	2.4	5.8	4.8	4.7	4.8	7.9	5.5	7.0
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	--
Club Drugs	1.7	--	--	1.2	5.0	2.9	1.5	1.0	1.3	0.0	0.0	0.0	0.0	1.5	0.6	0.0	0.0	0.0
LSD, PCP or Mushrooms	1.0	--	--	1.4	3.3	2.3	3.8	2.1	3.1	1.2	3.6	2.2	0.8	1.5	1.0	0.0	2.4	0.9
Methamphetamine	0.8	0.0	0.5	0.0	0.0	0.0	0.0	1.0	0.4	1.8	0.0	1.1	0.0	0.0	0.0	0.0	1.2	0.4
Cocaine or Crack	2.4	--	--	2.8	2.8	2.8	3.9	2.1	3.2	1.8	1.2	1.6	0.0	0.0	0.0	0.0	2.7	1.0
Heroin	3.0	0.0	1.6	1.7	0.0	0.9	0.9	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6
Prescription Depressants	2.5	6.7	4.4	0.7	6.6	3.3	4.4	8.0	5.8	0.0	1.2	0.5	1.1	2.4	1.6	2.4	5.7	3.6
Prescription Pain Relievers	4.9	10.5	7.4	5.0	4.8	4.9	10.5	12.1	11.1	1.8	1.3	1.6	1.8	3.8	2.5	0.9	2.6	1.5
Prescription Amphetamines	4.2	1.1	2.9	0.8	0.0	0.5	1.4	1.0	1.3	0.6	1.2	0.9	0.5	4.5	2.0	0.4	3.6	1.5
Steroids (without a doctor's order)	0.0	0.0	0.0	0.7	1.9	1.2	0.7	0.0	0.4	1.7	0.0	1.0	0.6	0.0	0.4	0.0	0.0	0.0
Over-the-Counter Drugs	7.2	--	--	5.5	4.2	4.9	6.4	4.1	5.5	4.3	0.0	2.6	3.3	5.5	4.2	2.0	13.1	5.9
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.4	--
Any illicit drug	19.3	28.3	23.3	25.1	36.9	30.3	29.2	29.9	29.5	14.8	26.4	19.5	13.1	29.7	19.3	10.5	32.0	18.3
Any illicit drug other than marijuana	17.6	19.1	18.3	20.7	19.2	20.0	21.3	17.2	19.7	13.3	6.1	10.4	9.8	13.3	11.1	9.1	18.8	12.5
Alcohol only	28.4	48.8	37.4	26.2	35.4	30.3	17.0	22.4	19.1	18.6	24.6	21.0	19.0	23.8	20.8	16.8	22.1	18.7
Alcohol or any illicit drug	47.4	76.2	60.1	51.4	72.3	60.6	45.8	53.0	48.7	33.1	51.0	40.3	31.8	53.5	39.9	26.9	55.2	37.2
Any illicit drug, but no alcohol	0.7	2.1	1.3	7.2	1.4	4.6	7.6	7.2	7.5	5.6	3.7	4.8	6.1	4.3	5.4	2.4	8.2	4.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Glades, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total															
Alcohol	18.4	39.6	27.6	14.8	47.4	29.3	22.9	25.0	23.8	19.1	26.4	22.1	12.5	27.0	18.0	15.6	22.8	18.2
Binge Drinking	7.7	25.2	15.3	9.2	26.8	17.0	11.2	19.4	14.4	8.4	17.2	12.0	6.8	15.1	10.0	3.0	10.3	5.7
Cigarettes	7.9	18.9	12.7	3.0	10.8	6.5	9.6	23.1	15.0	3.4	9.3	5.7	0.6	10.0	4.1	0.8	8.9	3.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	3.8	22.4	10.8	2.4	13.4	6.4
Marijuana or Hashish	7.9	8.1	8.0	4.3	10.7	7.2	12.3	19.8	15.1	3.6	19.3	10.0	1.5	10.2	4.8	0.0	13.3	4.6
Synthetic Marijuana	--	--	--	--	--	--	--	1.1	--	--	0.0	--	--	1.6	--	--	0.0	--
Inhalants	2.6	0.0	1.5	5.1	1.4	3.4	3.9	1.1	2.9	3.0	0.0	1.8	0.9	0.0	0.6	2.5	1.3	2.0
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	--
Club Drugs	1.0	--	--	1.3	0.0	0.7	0.7	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LSD, PCP or Mushrooms	1.0	--	--	0.0	1.5	0.7	1.5	0.0	0.9	1.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	1.6	--	--	2.3	0.0	1.3	3.1	0.0	2.0	0.7	1.2	0.9	0.0	0.0	0.0	0.0	2.9	1.0
Heroin	1.0	0.0	0.6	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	1.6	4.6	2.9	0.0	0.0	0.0	2.2	4.1	2.9	0.0	0.0	0.0	0.5	0.0	0.3	1.6	5.2	2.8
Prescription Pain Relievers	4.4	4.8	4.6	3.7	1.8	2.8	8.2	4.0	6.6	0.0	0.0	0.0	0.8	1.4	1.0	0.0	0.0	0.0
Prescription Amphetamines	0.7	1.2	0.9	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0	0.6	0.0	0.4	0.4	0.0	0.3
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	1.9	0.9	0.7	0.0	0.4	1.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Over-the-Counter Drugs	5.5	--	--	3.5	1.5	2.6	3.7	3.2	3.5	2.4	0.0	1.4	2.9	4.9	3.7	1.6	5.0	2.7
Any illicit drug	10.0	14.4	11.9	11.2	18.6	14.6	20.7	20.3	20.6	6.9	19.1	11.8	5.1	13.5	8.2	2.8	15.8	7.5
Any illicit drug other than marijuana	7.5	9.5	8.4	9.0	8.0	8.5	13.2	6.3	10.6	5.9	1.2	4.0	4.2	4.9	4.5	2.8	8.4	4.8
Alcohol only	12.9	30.1	20.3	9.1	33.4	20.1	10.2	11.1	10.5	13.2	14.9	13.9	11.7	22.7	15.9	12.6	11.8	12.3
Alcohol or any illicit drug	22.3	43.1	31.5	20.8	52.0	34.6	30.5	32.0	31.1	20.0	34.3	25.8	16.2	36.9	23.9	15.5	27.1	19.7
Any illicit drug, but no alcohol	3.5	1.4	2.6	6.4	4.6	5.6	7.9	7.2	7.6	1.2	8.1	4.0	4.3	10.4	6.6	0.0	4.5	1.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Glades and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2018**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	18.8	23.1	15.9	--	18.3	--	--	17.6	17.1	18.1	--	17.1	--
Drinking at least once a month	--	8.7	7.0	10.7	--	9.8	--	--	2.5	2.4	2.5	--	2.5	--
Smoke cigarettes	--	13.0	19.6	7.7	--	13.8	--	--	7.4	6.9	7.9	--	7.6	--
Smoke marijuana	--	9.9	12.2	8.4	--	9.7	--	--	9.3	8.0	10.6	--	9.1	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	44.7	36.8	47.7	36.8	45.2	32.5	41.8	49.3	43.3	49.1	42.8	48.7	43.6	45.9
5+ drinks once or twice a week	49.8	35.5	52.0	38.8	49.8	29.9	44.5	62.1	55.0	61.3	54.9	61.9	55.3	58.0
1+ packs of cigarettes per day	57.6	58.4	64.3	52.6	57.1	56.0	57.9	66.8	67.1	67.6	66.6	67.3	67.2	67.0
Marijuana once or twice a week	41.5	23.9	36.4	35.1	42.0	19.8	35.0	49.1	23.3	35.2	33.7	47.1	23.1	34.4
Try marijuana once or twice	31.4	16.7	27.3	25.9	32.0	14.3	26.0	33.2	15.8	22.8	23.6	31.5	15.7	23.2
Use prescription drugs	63.1	56.5	65.0	57.7	62.6	52.2	60.7	68.2	67.1	69.5	65.9	68.2	67.0	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	92.8	83.1	88.7	89.7	93.3	81.1	89.0	95.6	89.8	92.6	92.1	95.6	90.8	92.3
Drink alcohol regularly	79.2	62.4	74.1	71.0	81.5	55.0	72.6	88.4	67.2	75.9	76.7	87.1	67.7	76.3
Smoke marijuana	88.0	56.6	75.1	75.7	88.0	55.4	75.8	88.5	60.9	72.9	72.8	86.7	61.1	72.8
Smoke synthetic marijuana	88.8	83.5	88.9	85.1	88.6	81.4	86.7	92.3	88.3	90.0	90.1	91.9	88.4	90.0
Use other illicit drugs	96.5	93.1	97.6	93.7	97.0	90.6	95.2	97.3	94.3	96.2	95.1	97.2	94.6	95.6
<b>Parents think it would be wrong to...</b>														
1 or 2 drinks nearly every day	96.7	90.3	96.4	92.6	97.2	87.4	94.4	97.6	94.2	95.7	95.5	97.3	94.4	95.6
Smoke cigarettes	97.5	92.0	97.0	94.3	98.0	90.9	95.6	98.8	97.4	98.1	97.9	98.8	97.7	98.0
Smoke marijuana	97.0	79.2	91.5	89.6	97.5	79.1	90.6	96.4	87.9	91.8	91.2	96.0	88.2	91.5
Use prescription drugs	95.5	94.5	99.1	91.7	96.0	94.2	95.2	98.1	97.1	97.3	97.8	98.0	97.1	97.5
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	83.5	72.2	84.7	74.7	85.6	67.0	79.3	90.9	81.2	87.1	83.7	90.0	81.3	85.3
Smoke tobacco	92.8	80.9	89.4	88.0	93.3	78.0	88.4	94.4	88.7	92.1	90.2	94.1	89.3	91.1
Smoke marijuana	88.6	55.0	79.5	75.0	89.3	52.9	76.4	87.0	59.1	71.5	70.6	84.7	59.3	71.0
Use prescription drugs	95.8	88.9	96.7	90.8	96.3	86.6	93.3	95.0	91.8	94.1	92.3	94.7	91.9	93.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 7. Trends in early ATOD use and attitudes toward substance use for Glades, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total															
<b>Early ATOD use</b>																		
Try alcohol	--	35.2	--	--	37.8	--	--	29.0	--	--	34.5	--	--	27.3	--	--	18.8	--
Drink monthly	--	1.4	--	--	5.0	--	--	9.4	--	--	12.5	--	--	9.4	--	--	8.7	--
Smoke cigarettes	--	25.1	--	--	41.7	--	--	19.0	--	--	17.6	--	--	14.3	--	--	13.0	--
Smoke marijuana	--	10.2	--	--	12.8	--	--	12.7	--	--	14.5	--	--	14.7	--	--	9.9	--
<b>Great risk of harm</b>																		
Daily alcohol use	38.1	34.4	36.5	41.0	38.8	40.0	36.9	30.8	34.4	38.7	27.5	34.2	46.0	30.1	40.1	44.7	36.8	41.8
5+ drinks daily	--	--	--	--	--	--	--	--	--	48.3	41.9	45.7	49.1	48.8	49.0	49.8	35.5	44.5
Daily cigarette use	56.9	61.0	58.7	71.4	56.7	65.0	56.0	49.9	53.5	63.6	53.4	59.4	67.9	68.7	68.2	57.6	58.4	57.9
Marijuana weekly*	--	--	--	--	--	--	--	--	--	49.8	24.0	39.2	52.0	25.0	41.7	41.5	23.9	35.0
Try marijuana	36.6	39.6	37.9	46.7	30.8	39.8	27.2	20.0	24.3	41.5	18.0	32.0	31.1	17.9	26.1	31.4	16.7	26.0
Prescription drugs	--	--	--	--	--	--	--	43.1	43.1	68.9	59.2	64.9	68.6	72.8	70.2	63.1	56.5	60.7
<b>Think it wrong</b>																		
Smoke cigarettes	85.0	71.3	78.8	88.2	62.8	76.8	88.2	73.2	82.2	92.0	93.1	92.5	96.5	82.5	91.1	92.8	83.1	89.0
Drink regularly	72.0	60.8	67.0	76.8	49.1	64.4	86.8	64.6	77.9	84.9	71.2	79.2	86.4	59.8	76.4	79.2	62.4	72.6
Smoke marijuana	89.5	81.7	85.9	90.8	72.6	82.7	85.9	70.2	79.6	93.8	73.6	85.4	93.5	60.7	81.1	88.0	56.6	75.8
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	96.1	86.0	92.3	88.8	83.5	86.7
Use other illicit drugs	94.1	95.1	94.5	96.1	95.5	95.9	98.0	87.1	93.6	97.3	98.8	97.9	97.1	87.5	93.5	96.5	93.1	95.2
<b>Parents think it wrong</b>																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	93.8	94.1	93.9	93.7	95.3	94.3	96.7	90.3	94.4
Smoke cigarettes	96.8	89.6	93.6	97.6	85.9	92.4	93.0	93.0	93.0	97.6	95.5	96.8	98.4	92.2	96.1	97.5	92.0	95.6
Smoke marijuana	99.2	91.9	96.0	97.9	92.0	95.3	91.9	91.7	91.8	97.1	89.0	93.9	96.8	89.8	94.2	97.0	79.2	90.6
Prescription drugs	--	--	--	--	--	--	--	--	--	97.9	96.9	97.5	97.4	98.9	98.0	95.5	94.5	95.2
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	87.3	59.9	76.6	89.0	67.6	81.0	83.5	72.2	79.3
Smoke tobacco	--	--	--	--	--	--	--	--	--	93.8	74.3	86.2	94.2	80.0	88.9	92.8	80.9	88.4
Smoke marijuana	--	--	--	--	--	--	--	--	--	89.5	47.4	72.8	91.7	61.2	80.2	88.6	55.0	76.4
Prescription drugs	--	--	--	--	--	--	--	--	--	94.9	88.6	92.4	95.6	86.1	92.0	95.8	88.9	93.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Glades and Florida Statewide youth, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	7.9	4.9	11.3	--	7.0	--
Bought in a restaurant, bar, or club	--	12.5	0.0	28.9	--	0.0	--	--	1.7	2.1	1.2	--	1.6	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.1	1.2	1.1	--	1.1	--
Someone bought it for me	--	10.7	18.7	0.0	--	12.2	--	--	15.2	15.4	15.2	--	15.1	--
Someone gave it to me	--	22.9	40.2	0.0	--	26.2	--	--	41.9	45.7	37.4	--	42.3	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.7	--	0.5	--
Took it from a family member	--	13.5	0.0	31.4	--	15.4	--	--	13.8	16.1	10.9	--	14.6	--
Some other way	--	40.4	41.0	39.7	--	46.2	--	--	17.8	14.3	22.2	--	17.9	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Glades and Florida Statewide youth, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	44.7	43.9	46.2	--	37.5	--	--	41.0	41.9	39.5	--	41.5	--
Another person's home	--	15.0	23.1	0.0	--	19.8	--	--	38.3	39.0	37.8	--	38.2	--
Car or other vehicle	--	8.0	0.0	22.7	--	0.0	--	--	1.5	1.7	1.3	--	1.6	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.3	4.4	1.6	--	2.7	--
Public place	--	6.5	10.1	0.0	--	8.6	--	--	3.6	2.8	4.5	--	3.5	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.7	1.5	1.9	--	1.6	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.8	1.8	--	1.3	--
Some other place	--	25.8	22.9	31.1	--	34.1	--	--	9.4	7.8	11.6	--	9.6	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Glades and Florida Statewide youth, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	24.5	12.2	49.4	--	11.0	--	--	30.0	33.1	26.0	--	30.5	--
2	--	29.4	31.0	26.3	--	38.9	--	--	23.5	24.0	22.7	--	23.8	--
3	--	15.1	22.5	0.0	--	19.9	--	--	14.9	15.9	13.9	--	14.7	--
4	--	24.4	24.4	24.3	--	21.4	--	--	10.7	10.9	10.5	--	10.6	--
5 or more	--	6.6	9.9	0.0	--	8.7	--	--	20.9	16.1	26.8	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Glades and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	1.8	8.3	3.9	4.3	1.3	10.9	4.1	3.7	6.7	5.9	4.8	3.8	7.0	5.4
Smoking marijuana	2.2	19.1	9.6	6.8	1.7	20.6	8.0	3.7	13.0	8.7	9.2	4.1	13.3	9.0
Used another drug to get high	0.5	3.9	1.8	1.6	0.0	5.7	1.7	1.7	3.7	2.6	3.1	1.9	3.7	2.9

**Table 12. Percentages of Glades and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.7	12.5	6.0	12.0	6.1	16.8	9.4	5.7	6.2	3.2	8.7	5.6	6.4	6.0
Selling drugs	0.9	5.3	1.9	2.9	0.8	4.7	2.4	1.5	5.7	2.7	5.1	1.8	5.6	3.9
Attempting to steal a vehicle	1.3	1.5	0.0	2.7	1.3	1.8	1.4	1.4	1.6	1.2	1.8	1.4	1.6	1.5
Being arrested	0.8	10.1	1.9	5.0	0.8	10.5	4.1	1.7	2.6	1.7	2.8	1.8	2.7	2.3
Taking a handgun to school	0.5	1.5	0.0	1.6	0.0	2.8	0.8	0.4	0.8	0.3	0.9	0.5	0.8	0.6
Getting suspended	10.9	15.3	5.4	17.3	9.6	16.3	12.4	10.7	8.7	7.3	11.7	10.4	8.9	9.5
Attacking someone with intent to harm	4.8	10.2	4.6	7.6	4.8	10.7	6.7	7.2	5.9	5.6	7.3	7.0	6.0	6.5

**Table 13. Trends in delinquent behaviors for Glades, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
Carrying a handgun	6.7	10.1	8.2	9.5	9.0	9.2	16.6	5.2	12.2	11.0	12.2	11.5	13.4	18.1	15.2	7.7	12.5	9.4
Selling drugs	5.1	1.2	3.4	1.4	3.5	2.3	7.1	3.3	5.7	2.2	1.3	1.9	1.9	5.9	3.4	0.9	5.3	2.4
Attempting to steal a vehicle	3.7	0.0	2.0	2.7	7.5	4.8	3.7	4.2	3.9	0.0	0.0	0.0	2.2	1.3	1.9	1.3	1.5	1.4
Being arrested	4.5	8.4	6.3	1.5	4.5	2.8	9.2	4.8	7.5	2.7	1.3	2.1	1.9	3.7	2.6	0.8	10.1	4.1
Taking a handgun to school	0.0	3.2	1.4	0.7	1.7	1.1	2.4	4.8	3.4	1.2	1.3	1.2	0.0	1.1	0.4	0.5	1.5	0.8
Getting suspended	16.1	25.2	20.2	14.5	18.0	16.0	20.7	15.1	18.6	10.6	12.8	11.4	9.4	9.0	9.3	10.9	15.3	12.4
Attacking someone with intent to harm	12.6	11.6	12.1	15.1	17.8	16.3	13.4	5.0	10.2	6.9	4.6	6.0	6.1	5.0	5.7	4.8	10.2	6.7

**Table 14. Percentages of Glades and Florida Statewide youth who reported symptoms of depression, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	24.7	26.7	28.3	20.6	25.5	23.0	25.5	26.5	29.5	35.9	20.5	26.9	30.1	28.2
At times I think I am no good at all	43.7	40.0	53.1	31.1	45.6	38.2	42.3	38.2	40.8	49.9	29.6	38.8	41.6	39.7
All in all, I am inclined to think that I am a failure	30.9	32.4	37.6	24.1	32.4	31.9	31.5	24.5	26.3	32.1	18.8	24.8	27.3	25.5
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	42.8	44.9	56.5	30.5	43.4	41.9	43.6	40.6	44.1	53.1	32.2	40.5	45.3	42.6

**Table 15. Percentages of Glades and Florida Statewide youth who reported involvement in bullying behavior, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	4.7	6.2	10.4	1.1	5.2	6.6	5.3	7.7	8.4	11.7	4.5	7.7	8.5	8.1
Was ever kicked or shoved	28.2	26.6	24.0	29.5	27.2	28.6	27.6	36.9	22.6	27.2	30.1	35.9	22.5	28.8
Was ever taunted or teased	56.1	40.8	51.3	47.8	53.8	47.1	50.4	62.7	50.9	60.6	51.4	62.1	51.4	56.0
Was ever a victim of cyber bullying	19.1	18.6	24.0	13.0	18.7	17.3	18.9	23.0	27.6	33.5	17.9	23.4	28.3	25.6
Ever physically bullied others	12.7	13.4	9.9	15.3	11.8	12.2	13.0	19.1	12.1	12.0	18.0	18.4	12.0	15.1
Ever verbally bullied others	26.0	22.3	20.9	27.7	23.7	22.7	24.6	30.3	24.7	25.7	28.3	30.0	24.9	27.1
Ever cyber bullied others	11.2	11.2	11.9	9.3	10.3	13.6	11.2	10.0	11.6	12.3	9.6	10.2	11.8	10.9

**Table 16. Percentages of Glades and Florida Statewide youth who reported gang membership, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	3.7	4.7	0.6	7.2	3.2	3.6	4.1	3.8	3.7	2.4	5.0	3.6	3.8	3.7
Did that gang have a name?	23.6	19.1	11.6	26.9	21.6	18.7	21.6	25.5	16.2	14.4	23.1	24.0	17.0	19.4
Are you a gang member now?	--	4.8	0.0	9.7	--	4.7	--	--	2.3	1.4	3.3	--	2.3	--

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

**Table 17. Percentages of Glades and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.2	29.9	33.4	23.2	29.4	29.3	28.1	29.3	28.3	29.0	28.3	28.9	28.8	28.7
I'm more concerned with the short run	29.6	31.6	29.6	31.4	29.7	36.3	30.3	25.6	21.6	24.2	22.3	25.1	22.4	23.3
Getting in trouble is exciting	27.2	26.3	27.0	26.7	25.3	31.4	26.9	23.3	27.7	25.6	25.9	24.1	27.9	25.8
Excitement is more important than security	33.0	26.7	32.0	30.3	31.5	31.0	30.8	23.5	23.5	21.4	25.5	23.5	23.5	23.5
People better stay away from me when I'm really angry	39.2	37.0	40.4	36.0	36.8	45.5	38.5	36.0	32.5	35.8	32.1	35.7	33.0	34.0
I get upset when I have a disagreement with someone	46.5	50.0	54.6	40.8	46.4	52.9	47.6	45.0	38.0	47.4	34.6	45.0	38.3	41.0

Note: The symbol “--” indicates that data are not available.

**Table 18. Percentages of Glades and Florida Statewide youth who reported participation in extracurricular activities, 2018**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	60.0	63.7	64.4	59.2	60.0	69.0	61.4	36.0	39.7	34.7	41.4	36.8	40.0	38.1
Organized Sports Outside of School	29.6	17.2	24.3	25.5	27.6	22.1	24.9	38.6	19.8	25.7	30.1	37.2	19.7	27.9
School Band	9.7	5.7	6.1	10.3	9.3	7.9	8.2	17.3	8.1	12.5	11.6	16.6	8.0	12.0
School Club(s)	15.3	11.3	17.9	10.3	16.0	12.2	13.8	22.2	30.2	34.6	19.4	22.8	30.4	26.8
Community Club(s)	6.9	7.3	7.6	6.4	6.9	5.9	7.0	8.5	11.7	13.3	7.5	8.4	11.6	10.3

**Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Glades and Florida Statewide youth, 2018**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.5	9.8	16.9	--	14.8	--	--	14.3	15.1	13.4	--	14.3	--
Marijuana	--	32.9	32.7	32.8	--	35.2	--	--	22.9	24.4	21.5	--	22.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	8.2	2.8	13.6	--	6.3	--	--	4.4	3.8	4.9	--	4.3	--
Marijuana	--	15.1	9.9	20.8	--	12.7	--	--	9.5	8.7	10.1	--	9.2	--

Note: The symbol "--" indicates that data are not available.

**Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Glades, 2012 and 2018**

	2008			2010			2012			2014			2016			2018		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	23.0	--	--	17.3	--	--	27.2	--	--	14.5	--
Marijuana	--	--	--	--	--	--	--	20.8	--	--	15.7	--	--	25.2	--	--	32.9	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	14.7	--	--	4.1	--	--	10.3	--	--	8.2	--
Marijuana	--	--	--	--	--	--	--	12.4	--	--	10.9	--	--	13.1	--	--	15.1	--

Note: The symbol "--" indicates that data are not available.

**Table 21. Protective factor prevalence rates for Glades, Florida Statewide youth and the national normative database, 2018**

Domain	Scale	Glades		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	48	65	58	57	59	54
	Family Rewards for Prosocial Involvement	48	50	50	51	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	41	49	54	64	57	60
	School Rewards for Prosocial Involvement	46	57	45	55	53	58
<b>Peer and Individual</b>	Religiosity	50	62	46	54	56	62
<b>Average Prevalence Rate</b>		<b>47</b>	<b>57</b>	<b>51</b>	<b>56</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 22. Risk factor prevalence rates for Glades, Florida Statewide youth and the national normative database, 2018**

Domain	Scale	Glades		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
<b>Community</b>	Community Disorganization	50	57	38	40	47	47
	Transitions and Mobility	43	41	59	61	47	46
	Laws and Norms Favorable to Drug Use	47	33	38	32	42	42
	Perceived Availability of Drugs	37	21	35	24	45	45
	Perceived Availability of Handguns	30	41	24	34	25	42
<b>Family</b>	Poor Family Management	41	41	43	37	44	45
	Family Conflict	37	24	39	34	42	37
<b>School</b>	Poor Academic Performance	47	43	43	43	45	48
	Lack of Commitment to School	72	45	60	57	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	47	44	43	36	40	46
	Favorable Attitudes toward ATOD Use	41	37	35	34	39	45
	Early Initiation of Drug Use	22	24	24	19	41	46
<b>Average Prevalence Rate</b>		<b>43</b>	<b>38</b>	<b>40</b>	<b>38</b>	<b>40</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 23. Protective factor prevalence rate trends among middle school students for Glades, 2008 to 2018**

Domain	Scale	Glades					
		2008	2010	2012	2014	2016	2018
<b>Family</b>	Family Opportunities for Prosocial Involvement	44	59	56	49	69	48
	Family Rewards for Prosocial Involvement	41	52	57	55	61	48
<b>School</b>	School Opportunities for Prosocial Involvement	34	47	55	58	56	41
	School Rewards for Prosocial Involvement	51	54	67	59	59	46
<b>Peer and Individual</b>	Religiosity	48	61	43	50	58	50
<b>Average Prevalence Rate</b>		<b>44</b>	<b>55</b>	<b>56</b>	<b>54</b>	<b>61</b>	<b>47</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rate trends among middle school students for Glades, 2008 to 2018**

Domain	Scale	Glades					
		2008	2010	2012	2014	2016	2018
<b>Community</b>	Community Disorganization	58	62	61	48	45	50
	Transitions and Mobility	60	46	54	47	53	43
	Laws and Norms Favorable to Drug Use	62	48	45	48	45	47
	Perceived Availability of Drugs	53	51	52	35	38	37
	Perceived Availability of Handguns	35	36	41	35	35	30
<b>Family</b>	Poor Family Management	46	51	49	44	36	41
	Family Conflict	50	36	39	31	32	37
<b>School</b>	Poor Academic Performance	49	46	45	50	41	47
	Lack of Commitment to School	55	39	47	49	43	72
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	45	50	48	39	36	47
	Favorable Attitudes toward ATOD Use	47	50	41	40	33	41
	Early Initiation of Drug Use	46	47	41	35	24	22
<b>Average Prevalence Rate</b>		<b>48</b>	<b>45</b>	<b>47</b>	<b>42</b>	<b>38</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among high school students for Glades, 2008 to 2018**

Domain	Scale	Glades					
		2008	2010	2012	2014	2016	2018
<b>Family</b>	Family Opportunities for Prosocial Involvement	39	57	48	54	55	65
	Family Rewards for Prosocial Involvement	53	55	43	43	57	50
<b>School</b>	School Opportunities for Prosocial Involvement	33	53	57	46	53	49
	School Rewards for Prosocial Involvement	42	51	61	67	65	57
<b>Peer and Individual</b>	Religiosity	61	64	44	62	62	62
<b>Average Prevalence Rate</b>		<b>46</b>	<b>56</b>	<b>51</b>	<b>54</b>	<b>58</b>	<b>57</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among high school students for Glades, 2008 to 2018**

Domain	Scale	Glades					
		2008	2010	2012	2014	2016	2018
<b>Community</b>	Community Disorganization	59	63	66	70	57	57
	Transitions and Mobility	40	37	27	55	48	41
	Laws and Norms Favorable to Drug Use	48	47	38	22	38	33
	Perceived Availability of Drugs	47	40	29	31	32	21
	Perceived Availability of Handguns	64	58	32	50	41	41
<b>Family</b>	Poor Family Management	43	57	71	41	49	41
	Family Conflict	35	33	26	19	24	24
<b>School</b>	Poor Academic Performance	48	44	45	51	42	43
	Lack of Commitment to School	54	59	48	53	70	45
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	50	52	34	38	32	44
	Favorable Attitudes toward ATOD Use	43	44	39	32	42	37
	Early Initiation of Drug Use	42	52	32	31	25	24
<b>Average Prevalence Rate</b>		<b>45</b>	<b>52</b>	<b>42</b>	<b>41</b>	<b>42</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.