

# **2016 Florida Youth Substance Abuse Survey**

**Glades Data Tables**



**Table 1. Major demographic characteristics of surveyed Glades and Florida Statewide, 2016**

	Glades			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	117	49.4		31,515	47.9
Male	117	49.4		32,905	50.0
<b>Race/Ethnic group</b>					
African American	32	13.5		14,666	22.3
American Indian	7	3.0		568	0.9
Asian	3	1.3		743	1.1
Hispanic/Latino	68	28.7		13,174	20.0
Native Hawaiian/Pacific Islander	1	0.4		144	0.2
Other/Multiple	35	14.8		7,523	11.4
White, non-Hispanic	87	36.7		28,309	43.0
<b>Age</b>					
10	2	0.8		65	0.1
11	22	9.3		3,856	5.9
12	35	14.8		8,338	12.7
13	52	21.9		9,230	14.0
14	43	18.1		9,454	14.4
15	34	14.3		10,070	15.3
16	21	8.9		9,684	14.7
17	22	9.3		9,348	14.2
18	5	2.1		4,799	7.3
19 or older	0	0.0		618	0.9
<b>Grade</b>					
6th	54	22.8		9,301	14.1
7th	52	21.9		9,215	14.0
8th	51	21.5		9,326	14.2
9th	29	12.2		10,140	15.4
10th	25	10.5		9,834	15.0
11th	18	7.6		9,254	14.1
12th	8	3.4		8,705	13.2
Overall Middle School	157	66.2		27,678	42.1
Overall High School	80	33.8		37,765	57.4
<b>Total</b>	<b>237</b>	<b>100.0</b>		<b>65,776</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Glades and Florida Statewide youth who reported having used various drugs in their lifetimes, 2016**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.3	49.2	40.7	28.7	27.0	47.4	35.0	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out	--	18.8	24.3	14.8	--	19.9	18.8	--	15.9	16.5	15.4	--	16.1	15.9
Cigarettes	11.0	21.3	15.9	13.0	8.8	20.6	14.9	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	9.0	34.1	16.3	20.0	7.6	34.4	18.5	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	5.4	28.0	16.9	10.4	3.7	28.6	13.9	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana	--	6.0	7.4	5.0	--	3.2	6.0	--	4.9	4.8	5.0	--	4.8	4.9
Inhalants	4.8	4.7	8.1	1.8	4.0	6.8	4.8	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka	--	0.0	0.0	0.0	--	0.0	0.0	--	1.0	0.9	1.1	--	1.0	1.0
Club Drugs	0.0	1.5	0.0	1.1	0.0	1.6	0.6	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	0.8	1.5	1.0	1.1	0.8	1.6	1.0	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	1.1	2.4	1.3	1.9	0.5	3.7	1.6	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	1.8	3.8	2.4	2.7	1.8	4.2	2.5	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	0.5	4.5	1.4	2.7	1.1	4.0	2.0	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	0.6	0.0	0.0	0.8	0.6	0.0	0.4	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	3.3	5.5	6.9	1.7	2.8	7.1	4.2	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs	--	1.0	0.0	2.0	--	1.3	1.0	--	0.8	0.6	0.8	--	0.8	0.8
Any illicit drug	13.1	29.7	25.3	13.1	10.8	32.0	19.3	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	9.8	13.3	16.3	6.5	8.5	17.3	11.1	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	19.0	23.8	23.0	18.6	20.8	22.6	20.8	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	31.8	53.5	48.0	31.5	31.2	54.6	39.9	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	6.1	4.3	8.0	3.2	4.8	7.3	5.4	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Glades and Florida Statewide youth who reported having used various drugs in the past 30 days, 2016**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	12.5	27.0	19.0	16.7	12.7	25.9	18.0	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	6.8	15.1	9.5	10.8	6.3	14.2	10.0	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	0.6	10.0	5.8	2.6	0.9	7.0	4.1	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	3.8	22.4	9.3	12.5	4.0	20.9	10.8	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	1.5	10.2	3.3	5.2	1.5	9.7	4.8	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana	--	1.6	0.0	3.2	--	2.0	1.6	--	1.0	0.9	1.2	--	1.1	1.0
Inhalants	0.9	0.0	1.2	0.0	0.0	1.7	0.6	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka	--	0.0	0.0	0.0	--	0.0	0.0	--	0.5	0.4	0.7	--	0.5	0.5
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	0.5	0.0	0.6	0.0	0.5	0.0	0.3	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	0.8	1.4	1.1	1.0	0.8	1.6	1.0	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.6	0.0	0.7	0.0	0.6	0.0	0.4	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	2.9	4.9	6.3	1.0	2.3	6.6	3.7	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	5.1	13.5	9.4	6.1	4.2	15.0	8.2	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	4.2	4.9	8.0	1.0	2.8	8.2	4.5	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	11.7	22.7	19.4	11.9	12.5	20.2	15.9	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	16.2	36.9	28.0	18.8	15.6	36.7	23.9	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	4.3	10.4	9.6	2.6	3.4	11.6	6.6	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Glades, 2006 to 2016**

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	36.9	67.3	52.5	47.1	73.6	58.8	44.1	70.9	56.0	38.6	46.2	41.6	28.0	47.3	35.9	26.3	49.2	35.0
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	13.8	13.8	--	18.8	18.8
Cigarettes	29.6	48.6	39.4	30.3	46.4	37.3	24.1	51.7	36.3	24.0	33.4	27.8	16.7	30.2	22.0	11.0	21.3	14.9
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.0	34.1	18.5
Marijuana or Hashish	5.8	29.9	18.3	9.3	20.9	14.4	10.5	25.1	17.0	17.1	25.0	20.2	6.8	26.4	14.8	5.4	28.0	13.9
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	3.9	3.9	--	8.6	8.6	--	6.0	6.0
Inhalants	5.9	8.7	7.4	10.2	3.8	7.4	11.4	8.8	10.3	9.4	3.3	7.0	8.1	2.4	5.8	4.8	4.7	4.8
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0
Club Drugs	--	--	--	1.7	--	1.7	1.2	5.0	2.9	1.5	1.0	1.3	0.0	0.0	0.0	0.0	1.5	0.6
LSD, PCP or Mushrooms	--	--	--	1.0	--	1.0	1.4	3.3	2.3	3.8	2.1	3.1	1.2	3.6	2.2	0.8	1.5	1.0
Methamphetamine	1.9	3.4	2.7	0.8	0.0	0.5	0.0	0.0	0.0	0.0	1.0	0.4	1.8	0.0	1.1	0.0	0.0	0.0
Cocaine or Crack Cocaine	--	--	--	2.4	--	2.4	2.8	2.8	2.8	3.9	2.1	3.2	1.8	1.2	1.6	0.0	0.0	0.0
Heroin	0.9	0.0	0.4	3.0	0.0	1.6	1.7	0.0	0.9	0.9	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
Depressants	0.9	3.4	2.1	2.5	6.7	4.4	0.7	6.6	3.3	4.4	8.0	5.8	0.0	1.2	0.5	1.1	2.4	1.6
Prescription Pain Relievers	1.8	3.5	2.6	4.9	10.5	7.4	5.0	4.8	4.9	10.5	12.1	11.1	1.8	1.3	1.6	1.8	3.8	2.5
Prescription Amphetamines	1.0	2.1	1.6	4.2	1.1	2.9	0.8	0.0	0.5	1.4	1.0	1.3	0.6	1.2	0.9	0.5	4.5	2.0
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	1.2	0.7	0.0	0.4	1.7	0.0	1.0	0.6	0.0	0.4
Over-the-Counter Drugs	--	--	--	7.2	--	7.2	5.5	4.2	4.9	6.4	4.1	5.5	4.3	0.0	2.6	3.3	5.5	4.2
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.0	1.0
Any illicit drug	13.5	33.8	23.9	19.3	28.3	23.3	25.1	36.9	30.3	29.2	29.9	29.5	14.8	26.4	19.5	13.1	29.7	19.3
Any illicit drug other than marijuana	9.6	11.4	10.6	17.6	19.1	18.3	20.7	19.2	20.0	21.3	17.2	19.7	13.3	6.1	10.4	9.8	13.3	11.1
Alcohol only	27.2	36.0	31.7	28.4	48.8	37.4	26.2	35.4	30.3	17.0	22.4	19.1	18.6	24.6	21.0	19.0	23.8	20.8
Alcohol or any illicit drug	40.6	69.8	55.6	47.4	76.2	60.1	51.4	72.3	60.6	45.8	53.0	48.7	33.1	51.0	40.3	31.8	53.5	39.9
Any illicit drug, but no alcohol	3.8	2.5	3.1	0.7	2.1	1.3	7.2	1.4	4.6	7.6	7.2	7.5	5.6	3.7	4.8	6.1	4.3	5.4

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Glades, 2006 to 2016**

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	18.5	40.0	29.5	18.4	39.6	27.6	14.8	47.4	29.3	22.9	25.0	23.8	19.1	26.4	22.1	12.5	27.0	18.0
Binge Drinking	7.4	26.2	17.1	7.7	25.2	15.3	9.2	26.8	17.0	11.2	19.4	14.4	8.4	17.2	12.0	6.8	15.1	10.0
Cigarettes	3.0	13.9	8.6	7.9	18.9	12.7	3.0	10.8	6.5	9.6	23.1	15.0	3.4	9.3	5.7	0.6	10.0	4.1
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.8	22.4	10.8
Marijuana or Hashish	3.0	18.3	10.9	7.9	8.1	8.0	4.3	10.7	7.2	12.3	19.8	15.1	3.6	19.3	10.0	1.5	10.2	4.8
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	1.1	1.1	--	0.0	0.0	--	1.6	1.6
Inhalants	3.1	4.1	3.6	2.6	0.0	1.5	5.1	1.4	3.4	3.9	1.1	2.9	3.0	0.0	1.8	0.9	0.0	0.6
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0
Club Drugs	--	--	--	1.0	--	1.0	1.3	0.0	0.7	0.7	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
LSD, PCP or Mushrooms	--	--	--	1.0	--	1.0	0.0	1.5	0.7	1.5	0.0	0.9	1.2	0.0	0.7	0.0	0.0	0.0
Methamphetamine	0.0	1.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0
Cocaine or Crack Cocaine	--	--	--	1.6	--	1.6	2.3	0.0	1.3	3.1	0.0	2.0	0.7	1.2	0.9	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	1.0	0.0	0.6	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Depressants	0.0	2.3	1.1	1.6	4.6	2.9	0.0	0.0	0.0	2.2	4.1	2.9	0.0	0.0	0.0	0.5	0.0	0.3
Prescription Pain Relievers	0.9	2.3	1.6	4.4	4.8	4.6	3.7	1.8	2.8	8.2	4.0	6.6	0.0	0.0	0.0	0.8	1.4	1.0
Prescription Amphetamines	0.0	0.0	0.0	0.7	1.2	0.9	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0	0.6	0.0	0.4
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.9	0.7	0.0	0.4	1.2	0.0	0.7	0.0	0.0	0.0
Over-the-Counter Drugs	--	--	--	5.5	--	5.5	3.5	1.5	2.6	3.7	3.2	3.5	2.4	0.0	1.4	2.9	4.9	3.7
Any illicit drug	4.9	19.5	12.4	10.0	14.4	11.9	11.2	18.6	14.6	20.7	20.3	20.6	6.9	19.1	11.8	5.1	13.5	8.2
Any illicit drug other than marijuana	3.8	6.3	5.1	7.5	9.5	8.4	9.0	8.0	8.5	13.2	6.3	10.6	5.9	1.2	4.0	4.2	4.9	4.5
Alcohol only	16.2	22.1	19.2	12.9	30.1	20.3	9.1	33.4	20.1	10.2	11.1	10.5	13.2	14.9	13.9	11.7	22.7	15.9
Alcohol or any illicit drug	21.4	40.0	30.9	22.3	43.1	31.5	20.8	52.0	34.6	30.5	32.0	31.1	20.0	34.3	25.8	16.2	36.9	23.9
Any illicit drug, but no alcohol	3.0	0.0	1.4	3.5	1.4	2.6	6.4	4.6	5.6	7.9	7.2	7.6	1.2	8.1	4.0	4.3	10.4	6.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Glades and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	27.3	35.0	18.6	--	24.9	27.3	--	19.4	18.3	20.2	--	19.3	19.4
Drinking at least once a month	--	9.4	12.8	6.6	--	6.4	9.4	--	3.5	3.7	3.4	--	3.5	3.5
Smoke cigarettes	--	14.3	20.2	6.8	--	10.8	14.3	--	9.3	8.6	9.8	--	9.4	9.3
Smoke marijuana	--	14.7	14.5	15.3	--	14.4	14.7	--	10.6	9.0	12.0	--	10.8	10.6
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	46.0	30.1	39.1	40.6	42.8	36.9	40.1	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	49.1	48.8	49.6	48.2	45.9	56.0	49.0	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	67.9	68.7	69.6	66.2	67.5	74.4	68.2	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	52.0	25.0	43.5	40.7	49.9	31.1	41.7	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	31.1	17.9	25.0	27.7	30.3	20.5	26.1	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	68.6	72.8	71.6	68.4	68.6	77.5	70.2	69.1	68.2	70.0	67.3	69.4	67.9	68.5
<b>Think it would be wrong to...</b>														
Smoke cigarettes	96.5	82.5	90.1	93.0	96.1	86.4	91.1	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	86.4	59.8	73.1	80.8	84.5	63.9	76.4	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	93.5	60.7	78.1	84.7	92.4	63.7	81.1	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	96.1	86.0	90.1	94.2	96.0	88.1	92.3	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	97.1	87.5	92.8	94.1	97.1	89.8	93.5	97.5	93.6	95.8	94.7	97.3	93.6	95.2
<b>Parents think it would be wrong to...</b>														
1 or 2 drinks nearly every day	93.7	95.3	94.7	93.8	95.9	91.6	94.3	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	98.4	92.2	93.4	98.5	99.5	89.2	96.1	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	96.8	89.8	92.5	95.6	98.0	86.4	94.2	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	97.4	98.9	98.1	97.7	98.5	96.7	98.0	98.2	97.3	97.4	97.9	98.1	97.4	97.7
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	89.0	67.6	76.6	84.7	88.9	67.6	81.0	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	94.2	80.0	88.0	89.6	95.4	79.2	88.9	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	91.7	61.2	77.9	83.1	91.6	62.5	80.2	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	95.6	86.1	91.3	92.6	96.7	86.1	92.0	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Glades, 2006 to 2016**

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	38.6	38.6	--	35.2	35.2	--	37.8	37.8	--	29.0	29.0	--	34.5	34.5	--	27.3	27.3
Drink monthly	--	9.6	9.6	--	1.4	1.4	--	5.0	5.0	--	9.4	9.4	--	12.5	12.5	--	9.4	9.4
Smoke cigarettes	--	42.7	42.7	--	25.1	25.1	--	41.7	41.7	--	19.0	19.0	--	17.6	17.6	--	14.3	14.3
Smoke marijuana	--	22.8	22.8	--	10.2	10.2	--	12.8	12.8	--	12.7	12.7	--	14.5	14.5	--	14.7	14.7
<b>Great risk of harm</b>																		
Daily alcohol use	37.9	40.2	39.1	38.1	34.4	36.5	41.0	38.8	40.0	36.9	30.8	34.4	38.7	27.5	34.2	46.0	30.1	40.1
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	48.3	41.9	45.7	49.1	48.8	49.0
Daily cigarette use	60.1	68.3	64.1	56.9	61.0	58.7	71.4	56.7	65.0	56.0	49.9	53.5	63.6	53.4	59.4	67.9	68.7	68.2
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	49.8	24.0	39.2	52.0	25.0	41.7
Try marijuana	48.9	36.2	42.6	36.6	39.6	37.9	46.7	30.8	39.8	27.2	20.0	24.3	41.5	18.0	32.0	31.1	17.9	26.1
Prescription drugs	--	--	--	--	--	--	--	--	--	--	43.1	43.1	68.9	59.2	64.9	68.6	72.8	70.2
<b>Think it wrong</b>																		
Smoke cigarettes	89.1	80.9	85.0	85.0	71.3	78.8	88.2	62.8	76.8	88.2	73.2	82.2	92.0	93.1	92.5	96.5	82.5	91.1
Drink regularly	81.3	49.1	65.3	72.0	60.8	67.0	76.8	49.1	64.4	86.8	64.6	77.9	84.9	71.2	79.2	86.4	59.8	76.4
Smoke marijuana	92.8	82.2	87.8	89.5	81.7	85.9	90.8	72.6	82.7	85.9	70.2	79.6	93.8	73.6	85.4	93.5	60.7	81.1
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.1	86.0	92.3
Use other illicit drugs	99.1	95.5	97.3	94.1	95.1	94.5	96.1	95.5	95.9	98.0	87.1	93.6	97.3	98.8	97.9	97.1	87.5	93.5
<b>Parents think it wrong</b>																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	93.8	94.1	93.9	93.7	95.3	94.3
Smoke cigarettes	95.8	91.2	93.5	96.8	89.6	93.6	97.6	85.9	92.4	93.0	93.0	93.0	97.6	95.5	96.8	98.4	92.2	96.1
Smoke marijuana	96.8	94.6	95.7	99.2	91.9	96.0	97.9	92.0	95.3	91.9	91.7	91.8	97.1	89.0	93.9	96.8	89.8	94.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	97.9	96.9	97.5	97.4	98.9	98.0
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	87.3	59.9	76.6	89.0	67.6	81.0
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	93.8	74.3	86.2	94.2	80.0	88.9
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.5	47.4	72.8	91.7	61.2	80.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	94.9	88.6	92.4	95.6	86.1	92.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Glades and Florida Statewide youth, 2016**

	Glades						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.7	0.0	15.7	--	8.1	6.7	--	8.3	5.0	12.4	--	7.3	8.3
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	1.6	1.2	2.1	--	1.5	1.6
Bought at a public event	--	0.0	0.0	0.0	--	0.0	0.0	--	0.7	0.7	0.8	--	0.6	0.7
Someone bought it for me	--	12.9	22.7	0.0	--	15.6	12.9	--	14.7	13.3	16.3	--	14.5	14.7
Someone gave it to me	--	52.5	55.2	48.8	--	42.6	52.5	--	44.8	50.6	37.8	--	47.0	44.8
Took it from a store	--	0.0	0.0	0.0	--	0.0	0.0	--	0.3	0.2	0.4	--	0.4	0.3
Took it from a family member	--	7.5	0.0	17.5	--	9.1	7.5	--	11.7	14.2	8.7	--	12.4	11.7
Some other way	--	20.4	22.1	18.0	--	24.6	20.4	--	17.8	14.7	21.5	--	16.5	17.8

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Glades and Florida Statewide youth, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	25.9	26.4	25.4	--	30.3	25.9	--	37.7	39.2	35.9	--	37.1	37.7
Another person's home	--	6.5	0.0	13.8	--	7.7	6.5	--	40.0	41.0	38.9	--	40.8	40.0
Car or other vehicle	--	11.6	13.5	9.6	--	13.6	11.6	--	1.7	1.6	1.9	--	1.7	1.7
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	2.7	2.9	2.5	--	2.4	2.7
Public place	--	0.0	0.0	0.0	--	0.0	0.0	--	3.9	3.9	3.7	--	4.3	3.9
Public event	--	0.0	0.0	0.0	--	0.0	0.0	--	1.6	1.8	1.5	--	1.7	1.6
School property	--	14.6	27.7	0.0	--	0.0	14.6	--	1.3	0.7	2.0	--	1.4	1.3
Some other place	--	41.3	32.5	51.2	--	48.4	41.3	--	11.1	9.0	13.7	--	10.6	11.1

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Glades and Florida Statewide youth, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	46.8	51.5	41.8	--	38.6	46.8	--	29.6	31.6	27.4	--	30.5	29.6
2	--	16.0	7.9	24.7	--	18.5	16.0	--	22.5	24.8	19.8	--	22.4	22.5
3	--	18.6	14.7	22.7	--	21.4	18.6	--	17.3	17.9	16.3	--	16.9	17.3
4	--	0.0	0.0	0.0	--	0.0	0.0	--	8.6	9.0	8.3	--	8.5	8.6
5 or more	--	18.6	26.0	10.7	--	21.5	18.6	--	22.0	16.7	28.2	--	21.8	22.0

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Glades and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	1.5	6.1	5.7	0.9	0.0	9.4	3.2	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	3.9	5.6	3.3	5.8	3.0	8.0	4.5	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	0.0	2.7	1.0	1.0	0.0	2.9	1.0	1.4	3.9	2.9	2.9	1.5	4.1	2.9

**Table 12. Percentages of Glades and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	13.4	18.1	14.4	16.3	12.9	20.3	15.2	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	1.9	5.9	1.5	5.2	1.5	7.3	3.4	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	2.2	1.3	4.0	0.0	1.7	2.5	1.9	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	1.9	3.7	0.7	3.7	1.4	4.2	2.6	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.0	1.1	0.0	0.8	0.0	1.2	0.4	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	9.4	9.0	5.2	12.5	9.9	9.2	9.3	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	6.1	5.0	4.6	6.8	4.5	7.8	5.7	6.2	6.1	5.3	6.9	6.0	6.6	6.1

**Table 13. Trends in delinquent behaviors for Glades, 2006 to 2016**

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	0.9	16.9	9.2	6.7	10.1	8.2	9.5	9.0	9.2	16.6	5.2	12.2	11.0	12.2	11.5	13.4	18.1	15.2
Selling drugs	3.0	13.1	8.2	5.1	1.2	3.4	1.4	3.5	2.3	7.1	3.3	5.7	2.2	1.3	1.9	1.9	5.9	3.4
Attempting to steal a vehicle	2.1	10.6	6.4	3.7	0.0	2.0	2.7	7.5	4.8	3.7	4.2	3.9	0.0	0.0	0.0	2.2	1.3	1.9
Being arrested	8.0	14.6	11.4	4.5	8.4	6.3	1.5	4.5	2.8	9.2	4.8	7.5	2.7	1.3	2.1	1.9	3.7	2.6
Taking a handgun to school	0.0	10.3	5.3	0.0	3.2	1.4	0.7	1.7	1.1	2.4	4.8	3.4	1.2	1.3	1.2	0.0	1.1	0.4
Getting suspended	13.1	29.2	21.3	16.1	25.2	20.2	14.5	18.0	16.0	20.7	15.1	18.6	10.6	12.8	11.4	9.4	9.0	9.3
Attacking someone with intent to harm	9.6	15.7	12.8	12.6	11.6	12.1	15.1	17.8	16.3	13.4	5.0	10.2	6.9	4.6	6.0	6.1	5.0	5.7

**Table 14. Percentages of Glades and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Family members who have been or are now in jail or prison	57.4	44.1	57.4	46.6	56.4	48.8	52.5	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have have been or are in trouble because of alcohol or drugs	18.1	32.8	28.4	18.6	18.0	33.3	23.6	23.9	46.5	38.4	35.8	26.0	47.1	37.1



**Table 15. Percentages of Glades and Florida Statewide youth who reported involvement in bullying behavior, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.6	13.9	19.3	7.0	13.1	11.2	13.1	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	24.1	15.7	16.8	25.3	23.4	13.9	21.0	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	36.7	36.7	38.0	36.4	36.5	35.5	36.7	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	3.2	20.1	12.9	6.7	4.0	16.2	9.5	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	12.5	9.6	7.4	15.3	12.0	6.5	11.4	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	22.0	14.2	16.6	21.8	19.7	15.1	19.1	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	3.8	10.9	6.5	6.6	3.2	8.7	6.5	3.6	4.1	4.0	3.7	3.7	4.1	3.9

**Table 16. Percentages of Glades and Florida Statewide youth who reported gang membership, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	2.9	5.3	3.0	4.6	2.9	6.0	3.8	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	23.2	16.9	11.4	25.7	22.6	20.5	19.7	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?	--	4.1	1.9	6.3	--	4.1	4.1	--	2.0	1.1	2.8	--	2.0	2.0

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

**Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Glades and Florida Statewide youth, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	3.6	0.0	4.9	--	0.0	3.6	--	5.0	4.3	5.5	--	5.0	5.0
Protection	--	9.6	0.0	12.8	--	6.9	9.6	--	4.2	2.6	5.4	--	4.5	4.2
Friend or relative in a gang	--	23.6	17.0	26.8	--	18.9	23.6	--	4.1	2.9	4.9	--	4.1	4.1
Forced to join	--	10.3	0.0	13.7	--	11.8	10.3	--	1.1	1.1	1.2	--	1.2	1.1
To get respect	--	9.8	0.0	13.1	--	7.1	9.8	--	3.5	2.0	4.7	--	3.5	3.5
Money	--	9.8	0.0	13.1	--	7.1	9.8	--	3.8	2.5	4.8	--	4.1	3.8
To fit in better	--	0.0	0.0	0.0	--	0.0	0.0	--	1.2	1.1	1.4	--	1.2	1.2
Other reasons	--	15.0	17.0	9.7	--	13.1	15.0	--	5.9	4.5	7.0	--	5.6	5.9

Note: The symbol "--" indicates that data are not available.

**Table 18. Percentages of Glades and Florida Statewide youth who reported participation in extracurricular activities, 2016**

	Glades							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	62.3	70.9	63.8	68.8	64.1	67.6	65.5	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	32.5	21.5	29.8	27.7	32.8	22.3	28.4	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	18.9	20.6	22.3	17.5	18.7	20.1	19.5	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	31.1	22.2	39.1	18.0	32.3	20.7	27.8	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	17.9	19.8	24.3	13.8	19.1	19.2	18.6	9.3	12.8	14.6	8.2	9.4	12.6	11.3

**Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Glades and Florida Statewide youth, 2016**

	Glades							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	27.2	41.5	15.8	--	23.9	27.2	--	16.4	17.5	15.3	--	16.3	16.4
Marijuana	--	25.2	41.4	9.4	--	20.2	25.2	--	22.7	23.7	21.7	--	22.9	22.7
<b><i>Driving a vehicle</i></b>														
Alcohol	--	10.3	16.7	5.2	--	8.0	10.3	--	5.4	5.0	5.8	--	5.2	5.4
Marijuana	--	13.1	16.1	8.2	--	7.8	13.1	--	10.3	9.1	11.4	--	9.9	10.3

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Glades, 2012 and 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	23.0	23.0	--	17.3	17.3	--	27.2	27.2
Marijuana	--	--	--	--	--	--	--	--	--	--	20.8	20.8	--	15.7	15.7	--	25.2	25.2
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	14.7	14.7	--	4.1	4.1	--	10.3	10.3
Marijuana	--	--	--	--	--	--	--	--	--	--	12.4	12.4	--	10.9	10.9	--	13.1	13.1

Note: The symbol "--" indicates that data are not available.

**Table 21. Protective factor prevalence rates for Glades, Florida Statewide youth and the national normative database, 2016**

Domain	Scale	Glades		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Rewards for Prosocial Involvement	56	77	46	69	56	63
<b>Family</b>	Family Opportunities for Prosocial Involvement	69	55	60	59	59	54
	Family Rewards for Prosocial Involvement	61	57	56	56	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	56	53	53	63	57	60
	School Rewards for Prosocial Involvement	59	65	49	59	53	58
<b>Peer and Individual</b>	Religiosity	58	62	49	57	56	62
<b>Average Prevalence Rate</b>		<b>60</b>	<b>62</b>	<b>52</b>	<b>61</b>	<b>56</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 22. Risk factor prevalence rates for Glades, Florida Statewide youth and the national normative database, 2016**

Domain	Scale	Glades		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
<b>Community</b>	Community Disorganization	45	57	42	44	47	47
	Transitions and Mobility	53	48	59	61	47	46
	Laws and Norms Favorable to Drug Use	45	38	37	31	42	42
	Perceived Availability of Drugs	38	32	37	27	45	45
	Perceived Availability of Handguns	35	41	24	36	25	42
<b>Family</b>	Poor Family Management	36	49	40	38	44	45
	Family Conflict	32	24	38	33	42	37
<b>School</b>	Poor Academic Performance	41	42	42	44	45	48
	Lack of Commitment to School	43	70	53	54	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	36	32	39	35	40	46
	Favorable Attitudes toward ATOD Use	33	42	32	36	39	45
	Early Initiation of Drug Use	24	25	23	22	41	46
<b>Average Prevalence Rate</b>		<b>38</b>	<b>42</b>	<b>39</b>	<b>38</b>	<b>42</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.



**Table 23. Protective factor prevalence rate trends among middle school students for Glades, 2006 to 2016**

Domain	Scale	Glades					
		2006	2008	2010	2012	2014	2016
<b>Community</b>	Community Rewards for Prosocial Involvement	62	51	57	58	50	56
<b>Family</b>	Family Opportunities for Prosocial Involvement	56	44	59	56	49	69
	Family Rewards for Prosocial Involvement	49	41	52	57	55	61
<b>School</b>	School Opportunities for Prosocial Involvement	36	34	47	55	58	56
	School Rewards for Prosocial Involvement	49	51	54	67	59	59
<b>Peer and Individual</b>	Religiosity	51	48	61	43	50	58
<b>Average Prevalence Rate</b>		<b>51</b>	<b>45</b>	<b>55</b>	<b>56</b>	<b>54</b>	<b>60</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 24. Risk factor prevalence rate trends among middle school students for Glades, 2006 to 2016**

Domain	Scale	Glades					
		2006	2008	2010	2012	2014	2016
<b>Community</b>	Community Disorganization	62	58	62	61	48	45
	Transitions and Mobility	55	60	46	54	47	53
	Laws and Norms Favorable to Drug Use	37	62	48	45	48	45
	Perceived Availability of Drugs	44	53	51	52	35	38
	Perceived Availability of Handguns	20	35	36	41	35	35
<b>Family</b>	Poor Family Management	52	46	51	49	44	36
	Family Conflict	34	50	36	39	31	32
<b>School</b>	Poor Academic Performance	60	49	46	45	50	41
	Lack of Commitment to School	43	55	39	47	49	43
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	45	45	50	48	39	36
	Favorable Attitudes toward ATOD Use	52	47	50	41	40	33
	Early Initiation of Drug Use	50	46	47	41	35	24
<b>Average Prevalence Rate</b>		<b>44</b>	<b>48</b>	<b>45</b>	<b>47</b>	<b>42</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among high school students for Glades, 2006 to 2016**

Domain	Scale	Glades					
		2006	2008	2010	2012	2014	2016
<b>Community</b>	Community Rewards for Prosocial Involvement	63	66	75	57	76	77
<b>Family</b>	Family Opportunities for Prosocial Involvement	62	39	57	48	54	55
	Family Rewards for Prosocial Involvement	58	53	55	43	43	57
<b>School</b>	School Opportunities for Prosocial Involvement	39	33	53	57	46	53
	School Rewards for Prosocial Involvement	40	42	51	61	67	65
<b>Peer and Individual</b>	Religiosity	64	61	64	44	62	62
<b>Average Prevalence Rate</b>		<b>54</b>	<b>49</b>	<b>59</b>	<b>52</b>	<b>58</b>	<b>62</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 26. Risk factor prevalence rate trends among high school students for Glades, 2006 to 2016**

Domain	Scale	Glades					
		2006	2008	2010	2012	2014	2016
<b>Community</b>	Community Disorganization	82	59	63	66	70	57
	Transitions and Mobility	38	40	37	27	55	48
	Laws and Norms Favorable to Drug Use	31	48	47	38	22	38
	Perceived Availability of Drugs	54	47	40	29	31	32
	Perceived Availability of Handguns	55	64	58	32	50	41
<b>Family</b>	Poor Family Management	55	43	57	71	41	49
	Family Conflict	26	35	33	26	19	24
<b>School</b>	Poor Academic Performance	59	48	44	45	51	42
	Lack of Commitment to School	47	54	59	48	53	70
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	36	50	52	34	38	32
	Favorable Attitudes toward ATOD Use	28	43	44	39	32	42
	Early Initiation of Drug Use	45	42	52	32	31	25
<b>Average Prevalence Rate</b>		<b>40</b>	<b>45</b>	<b>52</b>	<b>42</b>	<b>41</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.