

2016 Florida Youth Substance Abuse Survey

Hendry Data Tables

Table 1. Major demographic characteristics of surveyed Hendry and Florida Statewide, 2016

	Hendry		Florida Statewide	
	N	%	N	%
Sex				
Female	631	48.8	31,515	47.9
Male	637	49.3	32,905	50.0
Race/Ethnic group				
African American	146	11.3	14,666	22.3
American Indian	17	1.3	568	0.9
Asian	12	0.9	743	1.1
Hispanic/Latino	672	52.0	13,174	20.0
Native Hawaiian/Pacific Islander	5	0.4	144	0.2
Other/Multiple	215	16.6	7,523	11.4
White, non-Hispanic	216	16.7	28,309	43.0
Age				
10	2	0.2	65	0.1
11	68	5.3	3,856	5.9
12	172	13.3	8,338	12.7
13	206	15.9	9,230	14.0
14	205	15.9	9,454	14.4
15	210	16.3	10,070	15.3
16	185	14.3	9,684	14.7
17	144	11.1	9,348	14.2
18	75	5.8	4,799	7.3
19 or older	17	1.3	618	0.9
Grade				
6th	221	17.1	9,301	14.1
7th	199	15.4	9,215	14.0
8th	193	14.9	9,326	14.2
9th	228	17.6	10,140	15.4
10th	188	14.6	9,834	15.0
11th	155	12.0	9,254	14.1
12th	108	8.4	8,705	13.2
Overall Middle School	613	47.4	27,678	42.1
Overall High School	679	52.6	37,765	57.4
Total	1,292	100.0	65,776	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Hendry and Florida Statewide youth who reported having used various drugs in their lifetimes, 2016

	Hendry							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.6	48.4	39.4	39.4	28.5	48.7	39.6	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out	--	16.2	15.7	17.4	--	15.6	16.2	--	15.9	16.5	15.4	--	16.1	15.9
Cigarettes	10.4	19.6	14.5	16.8	10.9	19.1	15.8	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	12.9	28.5	17.5	26.1	13.3	29.3	22.0	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	12.4	29.8	20.8	24.2	12.9	30.1	22.6	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana	--	5.4	2.8	8.1	--	6.1	5.4	--	4.9	4.8	5.0	--	4.8	4.9
Inhalants	5.6	3.7	4.2	4.8	5.9	3.6	4.5	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka	--	2.0	0.3	3.7	--	2.2	2.0	--	1.0	0.9	1.1	--	1.0	1.0
Club Drugs	1.0	2.2	1.4	2.1	1.1	2.4	1.7	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	1.2	1.9	1.3	1.9	1.4	1.9	1.6	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	1.2	2.7	1.9	2.4	1.3	3.0	2.1	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	1.2	2.2	1.9	1.7	1.0	2.0	1.8	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.8	1.5	1.4	1.1	0.6	2.0	1.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	2.1	5.4	3.0	4.9	2.7	5.5	4.0	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	2.7	3.7	2.9	3.5	3.1	3.8	3.3	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	1.0	2.2	2.0	1.5	0.9	2.9	1.7	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	0.6	0.3	0.1	0.7	0.6	0.3	0.4	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	3.2	3.0	2.9	3.2	3.4	2.7	3.1	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs	--	1.0	0.5	1.4	--	1.0	1.0	--	0.8	0.6	0.8	--	0.8	0.8
Any illicit drug	17.9	32.2	23.9	28.4	18.5	32.0	26.3	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	10.2	12.7	10.5	12.9	11.2	12.6	11.7	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	13.5	21.9	19.0	17.7	14.6	22.3	18.5	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	31.0	53.9	42.7	45.7	32.6	54.1	44.4	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	4.8	5.4	3.7	6.7	4.8	5.2	5.1	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Hendry and Florida Statewide youth who reported having used various drugs in the past 30 days, 2016

	Hendry							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	12.7	24.8	19.6	20.2	12.6	26.0	19.9	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	6.9	15.0	9.8	13.3	6.8	15.4	11.7	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	2.3	5.8	2.8	6.1	2.3	5.0	4.4	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	5.2	8.4	5.2	8.5	5.0	8.7	7.1	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	6.3	15.1	10.4	12.5	6.6	15.7	11.5	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana	--	2.0	1.8	2.4	--	2.3	2.0	--	1.0	0.9	1.2	--	1.1	1.0
Inhalants	1.7	1.2	1.5	1.3	1.6	1.4	1.4	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka	--	0.7	0.0	1.4	--	0.7	0.7	--	0.5	0.4	0.7	--	0.5	0.5
Club Drugs	0.7	1.1	0.9	0.9	0.6	1.2	0.9	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.9	0.8	0.6	1.1	0.8	1.1	0.8	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.5	0.7	0.5	0.7	0.4	0.7	0.6	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.8	1.0	1.5	0.4	0.6	1.3	0.9	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.5	0.4	0.5	0.5	0.5	0.4	0.5	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	0.8	2.2	1.9	1.4	0.9	2.8	1.6	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	1.0	1.9	0.8	2.3	1.4	2.1	1.5	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.5	1.5	1.7	0.5	0.4	2.0	1.1	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	0.3	0.0	0.0	0.3	0.3	0.0	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	2.2	2.2	1.4	2.8	2.6	1.6	2.2	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	9.0	18.2	12.4	16.3	10.2	18.4	14.4	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	5.1	6.8	5.1	7.0	5.8	7.0	6.1	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	6.9	14.1	12.2	10.5	6.9	15.3	11.2	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	15.5	31.9	24.2	26.1	16.5	33.2	25.1	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	3.2	7.3	4.8	6.5	4.4	7.7	5.7	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Hendry, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total															
Alcohol	43.0	70.5	58.4	41.4	61.5	53.0	39.2	62.2	52.8	34.7	54.5	46.0	27.0	37.5	32.9	26.6	48.4	39.6
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	15.4	15.4	--	16.2	16.2
Cigarettes	29.6	42.8	36.9	23.8	32.9	29.1	25.5	37.0	32.2	16.6	29.3	23.9	9.7	22.4	16.8	10.4	19.6	15.8
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.9	28.5	22.0
Marijuana or Hashish	11.6	30.2	22.1	13.2	26.5	20.8	9.9	27.2	20.1	9.7	31.0	22.1	9.3	23.5	17.2	12.4	29.8	22.6
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	8.7	8.7	--	9.8	9.8	--	5.4	5.4
Inhalants	13.2	8.3	10.4	12.2	7.7	9.6	11.6	8.8	9.9	11.8	6.8	8.9	7.4	1.9	4.3	5.6	3.7	4.5
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.0	2.0
Club Drugs	--	--	--	1.8	--	1.8	2.1	4.9	3.8	1.3	4.9	3.3	2.3	2.6	2.5	1.0	2.2	1.7
LSD, PCP or Mushrooms	--	--	--	1.1	--	1.1	2.5	3.8	3.2	1.6	3.3	2.6	2.8	2.7	2.7	1.2	1.9	1.6
Methamphetamine	2.1	3.0	2.6	0.9	0.6	0.7	1.8	0.6	1.1	1.6	2.2	2.0	0.7	2.1	1.5	1.2	2.7	2.1
Cocaine or Crack Cocaine	--	--	--	3.0	--	3.0	2.5	4.7	3.8	3.4	4.9	4.2	2.8	2.8	2.8	1.2	2.2	1.8
Heroin	0.6	1.5	1.1	0.5	0.6	0.6	1.8	2.3	2.1	0.8	2.2	1.6	1.8	0.6	1.2	0.8	1.5	1.2
Depressants	1.7	6.1	4.3	1.5	2.8	2.3	1.9	7.9	5.5	2.2	6.0	4.4	2.0	3.8	3.0	2.1	5.4	4.0
Prescription Pain Relievers	4.1	9.8	7.3	3.6	7.4	5.8	3.8	9.8	7.4	4.5	8.9	7.1	5.2	5.7	5.5	2.7	3.7	3.3
Prescription Amphetamines	1.4	4.0	2.9	2.3	1.2	1.7	0.8	2.9	2.1	2.1	1.9	2.0	0.7	2.1	1.4	1.0	2.2	1.7
Steroids (without a doctor's order)	1.2	1.4	1.3	0.9	1.3	1.1	0.8	1.0	0.9	0.7	1.6	1.2	1.4	1.1	1.2	0.6	0.3	0.4
Over-the-Counter Drugs	--	--	--	4.1	--	4.1	4.3	8.1	6.5	4.4	5.3	4.9	4.0	3.8	3.9	3.2	3.0	3.1
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.0	1.0
Any illicit drug	23.0	35.1	29.7	24.6	31.7	28.6	17.9	36.0	28.6	23.6	36.9	31.3	16.3	27.2	22.4	17.9	32.2	26.3
Any illicit drug other than marijuana	18.8	19.1	18.9	17.2	19.7	18.6	14.5	21.9	18.9	18.6	18.6	18.6	12.3	10.6	11.3	10.2	12.7	11.7
Alcohol only	24.9	38.8	32.7	23.9	33.4	29.3	24.9	30.5	28.2	18.1	22.6	20.7	15.4	17.2	16.4	13.5	21.9	18.5
Alcohol or any illicit drug	47.8	73.4	62.0	48.5	64.9	57.9	42.4	66.6	56.7	41.7	59.3	51.8	31.6	44.5	38.8	31.0	53.9	44.4
Any illicit drug, but no alcohol	5.1	3.3	4.1	7.5	3.5	5.2	3.6	4.7	4.2	7.1	4.9	5.8	5.3	7.0	6.3	4.8	5.4	5.1

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Hendry, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total															
Alcohol	20.1	37.9	30.1	19.2	33.5	27.5	21.0	33.3	28.3	17.9	29.8	24.7	14.2	19.4	17.1	12.7	24.8	19.9
Binge Drinking	9.6	22.7	16.9	7.1	21.6	15.4	9.3	15.8	13.2	8.4	17.9	13.8	9.3	10.5	10.0	6.9	15.0	11.7
Cigarettes	3.4	11.1	7.7	5.8	10.2	8.3	6.0	10.1	8.4	3.7	8.7	6.5	1.1	5.3	3.4	2.3	5.8	4.4
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.2	8.4	7.1
Marijuana or Hashish	3.0	13.6	9.0	5.4	10.8	8.6	7.2	14.1	11.3	6.2	15.5	11.5	4.6	10.2	7.7	6.3	15.1	11.5
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	4.0	4.0	--	3.4	3.4	--	2.0	2.0
Inhalants	6.6	3.2	4.6	7.1	2.2	4.2	3.0	2.8	2.9	6.1	3.3	4.5	2.8	1.5	2.1	1.7	1.2	1.4
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7	0.7
Club Drugs	--	--	--	0.7	--	0.7	1.4	0.9	1.1	1.0	1.3	1.2	0.8	1.6	1.3	0.7	1.1	0.9
LSD, PCP or Mushrooms	--	--	--	0.2	--	0.2	1.8	0.6	1.1	0.5	1.0	0.8	0.6	2.2	1.5	0.9	0.8	0.8
Methamphetamine	1.5	0.6	1.0	0.5	0.4	0.4	0.0	0.4	0.3	1.1	1.0	1.1	0.6	1.9	1.3	0.5	0.7	0.6
Cocaine or Crack Cocaine	--	--	--	1.7	--	1.7	1.1	1.3	1.2	1.2	2.2	1.8	1.5	1.5	1.5	0.8	1.0	0.9
Heroin	0.0	0.0	0.0	0.0	0.2	0.1	1.4	0.3	0.8	0.5	0.7	0.7	1.3	0.4	0.8	0.5	0.4	0.5
Depressants	0.2	1.8	1.1	0.6	0.8	0.7	0.8	3.0	2.2	0.6	2.1	1.4	1.1	2.8	2.0	0.8	2.2	1.6
Prescription Pain Relievers	0.7	3.6	2.4	1.7	2.3	2.1	2.6	4.8	3.9	2.9	3.6	3.3	1.8	3.5	2.8	1.0	1.9	1.5
Prescription Amphetamines	0.5	0.7	0.6	0.3	0.2	0.2	0.4	0.8	0.6	0.7	1.0	0.9	0.7	1.5	1.2	0.5	1.5	1.1
Steroids (without a doctor's order)	0.7	1.1	0.9	0.5	0.7	0.6	0.0	0.0	0.0	0.6	0.8	0.7	1.0	0.9	1.0	0.3	0.0	0.1
Over-the-Counter Drugs	--	--	--	2.6	--	2.6	2.3	3.8	3.2	2.5	3.4	3.0	2.0	3.2	2.7	2.2	2.2	2.2
Any illicit drug	9.6	17.3	14.0	12.6	13.9	13.4	11.1	18.9	15.7	13.7	20.7	17.8	9.2	13.4	11.6	9.0	18.2	14.4
Any illicit drug other than marijuana	8.9	10.3	9.7	9.4	8.8	9.0	8.3	10.0	9.4	9.6	11.4	10.6	6.9	6.9	6.9	5.1	6.8	6.1
Alcohol only	15.2	26.2	21.4	14.0	23.8	19.7	12.5	20.9	17.5	10.0	13.6	12.1	8.7	12.6	10.9	6.9	14.1	11.2
Alcohol or any illicit drug	24.0	43.0	34.6	25.1	37.3	32.1	23.8	39.2	32.9	23.8	34.8	30.1	16.8	26.0	22.0	15.5	31.9	25.1
Any illicit drug, but no alcohol	4.1	5.7	5.0	6.4	4.0	5.0	3.2	6.2	5.0	6.2	5.1	5.6	3.4	7.0	5.4	3.2	7.3	5.7

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Hendry and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016

	Hendry							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	19.3	17.0	22.0	--	19.9	19.3	--	19.4	18.3	20.2	--	19.3	19.4
Drinking at least once a month	--	5.7	3.1	8.4	--	4.9	5.7	--	3.5	3.7	3.4	--	3.5	3.5
Smoke cigarettes	--	12.2	11.4	13.4	--	11.9	12.2	--	9.3	8.6	9.8	--	9.4	9.3
Smoke marijuana	--	14.9	11.5	18.4	--	15.5	14.9	--	10.6	9.0	12.0	--	10.8	10.6
Great risk of harm														
1 or 2 drinks nearly every day	44.4	40.1	45.6	37.8	44.0	39.2	41.9	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	51.7	49.2	54.6	45.9	51.3	48.7	50.2	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	58.2	60.1	61.2	57.5	58.9	60.7	59.3	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	42.1	29.1	35.4	33.2	41.6	28.2	34.5	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	32.4	21.5	26.6	25.4	31.4	21.1	26.0	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	62.0	64.3	63.9	62.8	62.3	65.9	63.4	69.1	68.2	70.0	67.3	69.4	67.9	68.5
Think it would be wrong to...														
Smoke cigarettes	93.8	86.0	90.5	88.1	93.6	86.3	89.2	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	83.3	69.2	76.2	73.8	82.4	68.0	75.1	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	86.3	69.6	79.5	74.0	85.7	69.1	76.5	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	91.8	88.6	90.8	89.1	92.1	88.0	89.9	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	95.4	93.3	96.0	92.4	95.8	93.2	94.2	97.5	93.6	95.8	94.7	97.3	93.6	95.2
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	94.9	90.6	91.7	93.2	95.3	90.6	92.4	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	96.7	95.2	94.6	97.0	97.4	94.6	95.8	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	95.4	91.6	92.0	94.2	95.7	91.4	93.2	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	98.1	97.9	97.7	98.3	98.5	97.7	98.0	98.2	97.3	97.4	97.9	98.1	97.4	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	87.3	76.8	84.0	78.2	86.4	75.8	81.2	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	94.1	84.2	90.1	86.2	93.6	82.1	88.3	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	85.0	67.1	76.9	72.4	84.2	66.1	74.5	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	95.4	88.6	93.3	89.5	94.9	87.6	91.4	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Hendry, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total															
Early ATOD use																		
Try alcohol	--	35.9	35.9	--	32.0	32.0	--	30.5	30.5	--	30.1	30.1	--	20.4	20.4	--	19.3	19.3
Drink monthly	--	6.3	6.3	--	8.0	8.0	--	8.6	8.6	--	7.9	7.9	--	6.1	6.1	--	5.7	5.7
Smoke cigarettes	--	29.0	29.0	--	25.0	25.0	--	24.0	24.0	--	19.0	19.0	--	13.0	13.0	--	12.2	12.2
Smoke marijuana	--	12.2	12.2	--	12.1	12.1	--	14.2	14.2	--	13.2	13.2	--	13.8	13.8	--	14.9	14.9
Great risk of harm																		
Daily alcohol use	40.4	39.1	39.6	45.6	45.2	45.4	41.8	47.1	44.9	38.1	37.5	37.8	39.4	41.7	40.7	44.4	40.1	41.9
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	50.4	48.7	49.4	51.7	49.2	50.2
Daily cigarette use	62.7	65.7	64.3	64.9	63.3	63.9	58.4	68.3	64.3	58.6	59.0	58.8	58.0	57.3	57.6	58.2	60.1	59.3
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	48.8	33.8	40.2	42.1	29.1	34.5
Try marijuana	45.6	30.6	37.0	43.4	36.4	39.4	40.8	34.8	37.2	33.5	28.2	30.4	39.2	28.1	32.8	32.4	21.5	26.0
Prescription drugs	--	--	--	--	--	--	--	--	--	--	63.8	63.8	64.4	62.0	63.0	62.0	64.3	63.4
Think it wrong																		
Smoke cigarettes	89.1	73.3	80.2	91.8	80.5	85.3	84.6	79.3	81.5	90.6	83.2	86.3	93.8	86.4	89.6	93.8	86.0	89.2
Drink regularly	80.0	56.8	66.9	82.4	61.9	70.5	76.8	57.9	65.7	81.6	66.2	72.7	83.6	74.2	78.2	83.3	69.2	75.1
Smoke marijuana	92.5	79.2	85.0	91.3	81.2	85.5	85.7	74.4	79.1	92.4	72.3	80.8	90.2	75.8	82.0	86.3	69.6	76.5
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.8	88.6	89.9
Use other illicit drugs	98.0	94.2	95.9	96.2	93.3	94.5	91.5	93.6	92.7	96.6	92.6	94.3	96.3	92.0	93.9	95.4	93.3	94.2
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	95.0	91.5	93.1	94.9	90.6	92.4
Smoke cigarettes	97.7	92.8	94.7	97.1	95.5	96.2	96.1	92.7	94.0	96.8	94.6	95.5	98.1	98.0	98.1	96.7	95.2	95.8
Smoke marijuana	97.1	94.1	95.2	98.4	95.1	96.5	96.0	93.4	94.4	98.0	92.9	95.0	96.0	92.0	93.9	95.4	91.6	93.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	97.5	96.8	97.1	98.1	97.9	98.0
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	84.3	76.7	80.0	87.3	76.8	81.2
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	93.2	88.0	90.3	94.1	84.2	88.3
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.1	75.5	80.5	85.0	67.1	74.5
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	93.7	90.4	91.9	95.4	88.6	91.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Hendry and Florida Statewide youth, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.0	5.4	11.1	--	4.5	8.0	--	8.3	5.0	12.4	--	7.3	8.3
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	1.6	1.2	2.1	--	1.5	1.6
Bought at a public event	--	0.6	0.0	1.2	--	0.0	0.6	--	0.7	0.7	0.8	--	0.6	0.7
Someone bought it for me	--	26.9	16.8	37.0	--	24.1	26.9	--	14.7	13.3	16.3	--	14.5	14.7
Someone gave it to me	--	38.3	53.1	23.5	--	42.2	38.3	--	44.8	50.6	37.8	--	47.0	44.8
Took it from a store	--	0.6	1.2	0.0	--	0.8	0.6	--	0.3	0.2	0.4	--	0.4	0.3
Took it from a family member	--	9.0	9.6	8.6	--	10.5	9.0	--	11.7	14.2	8.7	--	12.4	11.7
Some other way	--	16.5	13.8	18.6	--	17.8	16.5	--	17.8	14.7	21.5	--	16.5	17.8

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Hendry and Florida Statewide youth, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	33.8	42.7	23.4	--	36.4	33.8	--	37.7	39.2	35.9	--	37.1	37.7
Another person's home	--	40.5	38.6	43.0	--	43.1	40.5	--	40.0	41.0	38.9	--	40.8	40.0
Car or other vehicle	--	2.6	3.6	1.5	--	3.4	2.6	--	1.7	1.6	1.9	--	1.7	1.7
Restaurant, bar, or club	--	1.8	2.6	1.0	--	2.4	1.8	--	2.7	2.9	2.5	--	2.4	2.7
Public place	--	2.8	0.0	6.0	--	0.0	2.8	--	3.9	3.9	3.7	--	4.3	3.9
Public event	--	1.0	1.9	0.0	--	1.3	1.0	--	1.6	1.8	1.5	--	1.7	1.6
School property	--	1.8	0.9	2.9	--	0.0	1.8	--	1.3	0.7	2.0	--	1.4	1.3
Some other place	--	15.7	9.7	22.2	--	13.4	15.7	--	11.1	9.0	13.7	--	10.6	11.1

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Hendry and Florida Statewide youth, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	27.0	33.9	18.5	--	24.9	27.0	--	29.6	31.6	27.4	--	30.5	29.6
2	--	13.8	13.9	14.0	--	15.8	13.8	--	22.5	24.8	19.8	--	22.4	22.5
3	--	17.0	18.9	15.2	--	18.6	17.0	--	17.3	17.9	16.3	--	16.9	17.3
4	--	6.5	10.3	2.3	--	6.2	6.5	--	8.6	9.0	8.3	--	8.5	8.6
5 or more	--	35.7	23.0	50.1	--	34.5	35.7	--	22.0	16.7	28.2	--	21.8	22.0

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Hendry and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.1	7.1	5.9	5.7	3.7	7.7	5.9	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	4.8	10.9	8.1	9.0	4.5	11.2	8.4	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	1.6	3.6	2.8	2.9	1.5	3.8	2.8	1.4	3.9	2.9	2.9	1.5	4.1	2.9

Table 12. Percentages of Hendry and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.4	8.5	4.8	10.3	6.9	9.1	7.6	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	2.6	5.7	3.5	5.5	2.3	5.8	4.4	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	2.1	1.7	0.9	2.6	2.5	1.7	1.8	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	4.5	4.0	3.5	4.6	3.6	5.3	4.2	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.8	0.8	0.6	0.9	0.9	0.8	0.8	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	16.6	12.0	9.8	18.0	15.9	12.9	13.9	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	8.5	5.6	5.9	7.5	9.0	6.1	6.8	6.2	6.1	5.3	6.9	6.0	6.6	6.1

Table 13. Trends in delinquent behaviors for Hendry, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
Carrying a handgun	4.8	9.4	7.6	8.8	7.5	8.0	6.9	8.7	8.0	8.3	6.3	7.2	10.4	6.6	8.4	6.4	8.5	7.6
Selling drugs	3.5	6.7	5.5	3.9	6.1	5.2	5.3	7.8	6.8	3.7	7.2	5.7	6.7	7.3	7.0	2.6	5.7	4.4
Attempting to steal a vehicle	2.9	2.9	2.9	2.7	3.3	3.1	3.9	2.2	2.8	1.2	2.1	1.7	2.9	2.3	2.6	2.1	1.7	1.8
Being arrested	5.8	8.2	7.3	7.2	6.6	6.9	5.1	2.6	3.6	4.8	4.9	4.9	4.6	3.7	4.1	4.5	4.0	4.2
Taking a handgun to school	0.9	0.6	0.7	0.9	1.7	1.3	2.2	1.4	1.7	1.3	1.8	1.6	2.3	2.5	2.4	0.8	0.8	0.8
Getting suspended	20.8	18.7	19.4	19.3	18.8	19.0	28.4	12.4	18.8	19.6	15.0	17.0	15.8	13.4	14.5	16.6	12.0	13.9
Attacking someone with intent to harm	11.4	11.2	11.2	12.3	11.9	12.1	20.1	8.8	13.3	9.5	8.6	9.0	6.8	4.7	5.7	8.5	5.6	6.8

Table 14. Percentages of Hendry and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Family members who have been or are now in jail or prison	58.4	55.2	60.0	53.3	58.6	54.4	56.6	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have been or are in trouble because of alcohol or drugs	28.9	42.4	40.9	33.0	30.5	44.1	36.8	23.9	46.5	38.4	35.8	26.0	47.1	37.1

Table 15. Percentages of Hendry and Florida Statewide youth who reported involvement in bullying behavior, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	6.2	9.5	11.3	5.2	6.7	9.8	8.1	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	15.2	9.6	10.8	13.3	15.9	8.5	11.9	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	28.6	25.1	30.4	23.3	29.7	23.6	26.6	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	6.0	7.0	8.2	5.3	6.2	7.3	6.6	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	9.7	6.6	5.8	9.6	9.7	6.1	7.9	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	12.6	9.9	9.3	12.5	13.0	9.2	11.0	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	2.7	3.8	4.2	2.4	2.8	4.5	3.4	3.6	4.1	4.0	3.7	3.7	4.1	3.9

Table 16. Percentages of Hendry and Florida Statewide youth who reported gang membership, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	5.4	4.3	4.0	5.5	5.2	4.9	4.7	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	29.4	13.3	19.3	17.3	29.0	15.3	18.1	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?	--	3.3	2.6	4.1	--	3.6	3.3	--	2.0	1.1	2.8	--	2.0	2.0

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Hendry and Florida Statewide youth, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	6.3	3.1	8.6	--	6.8	6.3	--	5.0	4.3	5.5	--	5.0	5.0
Protection	--	5.2	3.0	5.9	--	5.3	5.2	--	4.2	2.6	5.4	--	4.5	4.2
Friend or relative in a gang	--	3.9	7.0	1.9	--	5.6	3.9	--	4.1	2.9	4.9	--	4.1	4.1
Forced to join	--	0.0	0.0	0.0	--	0.0	0.0	--	1.1	1.1	1.2	--	1.2	1.1
To get respect	--	5.8	3.0	7.7	--	6.0	5.8	--	3.5	2.0	4.7	--	3.5	3.5
Money	--	4.9	1.7	7.2	--	5.5	4.9	--	3.8	2.5	4.8	--	4.1	3.8
To fit in better	--	1.6	2.5	1.1	--	2.3	1.6	--	1.2	1.1	1.4	--	1.2	1.2
Other reasons	--	12.9	14.9	10.5	--	13.0	12.9	--	5.9	4.5	7.0	--	5.6	5.9

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Hendry and Florida Statewide youth who reported participation in extracurricular activities, 2016

	Hendry							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	39.1	47.3	36.6	50.5	39.8	50.4	43.9	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	36.3	17.4	24.7	25.3	35.9	17.1	25.3	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	13.1	4.8	8.9	7.6	12.7	5.3	8.2	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	22.5	31.1	35.4	20.3	23.0	31.2	27.5	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	7.7	12.4	14.8	6.4	8.8	11.3	10.4	9.3	12.8	14.6	8.2	9.4	12.6	11.3

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Hendry and Florida Statewide youth, 2016

	Hendry							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	23.9	21.8	25.9	--	24.3	23.9	--	16.4	17.5	15.3	--	16.3	16.4
Marijuana	--	24.9	23.4	25.9	--	25.4	24.9	--	22.7	23.7	21.7	--	22.9	22.7
<i>Driving a vehicle</i>														
Alcohol	--	10.2	7.0	13.8	--	9.2	10.2	--	5.4	5.0	5.8	--	5.2	5.4
Marijuana	--	13.8	10.7	17.0	--	13.4	13.8	--	10.3	9.1	11.4	--	9.9	10.3

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Hendry, 2012 and 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	26.6	26.6	--	19.7	19.7	--	23.9	23.9
Marijuana	--	--	--	--	--	--	--	--	--	--	24.9	24.9	--	19.6	19.6	--	24.9	24.9
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	12.1	12.1	--	10.2	10.2	--	10.2	10.2
Marijuana	--	--	--	--	--	--	--	--	--	--	11.1	11.1	--	8.2	8.2	--	13.8	13.8

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Hendry, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Hendry		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	44	70	46	69	56	63
Family	Family Opportunities for Prosocial Involvement	54	56	60	59	59	54
	Family Rewards for Prosocial Involvement	50	51	56	56	54	55
School	School Opportunities for Prosocial Involvement	53	63	53	63	57	60
	School Rewards for Prosocial Involvement	54	59	49	59	53	58
Peer and Individual	Religiosity	43	59	49	57	56	62
Average Prevalence Rate		50	60	52	61	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Hendry, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Hendry		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	58	60	42	44	47	47
	Transitions and Mobility	52	52	59	61	47	46
	Laws and Norms Favorable to Drug Use	47	37	37	31	42	42
	Perceived Availability of Drugs	38	29	37	27	45	45
	Perceived Availability of Handguns	27	44	24	36	25	42
Family	Poor Family Management	49	43	40	38	44	45
	Family Conflict	35	28	38	33	42	37
School	Poor Academic Performance	48	40	42	44	45	48
	Lack of Commitment to School	50	47	53	54	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	43	31	39	35	40	46
	Favorable Attitudes toward ATOD Use	39	32	32	36	39	45
	Early Initiation of Drug Use	26	25	23	22	41	46
Average Prevalence Rate		43	39	39	38	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Hendry, 2006 to 2016

Domain	Scale	Hendry					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	45	43	48	52	45	44
Family	Family Opportunities for Prosocial Involvement	54	50	50	53	59	54
	Family Rewards for Prosocial Involvement	44	43	45	46	53	50
School	School Opportunities for Prosocial Involvement	31	41	30	42	51	53
	School Rewards for Prosocial Involvement	31	39	39	50	54	54
Peer and Individual	Religiosity	53	42	47	49	48	43
Average Prevalence Rate		43	43	43	49	52	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Hendry, 2006 to 2016

Domain	Scale	Hendry					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	59	64	76	65	57	58
	Transitions and Mobility	59	52	55	54	56	52
	Laws and Norms Favorable to Drug Use	53	51	52	47	45	47
	Perceived Availability of Drugs	49	52	51	48	36	38
	Perceived Availability of Handguns	33	37	32	34	27	27
Family	Poor Family Management	55	58	51	51	49	49
	Family Conflict	45	43	51	36	36	35
School	Poor Academic Performance	54	54	44	52	50	48
	Lack of Commitment to School	56	53	53	45	43	50
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	48	49	45	40	43
	Favorable Attitudes toward ATOD Use	45	44	43	44	36	39
	Early Initiation of Drug Use	50	46	43	37	27	26
Average Prevalence Rate		46	46	47	44	42	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Hendry, 2006 to 2016

Domain	Scale	Hendry					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	59	58	58	55	59	70
Family	Family Opportunities for Prosocial Involvement	51	49	52	54	50	56
	Family Rewards for Prosocial Involvement	50	50	52	51	46	51
School	School Opportunities for Prosocial Involvement	42	55	46	54	59	63
	School Rewards for Prosocial Involvement	44	46	48	52	64	59
Peer and Individual	Religiosity	64	60	63	62	58	59
Average Prevalence Rate		52	53	53	55	56	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Hendry, 2006 to 2016

Domain	Scale	Hendry					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	60	57	63	62	54	60
	Transitions and Mobility	57	59	50	55	45	52
	Laws and Norms Favorable to Drug Use	35	33	41	39	28	37
	Perceived Availability of Drugs	42	40	42	35	22	29
	Perceived Availability of Handguns	56	50	50	50	37	44
Family	Poor Family Management	53	51	50	47	52	43
	Family Conflict	32	34	32	28	21	28
School	Poor Academic Performance	39	45	44	42	45	40
	Lack of Commitment to School	41	36	49	42	45	47
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	45	36	35	31	27	31
	Favorable Attitudes toward ATOD Use	35	28	35	34	27	32
	Early Initiation of Drug Use	41	36	37	35	24	25
Average Prevalence Rate		40	35	40	39	36	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.