

2016 Florida Youth Substance Abuse Survey

Lafayette Data Tables

Table 1. Major demographic characteristics of surveyed Lafayette and Florida Statewide, 2016

	Lafayette		Florida Statewide	
	N	%	N	%
Sex				
Female	112	51.4	31,515	47.9
Male	98	45.0	32,905	50.0
Race/Ethnic group				
African American	19	8.7	14,666	22.3
American Indian	8	3.7	568	0.9
Asian	0	0.0	743	1.1
Hispanic/Latino	37	17.0	13,174	20.0
Native Hawaiian/Pacific Islander	1	0.5	144	0.2
Other/Multiple	22	10.1	7,523	11.4
White, non-Hispanic	123	56.4	28,309	43.0
Age				
10	0	0.0	65	0.1
11	15	6.9	3,856	5.9
12	29	13.3	8,338	12.7
13	34	15.6	9,230	14.0
14	37	17.0	9,454	14.4
15	25	11.5	10,070	15.3
16	30	13.8	9,684	14.7
17	32	14.7	9,348	14.2
18	13	6.0	4,799	7.3
19 or older	1	0.5	618	0.9
Grade				
6th	40	18.3	9,301	14.1
7th	33	15.1	9,215	14.0
8th	41	18.8	9,326	14.2
9th	22	10.1	10,140	15.4
10th	34	15.6	9,834	15.0
11th	29	13.3	9,254	14.1
12th	19	8.7	8,705	13.2
Overall Middle School	114	52.3	27,678	42.1
Overall High School	104	47.7	37,765	57.4
Total	218	100.0	65,776	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Lafayette and Florida Statewide youth who reported having used various drugs in their lifetimes, 2016

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	13.6	47.8	35.5	30.1	10.7	43.7	32.4	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out	--	18.3	17.4	20.2	--	11.6	18.3	--	15.9	16.5	15.4	--	16.1	15.9
Cigarettes	12.1	36.8	24.3	25.7	9.4	37.4	25.4	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	5.7	40.7	22.0	27.5	5.9	33.8	24.7	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	1.0	28.2	13.5	19.8	1.0	22.5	16.0	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana	--	8.0	0.0	15.7	--	2.8	8.0	--	4.9	4.8	5.0	--	4.8	4.9
Inhalants	0.8	0.8	0.7	1.0	0.7	1.1	0.8	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka	--	0.0	0.0	0.0	--	0.0	0.0	--	1.0	0.9	1.1	--	1.0	1.0
Club Drugs	0.0	2.8	2.0	1.2	0.0	3.6	1.6	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	0.0	3.8	2.0	2.4	0.0	4.9	2.2	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	0.0	0.8	1.0	0.0	0.0	1.1	0.5	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	0.0	5.7	2.3	4.3	1.5	2.4	3.2	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	0.0	7.1	2.3	5.8	1.5	2.4	3.9	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	2.1	6.8	2.3	7.6	3.5	2.1	4.8	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	2.0	5.6	1.8	6.6	1.9	2.2	4.0	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	1.0	0.8	0.9	1.0	1.0	1.1	0.9	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	2.0	2.8	3.2	1.9	1.9	3.6	2.5	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	0.0	--	0.8	0.6	0.8	--	0.8	0.8
Any illicit drug	7.6	31.1	21.1	21.5	8.7	25.0	20.5	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	6.6	14.2	9.9	12.6	7.7	11.7	10.8	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	10.1	21.2	21.7	10.4	5.8	22.8	16.3	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	18.3	51.6	43.2	30.8	15.4	47.0	36.3	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	6.0	3.6	8.0	1.4	5.7	3.0	4.6	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Lafayette and Florida Statewide youth who reported having used various drugs in the past 30 days, 2016

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.7	25.5	18.3	19.0	7.4	19.0	18.0	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	4.1	19.7	12.2	14.2	3.9	15.2	12.7	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	2.9	20.5	9.8	15.8	3.2	18.1	12.4	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	3.8	20.4	9.6	16.8	2.7	17.5	12.8	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	0.0	11.4	4.8	8.6	0.0	9.4	6.4	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana	--	1.4	0.0	2.8	--	0.0	1.4	--	1.0	0.9	1.2	--	1.1	1.0
Inhalants	0.8	0.0	0.7	0.0	0.8	0.0	0.4	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka	--	0.0	0.0	0.0	--	0.0	0.0	--	0.5	0.4	0.7	--	0.5	0.5
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.0	0.9	1.0	0.0	0.0	1.1	0.5	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.0	1.2	1.4	0.0	1.6	0.0	0.7	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	0.0	2.1	2.3	0.0	1.5	1.1	1.2	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	2.2	2.6	2.3	2.6	3.6	0.0	2.4	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.0	0.9	0.0	1.0	0.0	1.1	0.5	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	1.1	0.0	0.9	0.0	1.0	0.0	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	0.0	1.2	1.3	0.0	0.0	1.5	0.6	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	3.9	15.9	9.9	11.9	5.1	12.0	10.5	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	3.9	5.4	6.2	3.6	5.1	3.7	4.7	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	6.3	14.1	13.8	8.1	4.9	11.0	10.7	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	10.9	29.2	24.2	18.9	10.8	22.2	20.8	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	3.0	3.1	6.0	0.0	4.3	2.4	3.1	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Lafayette, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	35.9	68.7	54.8	46.4	64.6	56.2	33.2	52.7	43.2	35.8	63.8	51.3	18.0	63.0	43.1	13.6	47.8	32.4
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	30.0	30.0	--	18.3	18.3
Cigarettes	24.3	52.8	40.6	28.1	42.7	36.0	23.9	44.2	34.4	22.2	37.0	30.3	15.6	48.2	33.6	12.1	36.8	25.4
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.7	40.7	24.7
Marijuana or Hashish	7.4	21.3	15.5	6.4	18.5	12.9	11.3	22.6	17.2	7.5	33.8	22.1	6.0	30.7	19.9	1.0	28.2	16.0
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	20.9	20.9	--	3.7	3.7	--	8.0	8.0
Inhalants	6.4	9.2	8.0	10.4	3.1	6.4	6.7	7.7	7.2	15.3	11.1	13.0	6.6	4.5	5.4	0.8	0.8	0.8
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0
Club Drugs	--	--	--	0.0	--	0.0	0.9	6.8	4.0	1.0	7.3	4.5	0.0	0.0	0.0	0.0	2.8	1.6
LSD, PCP or Mushrooms	--	--	--	2.0	--	2.0	0.0	4.4	2.3	2.0	5.0	3.6	0.0	0.7	0.4	0.0	3.8	2.2
Methamphetamine	1.0	0.0	0.4	0.0	0.0	0.0	0.0	4.4	2.3	2.4	3.8	3.2	0.0	0.0	0.0	0.0	0.8	0.5
Cocaine or Crack Cocaine	--	--	--	0.9	--	0.9	1.0	2.4	1.7	0.0	4.6	2.6	0.0	1.1	0.6	0.0	5.7	3.2
Heroin	0.0	0.0	0.0	1.9	0.0	0.8	0.9	2.5	1.7	0.0	2.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0
Depressants	3.6	3.2	3.4	0.0	3.1	1.7	1.9	4.1	3.0	3.5	4.7	4.1	0.7	0.5	0.6	0.0	7.1	3.9
Prescription Pain Relievers	4.8	11.1	8.5	15.5	1.9	8.0	4.9	12.7	8.9	3.2	6.7	5.2	3.7	3.2	3.4	2.1	6.8	4.8
Prescription Amphetamines	0.0	3.0	1.8	1.2	4.3	2.9	1.9	0.0	0.9	1.0	2.2	1.7	2.8	0.0	1.2	2.0	5.6	4.0
Steroids (without a doctor's order)	0.0	1.1	0.6	0.0	2.4	1.3	0.0	0.0	0.0	0.9	0.0	0.4	0.0	0.0	0.0	1.0	0.8	0.9
Over-the-Counter Drugs	--	--	--	7.8	--	7.8	3.4	3.2	3.3	3.1	3.6	3.4	3.6	4.7	4.2	2.0	2.8	2.5
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0
Any illicit drug	12.3	31.0	23.1	27.6	18.6	22.7	17.5	27.0	22.4	23.4	37.5	31.3	12.7	35.4	25.3	7.6	31.1	20.5
Any illicit drug other than marijuana	9.9	18.3	14.7	24.5	9.1	16.1	12.2	21.4	17.0	19.8	16.2	17.8	9.9	9.3	9.5	6.6	14.2	10.8
Alcohol only	27.0	40.1	34.6	25.1	46.4	36.6	20.2	31.6	26.0	18.7	29.3	24.6	10.8	29.5	21.3	10.1	21.2	16.3
Alcohol or any illicit drug	39.0	71.1	57.5	52.7	64.1	58.9	37.5	57.4	47.8	41.3	66.8	55.4	23.0	64.9	46.1	18.3	51.6	36.3
Any illicit drug, but no alcohol	3.1	2.4	2.7	6.3	0.0	2.9	4.6	5.4	5.0	5.6	3.0	4.1	5.6	1.8	3.5	6.0	3.6	4.6

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Lafayette, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	16.1	40.6	30.3	25.9	41.3	34.2	21.7	38.7	30.2	15.4	37.4	27.6	11.0	31.2	22.3	8.7	25.5	18.0
Binge Drinking	6.1	24.5	16.6	5.4	19.2	12.9	8.2	25.6	17.3	5.8	24.4	16.1	5.6	22.8	15.1	4.1	19.7	12.7
Cigarettes	7.2	19.7	14.4	3.0	19.5	12.0	8.3	17.4	13.0	2.8	20.6	12.6	7.2	18.4	13.4	2.9	20.5	12.4
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.8	20.4	12.8
Marijuana or Hashish	2.7	4.0	3.4	2.0	10.7	6.7	3.7	7.3	5.6	4.0	14.1	9.7	0.9	10.2	6.2	0.0	11.4	6.4
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	5.9	5.9	--	0.0	0.0	--	1.4	1.4
Inhalants	3.5	2.9	3.2	6.0	1.2	3.4	3.7	6.0	4.9	10.6	3.1	6.4	4.5	1.8	2.9	0.8	0.0	0.4
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0
Club Drugs	--	--	--	0.0	--	0.0	1.0	4.4	2.7	1.1	2.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0
LSD, PCP or Mushrooms	--	--	--	0.0	--	0.0	0.0	2.5	1.3	2.1	0.0	0.9	0.0	0.7	0.4	0.0	0.9	0.5
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.3	2.5	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack Cocaine	--	--	--	0.0	--	0.0	1.0	2.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Depressants	0.0	0.0	0.0	0.0	2.0	1.1	2.0	4.3	3.2	1.1	3.6	2.5	0.0	0.5	0.3	0.0	2.1	1.2
Prescription Pain Relievers	1.0	4.8	3.3	8.7	1.9	4.9	1.9	2.6	2.2	2.3	5.9	4.3	3.1	1.5	2.2	2.2	2.6	2.4
Prescription Amphetamines	0.0	1.0	0.6	1.2	2.3	1.8	1.0	0.0	0.5	1.1	2.2	1.7	1.5	0.0	0.7	0.0	0.9	0.5
Steroids (without a doctor's order)	0.0	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	0.0	0.0	0.0	1.1	0.0	0.5
Over-the-Counter Drugs	--	--	--	3.3	--	3.3	1.8	1.5	1.7	2.0	1.3	1.6	1.6	1.9	1.8	0.0	1.2	0.6
Any illicit drug	6.9	10.9	9.2	15.0	11.0	12.8	8.1	10.5	9.3	14.7	15.5	15.2	7.4	13.6	10.9	3.9	15.9	10.5
Any illicit drug other than marijuana	5.5	8.1	7.0	13.1	5.3	8.8	6.3	7.1	6.7	13.8	6.7	9.8	7.4	5.0	6.1	3.9	5.4	4.7
Alcohol only	11.7	34.3	24.8	16.2	31.2	24.3	16.1	29.9	23.1	10.8	23.1	17.7	6.8	24.4	16.8	6.3	14.1	10.7
Alcohol or any illicit drug	18.0	43.8	32.9	31.2	41.6	36.9	23.3	37.5	30.6	24.4	39.3	32.7	13.3	37.8	26.8	10.9	29.2	20.8
Any illicit drug, but no alcohol	1.9	3.2	2.7	5.3	1.2	3.1	1.9	1.8	1.9	9.7	2.3	5.6	2.9	6.8	5.2	3.0	3.1	3.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Lafayette and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	13.8	11.8	16.4	--	15.5	13.8	--	19.4	18.3	20.2	--	19.3	19.4
Drinking at least once a month	--	1.8	0.0	3.4	--	2.4	1.8	--	3.5	3.7	3.4	--	3.5	3.5
Smoke cigarettes	--	16.0	13.8	17.7	--	16.5	16.0	--	9.3	8.6	9.8	--	9.4	9.3
Smoke marijuana	--	8.1	4.7	11.5	--	5.9	8.1	--	10.6	9.0	12.0	--	10.8	10.6
Great risk of harm														
1 or 2 drinks nearly every day	45.7	40.4	50.0	36.9	49.3	38.6	42.8	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	63.6	51.5	61.6	51.4	65.0	53.8	57.0	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	64.6	63.1	67.6	59.4	65.8	64.4	63.8	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	64.2	44.1	54.9	50.8	65.7	45.2	53.4	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	49.1	34.9	41.8	39.7	52.1	34.5	41.4	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	66.1	76.2	78.3	66.8	70.4	75.7	71.6	69.1	68.2	70.0	67.3	69.4	67.9	68.5
Think it would be wrong to...														
Smoke cigarettes	98.1	71.7	84.5	82.9	97.7	78.0	83.7	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	91.6	65.7	77.2	76.1	91.5	66.3	77.5	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	96.0	73.6	86.3	81.4	96.7	77.3	83.9	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	98.0	95.5	95.9	98.1	99.1	94.1	96.6	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	99.0	98.3	98.2	99.0	99.1	97.9	98.6	97.5	93.6	95.8	94.7	97.3	93.6	95.2
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	99.1	94.8	95.8	97.4	99.1	93.8	96.7	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	98.0	96.3	98.1	95.9	98.1	96.3	97.1	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	100.0	90.5	96.2	92.9	100.0	92.1	94.7	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	99.1	98.0	97.7	99.1	99.1	97.9	98.5	98.2	97.3	97.4	97.9	98.1	97.4	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	92.5	66.4	85.4	70.8	92.4	70.0	78.3	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	96.2	71.3	86.8	78.3	95.9	78.5	82.7	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	96.1	68.8	87.2	75.0	95.9	76.7	81.2	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	96.2	88.6	94.1	89.6	95.0	93.6	92.1	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Lafayette, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	32.8	32.8	--	30.7	30.7	--	24.3	24.3	--	25.6	25.6	--	19.0	19.0	--	13.8	13.8
Drink monthly	--	6.8	6.8	--	5.6	5.6	--	12.2	12.2	--	9.4	9.4	--	2.4	2.4	--	1.8	1.8
Smoke cigarettes	--	33.6	33.6	--	21.9	21.9	--	28.5	28.5	--	29.5	29.5	--	25.2	25.2	--	16.0	16.0
Smoke marijuana	--	6.6	6.6	--	5.9	5.9	--	9.3	9.3	--	11.1	11.1	--	8.7	8.7	--	8.1	8.1
Great risk of harm																		
Daily alcohol use	36.3	41.8	39.4	40.7	40.0	40.3	48.6	43.4	45.9	50.9	26.0	37.1	48.4	46.1	47.1	45.7	40.4	42.8
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	64.5	55.2	59.4	63.6	51.5	57.0
Daily cigarette use	68.2	69.3	68.8	58.7	55.9	57.1	73.7	57.5	65.3	76.3	61.0	67.8	69.5	71.3	70.5	64.6	63.1	63.8
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	61.3	33.1	45.7	64.2	44.1	53.4
Try marijuana	53.4	45.6	49.0	47.8	41.5	44.3	54.1	41.9	47.8	49.4	24.9	35.8	50.2	23.9	35.8	49.1	34.9	41.4
Prescription drugs	--	--	--	--	--	--	--	--	--	--	75.5	75.5	74.9	72.3	73.4	66.1	76.2	71.6
Think it wrong																		
Smoke cigarettes	88.2	72.4	79.2	83.4	73.3	77.8	91.8	71.1	81.0	93.3	67.7	79.3	92.2	76.7	83.6	98.1	71.7	83.7
Drink regularly	76.0	57.7	65.6	70.7	67.4	68.9	86.4	55.2	70.3	82.0	59.0	69.3	90.8	64.4	76.1	91.6	65.7	77.5
Smoke marijuana	90.8	95.3	93.4	89.4	88.9	89.1	95.6	83.6	89.5	92.7	67.5	78.8	96.4	84.5	89.8	96.0	73.6	83.9
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	98.0	95.5	96.6
Use other illicit drugs	97.0	99.3	98.3	92.1	94.9	93.6	98.2	95.9	97.0	99.1	95.6	97.2	99.4	98.2	98.7	99.0	98.3	98.6
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	98.4	90.9	94.2	99.1	94.8	96.7
Smoke cigarettes	94.6	92.3	93.3	93.5	82.9	87.7	95.5	89.9	92.7	95.9	83.6	89.1	100.0	94.2	96.8	98.0	96.3	97.1
Smoke marijuana	100.0	96.3	97.8	95.9	93.2	94.4	99.1	90.8	94.9	94.9	88.3	91.3	100.0	92.2	95.6	100.0	90.5	94.7
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	98.5	100.0	99.4	99.1	98.0	98.5
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	86.9	72.7	79.1	92.5	66.4	78.3
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	90.3	71.8	80.1	96.2	71.3	82.7
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	92.5	78.3	84.7	96.1	68.8	81.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	98.0	97.3	97.6	96.2	88.6	92.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Lafayette and Florida Statewide youth, 2016

	Lafayette						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.1	14.4	0.0	--	6.4	8.1	--	8.3	5.0	12.4	--	7.3	8.3
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	1.6	1.2	2.1	--	1.5	1.6
Bought at a public event	--	0.0	0.0	0.0	--	0.0	0.0	--	0.7	0.7	0.8	--	0.6	0.7
Someone bought it for me	--	33.0	16.3	54.7	--	35.1	33.0	--	14.7	13.3	16.3	--	14.5	14.7
Someone gave it to me	--	27.5	23.6	32.5	--	24.6	27.5	--	44.8	50.6	37.8	--	47.0	44.8
Took it from a store	--	3.0	5.4	0.0	--	5.8	3.0	--	0.3	0.2	0.4	--	0.4	0.3
Took it from a family member	--	4.9	8.7	0.0	--	9.4	4.9	--	11.7	14.2	8.7	--	12.4	11.7
Some other way	--	23.4	31.6	12.8	--	18.6	23.4	--	17.8	14.7	21.5	--	16.5	17.8

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Lafayette and Florida Statewide youth, 2016

	Lafayette						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	13.5	20.0	3.9	--	12.9	13.5	--	37.7	39.2	35.9	--	37.1	37.7
Another person's home	--	33.5	47.0	13.7	--	44.4	33.5	--	40.0	41.0	38.9	--	40.8	40.0
Car or other vehicle	--	4.1	6.9	0.0	--	7.0	4.1	--	1.7	1.6	1.9	--	1.7	1.7
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	2.7	2.9	2.5	--	2.4	2.7
Public place	--	0.0	0.0	0.0	--	0.0	0.0	--	3.9	3.9	3.7	--	4.3	3.9
Public event	--	0.0	0.0	0.0	--	0.0	0.0	--	1.6	1.8	1.5	--	1.7	1.6
School property	--	0.0	0.0	0.0	--	0.0	0.0	--	1.3	0.7	2.0	--	1.4	1.3
Some other place	--	48.9	26.2	82.4	--	35.7	48.9	--	11.1	9.0	13.7	--	10.6	11.1

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lafayette and Florida Statewide youth, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	6.3	11.1	0.0	--	2.7	6.3	--	29.6	31.6	27.4	--	30.5	29.6
2	--	24.2	31.3	15.0	--	25.7	24.2	--	22.5	24.8	19.8	--	22.4	22.5
3	--	4.6	3.6	5.7	--	8.0	4.6	--	17.3	17.9	16.3	--	16.9	17.3
4	--	15.9	28.2	0.0	--	11.8	15.9	--	8.6	9.0	8.3	--	8.5	8.6
5 or more	--	49.1	25.7	79.2	--	51.8	49.1	--	22.0	16.7	28.2	--	21.8	22.0

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Lafayette and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	9.0	7.9	5.9	5.1	10.1	7.1	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	0.0	8.3	1.1	8.3	0.0	7.4	4.6	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	0.0	4.8	0.0	5.4	0.0	1.1	2.6	1.4	3.9	2.9	2.9	1.5	4.1	2.9

Table 12. Percentages of Lafayette and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	3.4	10.7	2.3	12.9	3.3	8.7	7.4	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	0.0	0.9	1.0	0.0	0.0	1.2	0.5	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	0.9	0.0	0.9	0.0	0.9	0.0	0.4	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	12.6	7.3	8.4	10.7	10.2	10.4	9.7	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	3.6	3.6	3.1	4.3	3.4	3.7	3.6	6.2	6.1	5.3	6.9	6.0	6.6	6.1

Table 13. Trends in delinquent behaviors for Lafayette, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.8	3.6	4.1	3.3	9.4	6.7	4.5	13.1	8.8	10.5	3.2	6.4	10.4	17.4	14.4	3.4	10.7	7.4
Selling drugs	1.4	0.8	1.0	0.0	6.1	3.4	1.0	5.3	3.2	1.0	6.2	3.9	0.0	3.5	2.0	0.0	0.9	0.5
Attempting to steal a vehicle	0.0	0.0	0.0	1.9	3.9	3.0	1.8	0.9	1.4	0.0	0.0	0.0	0.0	1.0	0.6	0.0	0.0	0.0
Being arrested	0.0	0.8	0.4	3.2	4.1	3.7	1.7	5.6	3.7	4.0	2.2	3.0	0.0	1.0	0.6	0.9	0.0	0.4
Taking a handgun to school	0.0	0.0	0.0	0.0	1.6	0.9	0.0	0.9	0.4	0.0	1.5	0.8	0.0	0.6	0.4	0.0	0.0	0.0
Getting suspended	20.3	16.6	18.1	11.4	9.4	10.3	13.2	16.5	14.8	5.0	14.3	10.2	10.8	17.0	14.3	12.6	7.3	9.7
Attacking someone with intent to harm	9.7	16.1	13.4	9.3	9.9	9.6	8.0	10.1	9.1	5.3	5.5	5.4	4.7	7.2	6.1	3.6	3.6	3.6

Table 14. Percentages of Lafayette and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Family members who have been or are now in jail or prison	34.6	42.0	38.6	40.1	31.0	44.5	38.7	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have been or are in trouble because of alcohol or drugs	9.4	38.8	27.8	23.5	9.4	28.2	25.5	23.9	46.5	38.4	35.8	26.0	47.1	37.1

Table 15. Percentages of Lafayette and Florida Statewide youth who reported involvement in bullying behavior, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.8	5.3	12.9	2.6	8.1	7.2	7.4	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	17.7	8.9	13.2	12.8	16.6	10.8	12.9	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	41.1	24.1	39.0	26.4	41.6	26.6	31.9	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	8.0	8.8	13.3	4.2	7.6	7.8	8.4	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	5.7	6.0	2.6	9.5	5.4	5.0	5.9	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	11.0	11.8	13.2	9.7	10.4	11.6	11.5	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	3.5	6.1	5.2	4.1	2.5	5.1	4.9	3.6	4.1	4.0	3.7	3.7	4.1	3.9

Table 16. Percentages of Lafayette and Florida Statewide youth who reported gang membership, 2016

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Have you ever belonged to a gang?	2.9	2.4	1.8	2.1	1.8	3.1	2.6	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	7.7	18.7	7.3	13.2	0.0	16.3	14.9	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?	--	0.8	1.8	0.0	--	1.1	0.8	--	2.0	1.1	2.8	--	2.0	2.0

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Lafayette and Florida Statewide youth, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	12.1	8.0	15.2	--	11.0	12.1	--	5.0	4.3	5.5	--	5.0	5.0
Protection	--	3.9	0.0	6.6	--	6.1	3.9	--	4.2	2.6	5.4	--	4.5	4.2
Friend or relative in a gang	--	2.1	0.0	0.0	--	3.3	2.1	--	4.1	2.9	4.9	--	4.1	4.1
Forced to join	--	6.4	6.8	6.4	--	10.1	6.4	--	1.1	1.1	1.2	--	1.2	1.1
To get respect	--	3.9	0.0	6.6	--	6.1	3.9	--	3.5	2.0	4.7	--	3.5	3.5
Money	--	3.9	0.0	6.6	--	6.1	3.9	--	3.8	2.5	4.8	--	4.1	3.8
To fit in better	--	0.0	0.0	0.0	--	0.0	0.0	--	1.2	1.1	1.4	--	1.2	1.2
Other reasons	--	3.9	0.0	6.6	--	6.1	3.9	--	5.9	4.5	7.0	--	5.6	5.9

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Lafayette and Florida Statewide youth who reported participation in extracurricular activities, 2016

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	69.6	66.7	59.9	76.9	69.9	65.3	68.1	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	36.6	18.1	29.6	25.1	39.7	15.2	26.7	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	8.2	9.7	10.3	7.5	7.0	12.9	9.0	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	15.4	37.2	35.2	19.4	20.3	40.5	27.1	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	1.6	8.2	10.8	0.0	2.7	8.0	5.1	9.3	12.8	14.6	8.2	9.4	12.6	11.3

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lafayette and Florida Statewide youth, 2016

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	23.0	20.1	26.7	--	21.4	23.0	--	16.4	17.5	15.3	--	16.3	16.4
Marijuana	--	18.8	18.5	20.0	--	14.8	18.8	--	22.7	23.7	21.7	--	22.9	22.7
<i>Driving a vehicle</i>														
Alcohol	--	13.0	9.4	16.7	--	10.1	13.0	--	5.4	5.0	5.8	--	5.2	5.4
Marijuana	--	8.0	5.0	10.9	--	6.8	8.0	--	10.3	9.1	11.4	--	9.9	10.3

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Lafayette, 2012 and 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	26.5	26.5	--	18.1	18.1	--	23.0	23.0
Marijuana	--	--	--	--	--	--	--	--	--	--	20.4	20.4	--	12.7	12.7	--	18.8	18.8
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	6.9	6.9	--	17.7	17.7	--	13.0	13.0
Marijuana	--	--	--	--	--	--	--	--	--	--	8.6	8.6	--	7.6	7.6	--	8.0	8.0

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Lafayette, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Lafayette		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	57	86	46	69	56	63
Family	Family Opportunities for Prosocial Involvement	68	69	60	59	59	54
	Family Rewards for Prosocial Involvement	60	66	56	56	54	55
School	School Opportunities for Prosocial Involvement	46	64	53	63	57	60
	School Rewards for Prosocial Involvement	59	69	49	59	53	58
Peer and Individual	Religiosity	75	86	49	57	56	62
Average Prevalence Rate		61	73	52	61	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Lafayette, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Lafayette		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	29	40	42	44	47	47
	Transitions and Mobility	35	38	59	61	47	46
	Laws and Norms Favorable to Drug Use	36	34	37	31	42	42
	Perceived Availability of Drugs	31	23	37	27	45	45
	Perceived Availability of Handguns	37	52	24	36	25	42
Family	Poor Family Management	30	22	40	38	44	45
	Family Conflict	36	21	38	33	42	37
School	Poor Academic Performance	57	40	42	44	45	48
	Lack of Commitment to School	44	43	53	54	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	29	30	39	35	40	46
	Favorable Attitudes toward ATOD Use	18	28	32	36	39	45
	Early Initiation of Drug Use	17	24	23	22	41	46
Average Prevalence Rate		33	33	39	38	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Lafayette, 2006 to 2016

Domain	Scale	Lafayette					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	60	71	69	75	85	57
Family	Family Opportunities for Prosocial Involvement	64	56	62	64	72	68
	Family Rewards for Prosocial Involvement	59	51	57	59	75	60
School	School Opportunities for Prosocial Involvement	60	48	56	64	59	46
	School Rewards for Prosocial Involvement	40	50	51	58	65	59
Peer and Individual	Religiosity	62	64	72	70	71	75
Average Prevalence Rate		58	57	61	65	71	61

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Lafayette, 2006 to 2016

Domain	Scale	Lafayette					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	35	42	42	41	22	29
	Transitions and Mobility	55	53	45	45	48	35
	Laws and Norms Favorable to Drug Use	41	52	51	35	33	36
	Perceived Availability of Drugs	51	35	45	44	23	31
	Perceived Availability of Handguns	32	43	37	41	34	37
Family	Poor Family Management	49	55	39	29	27	30
	Family Conflict	41	45	35	40	22	36
School	Poor Academic Performance	54	53	41	48	41	57
	Lack of Commitment to School	59	57	53	47	45	44
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	48	41	31	20	29
	Favorable Attitudes toward ATOD Use	42	45	36	34	18	18
	Early Initiation of Drug Use	42	51	38	37	18	17
Average Prevalence Rate		44	47	38	36	29	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Lafayette, 2006 to 2016

Domain	Scale	Lafayette					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	81	72	69	89	85	86
Family	Family Opportunities for Prosocial Involvement	53	57	58	58	60	69
	Family Rewards for Prosocial Involvement	57	61	52	65	54	66
School	School Opportunities for Prosocial Involvement	63	69	59	70	72	64
	School Rewards for Prosocial Involvement	64	73	66	79	71	69
Peer and Individual	Religiosity	78	76	76	80	66	86
Average Prevalence Rate		66	68	63	74	68	73

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Lafayette, 2006 to 2016

Domain	Scale	Lafayette					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	55	34	49	30	24	40
	Transitions and Mobility	50	50	52	44	42	38
	Laws and Norms Favorable to Drug Use	29	33	41	31	47	34
	Perceived Availability of Drugs	31	40	20	29	24	23
	Perceived Availability of Handguns	54	54	35	52	62	52
Family	Poor Family Management	49	47	53	37	40	22
	Family Conflict	30	33	28	17	33	21
School	Poor Academic Performance	51	54	44	57	45	40
	Lack of Commitment to School	47	45	49	40	60	43
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	37	32	35	28	30
	Favorable Attitudes toward ATOD Use	25	24	34	37	22	28
	Early Initiation of Drug Use	44	31	33	33	45	24
Average Prevalence Rate		38	35	39	38	39	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.