

2016 Florida Youth Substance Abuse Survey

Okaloosa Data Tables

Table 1. Major demographic characteristics of surveyed Okaloosa and Florida Statewide, 2016

	Okaloosa		Florida Statewide	
	N	%	N	%
Sex				
Female	1,135	49.0	31,515	47.9
Male	1,126	48.6	32,905	50.0
Race/Ethnic group				
African American	229	9.9	14,666	22.3
American Indian	67	2.9	568	0.9
Asian	43	1.9	743	1.1
Hispanic/Latino	149	6.4	13,174	20.0
Native Hawaiian/Pacific Islander	15	0.6	144	0.2
Other/Multiple	484	20.9	7,523	11.4
White, non-Hispanic	1,298	56.0	28,309	43.0
Age				
10	4	0.2	65	0.1
11	170	7.3	3,856	5.9
12	374	16.1	8,338	12.7
13	370	16.0	9,230	14.0
14	366	15.8	9,454	14.4
15	364	15.7	10,070	15.3
16	270	11.7	9,684	14.7
17	238	10.3	9,348	14.2
18	137	5.9	4,799	7.3
19 or older	10	0.4	618	0.9
Grade				
6th	412	17.8	9,301	14.1
7th	371	16.0	9,215	14.0
8th	361	15.6	9,326	14.2
9th	378	16.3	10,140	15.4
10th	322	13.9	9,834	15.0
11th	230	9.9	9,254	14.1
12th	242	10.4	8,705	13.2
Overall Middle School	1,144	49.4	27,678	42.1
Overall High School	1,172	50.6	37,765	57.4
Total	2,316	100.0	65,776	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Okaloosa and Florida Statewide youth who reported having used various drugs in their lifetimes, 2016

	Okaloosa							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	22.2	52.6	41.4	38.4	24.0	51.9	39.5	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out	--	18.7	18.8	18.8	--	19.8	18.7	--	15.9	16.5	15.4	--	16.1	15.9
Cigarettes	10.2	24.9	18.2	19.0	9.8	24.3	18.5	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	13.2	37.9	27.8	27.0	13.9	37.9	27.1	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	6.9	33.5	22.0	22.1	8.0	32.1	21.8	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana	--	6.2	4.9	7.7	--	6.1	6.2	--	4.9	4.8	5.0	--	4.8	4.9
Inhalants	8.3	4.8	6.5	6.3	8.2	4.4	6.3	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka	--	0.6	0.1	1.0	--	0.6	0.6	--	1.0	0.9	1.1	--	1.0	1.0
Club Drugs	1.1	4.3	2.9	2.9	0.9	4.7	2.9	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	1.3	6.6	3.9	4.6	1.2	6.5	4.3	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	0.5	0.6	0.3	0.9	0.4	0.9	0.6	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	1.0	3.6	2.3	2.7	0.8	4.0	2.5	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.4	0.2	0.2	0.4	0.4	0.2	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	3.3	13.4	9.9	8.2	3.5	14.7	9.0	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	3.4	8.5	6.6	6.2	3.6	8.5	6.3	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	1.6	7.7	5.1	5.2	1.7	7.9	5.0	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	0.7	0.6	0.4	0.9	0.7	0.3	0.7	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	2.9	6.4	5.0	4.4	3.2	6.3	4.8	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs	--	0.6	0.3	0.9	--	0.7	0.6	--	0.8	0.6	0.8	--	0.8	0.8
Any illicit drug	16.4	38.8	30.0	28.4	16.9	38.1	29.0	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	13.3	24.1	19.7	19.0	13.1	24.2	19.4	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	12.2	18.7	16.6	15.5	12.9	19.5	15.9	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	28.2	57.6	46.5	43.8	29.4	57.7	44.8	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	6.5	5.1	5.5	5.8	6.0	5.8	5.7	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Okaloosa and Florida Statewide youth who reported having used various drugs in the past 30 days, 2016

	Okaloosa							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.1	25.9	20.5	17.2	9.8	25.1	18.6	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	2.3	11.4	6.3	8.8	2.7	11.3	7.5	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	1.8	6.3	3.9	4.8	1.6	6.1	4.3	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	4.4	13.6	8.7	10.6	5.4	11.8	9.6	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	3.7	15.5	9.9	11.0	3.8	15.7	10.4	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana	--	0.6	0.7	0.6	--	0.9	0.6	--	1.0	0.9	1.2	--	1.1	1.0
Inhalants	2.9	0.4	1.6	1.5	2.4	0.7	1.5	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka	--	0.3	0.2	0.4	--	0.3	0.3	--	0.5	0.4	0.7	--	0.5	0.5
Club Drugs	0.4	0.4	0.2	0.6	0.3	0.7	0.4	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.4	1.0	0.7	0.8	0.2	1.3	0.7	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.2	0.2	0.1	0.4	0.1	0.4	0.2	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.4	1.2	1.0	0.8	0.3	1.7	0.9	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	1.3	4.5	3.1	3.0	1.4	5.0	3.1	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	1.6	2.2	2.3	1.7	1.7	2.1	1.9	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.3	2.3	1.1	1.8	0.4	2.4	1.4	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	0.0	0.2	0.0	0.3	0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	1.0	2.1	1.8	1.3	1.2	1.8	1.6	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	7.3	19.4	13.8	14.5	7.1	19.6	14.1	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	5.0	9.0	6.9	7.6	4.8	9.6	7.3	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	5.6	13.3	11.6	8.6	6.1	12.7	10.0	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	12.6	32.5	25.4	22.7	12.9	32.0	23.8	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	3.8	6.7	5.1	5.8	3.3	6.9	5.5	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Okaloosa, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	--	--	--	37.2	71.1	57.0	33.4	61.5	49.7	26.7	58.6	45.1	22.5	56.1	41.9	22.2	52.6	39.5
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	19.5	19.5	--	18.7	18.7
Cigarettes	--	--	--	18.5	43.5	33.1	18.9	36.8	29.3	14.3	32.8	25.0	6.9	25.5	17.6	10.2	24.9	18.5
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.2	37.9	27.1
Marijuana or Hashish	--	--	--	8.7	35.8	24.6	9.7	31.3	22.3	6.3	29.9	20.0	5.2	29.0	19.0	6.9	33.5	21.8
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	14.4	14.4	--	7.7	7.7	--	6.2	6.2
Inhalants	--	--	--	15.2	11.7	13.2	14.1	8.5	10.8	12.0	6.7	8.9	9.5	6.7	7.9	8.3	4.8	6.3
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6	0.6
Club Drugs	--	--	--	1.7	--	1.7	2.5	4.9	3.9	1.1	5.0	3.4	0.6	6.4	3.9	1.1	4.3	2.9
LSD, PCP or Mushrooms	--	--	--	2.8	--	2.8	3.3	6.0	4.9	0.9	5.2	3.4	0.5	6.2	3.8	1.3	6.6	4.3
Methamphetamine	--	--	--	1.7	2.0	1.9	1.8	0.8	1.2	1.0	1.2	1.1	0.0	1.0	0.6	0.5	0.6	0.6
Cocaine or Crack Cocaine	--	--	--	2.4	--	2.4	2.5	3.9	3.3	0.6	4.5	2.8	0.6	3.1	2.1	1.0	3.6	2.5
Heroin	--	--	--	1.3	1.2	1.2	1.3	1.1	1.2	0.3	0.4	0.4	0.0	1.7	1.0	0.4	0.2	0.3
Depressants	--	--	--	3.1	13.4	9.1	4.3	10.0	7.6	3.0	7.9	5.8	2.0	7.7	5.3	3.3	13.4	9.0
Prescription Pain Relievers	--	--	--	6.3	16.1	12.0	6.7	12.1	9.8	4.0	11.3	8.2	3.0	9.1	6.5	3.4	8.5	6.3
Prescription Amphetamines	--	--	--	2.8	11.3	7.7	2.1	9.4	6.4	1.7	9.2	6.0	1.0	8.7	5.5	1.6	7.7	5.0
Steroids (without a doctor's order)	--	--	--	2.2	1.4	1.8	0.6	1.6	1.2	0.5	1.4	1.0	0.2	1.2	0.8	0.7	0.6	0.7
Over-the-Counter Drugs	--	--	--	5.3	--	5.3	6.3	9.7	8.3	3.4	7.9	5.9	3.1	6.1	4.9	2.9	6.4	4.8
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6	0.6
Any illicit drug	--	--	--	23.3	44.2	35.5	24.5	37.5	32.0	19.1	38.4	30.2	17.4	37.7	29.1	16.4	38.8	29.0
Any illicit drug other than marijuana	--	--	--	20.0	30.9	26.4	21.1	24.4	23.0	16.8	24.2	21.0	14.6	22.3	19.1	13.3	24.1	19.4
Alcohol only	--	--	--	20.4	29.4	25.7	17.6	27.5	23.4	14.9	24.9	20.7	14.8	21.6	18.7	12.2	18.7	15.9
Alcohol or any illicit drug	--	--	--	43.7	73.5	61.1	42.0	64.7	55.2	33.9	63.0	50.7	32.1	59.3	47.8	28.2	57.6	44.8
Any illicit drug, but no alcohol	--	--	--	6.8	2.8	4.5	8.7	3.3	5.6	7.3	4.3	5.5	9.7	3.4	6.0	6.5	5.1	5.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Okaloosa, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	--	--	--	17.4	40.2	30.7	15.4	34.8	26.7	9.8	30.1	21.4	9.3	27.9	20.1	9.1	25.9	18.6
Binge Drinking	--	--	--	5.7	21.7	15.0	6.7	19.6	14.2	3.6	15.0	10.2	2.6	12.6	8.3	2.3	11.4	7.5
Cigarettes	--	--	--	4.8	16.9	11.9	5.6	15.8	11.5	3.4	11.8	8.3	1.1	4.0	2.8	1.8	6.3	4.3
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.4	13.6	9.6
Marijuana or Hashish	--	--	--	4.5	18.0	12.4	5.3	16.5	11.8	2.0	14.7	9.4	2.9	13.9	9.2	3.7	15.5	10.4
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	4.3	4.3	--	1.6	1.6	--	0.6	0.6	0.6
Inhalants	--	--	--	6.6	2.5	4.2	6.2	1.7	3.6	3.4	1.4	2.3	2.3	1.6	1.9	2.9	0.4	1.5
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.3	0.3
Club Drugs	--	--	--	0.7	--	0.7	0.5	1.1	0.8	0.3	1.3	0.9	0.3	1.9	1.3	0.4	0.4	0.4
LSD, PCP or Mushrooms	--	--	--	1.0	--	1.0	1.3	1.6	1.5	0.0	1.0	0.6	0.3	1.4	0.9	0.4	1.0	0.7
Methamphetamine	--	--	--	0.8	0.1	0.4	0.6	0.4	0.5	0.4	0.3	0.3	0.0	0.6	0.3	0.2	0.2	0.2
Cocaine or Crack Cocaine	--	--	--	1.3	--	1.3	1.1	1.0	1.1	0.3	1.1	0.8	0.5	1.8	1.3	0.4	1.2	0.9
Heroin	--	--	--	0.7	0.2	0.4	0.8	0.5	0.6	0.0	0.3	0.2	0.0	0.4	0.2	0.0	0.0	0.0
Depressants	--	--	--	1.3	4.8	3.4	1.6	2.9	2.4	0.9	2.8	2.0	0.5	1.6	1.2	1.3	4.5	3.1
Prescription Pain Relievers	--	--	--	3.0	5.5	4.5	3.1	4.6	4.0	1.9	3.5	2.8	2.1	2.2	2.2	1.6	2.2	1.9
Prescription Amphetamines	--	--	--	1.6	3.4	2.7	1.4	3.1	2.4	1.0	3.4	2.4	1.0	1.8	1.5	0.3	2.3	1.4
Steroids (without a doctor's order)	--	--	--	1.4	0.7	1.0	0.1	1.0	0.6	0.3	1.0	0.7	0.0	0.0	0.0	0.0	0.2	0.1
Over-the-Counter Drugs	--	--	--	2.0	--	2.0	3.7	3.1	3.4	1.2	3.0	2.2	1.5	3.7	2.7	1.0	2.1	1.6
Any illicit drug	--	--	--	12.3	23.0	18.6	13.3	20.0	17.2	6.7	20.4	14.6	6.2	19.5	13.9	7.3	19.4	14.1
Any illicit drug other than marijuana	--	--	--	10.4	11.4	11.0	11.1	9.5	10.1	6.0	11.1	8.9	4.3	8.4	6.7	5.0	9.0	7.3
Alcohol only	--	--	--	10.3	22.4	17.4	8.7	19.9	15.2	6.6	16.2	12.1	6.3	15.2	11.4	5.6	13.3	10.0
Alcohol or any illicit drug	--	--	--	22.4	44.9	35.5	21.9	39.5	32.1	13.0	36.2	26.4	12.3	34.9	25.3	12.6	32.5	23.8
Any illicit drug, but no alcohol	--	--	--	5.3	5.1	5.2	6.6	4.8	5.5	3.4	5.7	4.8	3.1	6.9	5.3	3.8	6.7	5.5

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Okaloosa and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016

	Okaloosa						Florida Statewide							
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	18.6	18.1	19.2	--	18.0	18.6	--	19.4	18.3	20.2	--	19.3	19.4
Drinking at least once a month	--	2.6	2.4	2.6	--	2.5	2.6	--	3.5	3.7	3.4	--	3.5	3.5
Smoke cigarettes	--	12.1	11.2	12.8	--	11.4	12.1	--	9.3	8.6	9.8	--	9.4	9.3
Smoke marijuana	--	9.5	8.8	10.4	--	10.0	9.5	--	10.6	9.0	12.0	--	10.8	10.6
Great risk of harm														
1 or 2 drinks nearly every day	44.0	35.8	42.3	36.5	43.6	36.1	39.4	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	59.6	49.6	57.5	50.0	58.5	50.4	53.9	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	72.6	64.6	67.2	68.8	72.7	64.9	68.1	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	58.5	26.1	39.9	39.7	56.0	26.0	40.2	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	38.0	15.0	24.4	25.4	36.2	14.9	25.1	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	71.9	65.8	69.0	68.2	71.1	65.5	68.5	69.1	68.2	70.0	67.3	69.4	67.9	68.5
Think it would be wrong to...														
Smoke cigarettes	95.0	81.7	87.8	86.7	94.5	83.3	87.5	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	89.6	64.0	75.0	74.9	88.1	63.4	75.1	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	90.5	63.8	76.3	73.9	89.3	64.4	75.4	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	93.7	86.8	90.0	89.4	93.2	86.2	89.8	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	98.4	93.1	96.7	94.0	98.4	93.0	95.4	97.5	93.6	95.8	94.7	97.3	93.6	95.2
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	98.1	92.4	94.5	95.3	98.0	93.0	94.9	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	98.8	95.2	97.0	96.5	98.8	96.4	96.8	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	97.1	88.8	93.5	91.4	97.1	89.4	92.4	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	99.0	96.4	97.4	97.8	98.5	96.9	97.6	98.2	97.3	97.4	97.9	98.1	97.4	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	91.6	75.4	84.7	80.2	91.3	75.3	82.5	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	92.7	83.1	89.6	84.9	92.8	84.8	87.3	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	88.6	61.5	74.2	71.7	88.0	60.8	73.3	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	96.0	87.4	92.2	89.9	95.4	87.2	91.2	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Okaloosa, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	--	--	--	26.9	26.9	--	24.2	24.2	--	20.1	20.1	--	18.0	18.0	--	18.6	18.6
Drink monthly	--	--	--	--	4.7	4.7	--	3.7	3.7	--	3.4	3.4	--	1.6	1.6	--	2.6	2.6
Smoke cigarettes	--	--	--	--	23.3	23.3	--	17.8	17.8	--	16.0	16.0	--	11.0	11.0	--	12.1	12.1
Smoke marijuana	--	--	--	--	11.3	11.3	--	9.1	9.1	--	9.0	9.0	--	6.3	6.3	--	9.5	9.5
Great risk of harm																		
Daily alcohol use	--	--	--	44.5	41.7	42.9	44.0	43.9	44.0	43.2	39.3	41.0	43.1	37.3	39.8	44.0	35.8	39.4
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	58.6	59.7	59.2	59.6	49.6	53.9
Daily cigarette use	--	--	--	74.9	69.2	71.6	75.9	68.1	71.4	71.4	71.8	71.7	73.5	75.6	74.7	72.6	64.6	68.1
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	62.1	38.9	48.8	58.5	26.1	40.2
Try marijuana	--	--	--	44.0	23.3	31.8	42.2	23.3	31.2	43.9	20.1	30.1	41.6	18.0	28.0	38.0	15.0	25.1
Prescription drugs	--	--	--	--	--	--	--	--	--	--	67.3	67.3	79.9	75.2	77.2	71.9	65.8	68.5
Think it wrong																		
Smoke cigarettes	--	--	--	89.6	65.6	75.5	88.9	69.8	77.8	93.6	78.8	85.0	96.0	87.2	90.9	95.0	81.7	87.5
Drink regularly	--	--	--	81.4	50.4	63.2	81.4	58.9	68.4	87.3	60.7	71.9	91.9	66.7	77.4	89.6	64.0	75.1
Smoke marijuana	--	--	--	91.2	70.2	78.9	89.2	71.5	78.9	92.4	71.8	80.4	94.2	74.0	82.6	90.5	63.8	75.4
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	93.7	86.8	89.8
Use other illicit drugs	--	--	--	97.5	91.2	93.8	95.9	94.3	95.0	97.3	94.4	95.7	99.0	96.0	97.3	98.4	93.1	95.4
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	99.3	96.4	97.6	98.1	92.4	94.9
Smoke cigarettes	--	--	--	95.1	89.6	91.9	96.0	90.6	92.9	98.1	92.2	94.7	99.7	96.5	97.8	98.8	95.2	96.8
Smoke marijuana	--	--	--	96.8	93.2	94.7	95.9	93.9	94.8	97.9	92.2	94.6	98.9	95.0	96.6	97.1	88.8	92.4
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	99.4	96.7	97.8	99.0	96.4	97.6
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	92.3	78.8	84.5	91.6	75.4	82.5
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	94.6	83.5	88.3	92.7	83.1	87.3
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.7	65.4	76.5	88.6	61.5	73.3
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	97.5	89.9	93.1	96.0	87.4	91.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Okaloosa and Florida Statewide youth, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.9	0.6	14.4	--	6.1	6.9	--	8.3	5.0	12.4	--	7.3	8.3
Bought in a restaurant, bar, or club	--	0.6	0.0	1.2	--	0.0	0.6	--	1.6	1.2	2.1	--	1.5	1.6
Bought at a public event	--	0.5	0.6	0.4	--	0.3	0.5	--	0.7	0.7	0.8	--	0.6	0.7
Someone bought it for me	--	19.2	12.9	26.9	--	20.2	19.2	--	14.7	13.3	16.3	--	14.5	14.7
Someone gave it to me	--	40.1	51.6	26.2	--	41.7	40.1	--	44.8	50.6	37.8	--	47.0	44.8
Took it from a store	--	1.8	2.3	1.2	--	1.9	1.8	--	0.3	0.2	0.4	--	0.4	0.3
Took it from a family member	--	12.6	14.1	11.1	--	12.4	12.6	--	11.7	14.2	8.7	--	12.4	11.7
Some other way	--	18.3	17.9	18.6	--	17.4	18.3	--	17.8	14.7	21.5	--	16.5	17.8

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Okaloosa and Florida Statewide youth, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	32.6	32.4	33.6	--	29.3	32.6	--	37.7	39.2	35.9	--	37.1	37.7
Another person's home	--	50.0	54.0	44.7	--	49.5	50.0	--	40.0	41.0	38.9	--	40.8	40.0
Car or other vehicle	--	1.7	1.5	1.9	--	2.3	1.7	--	1.7	1.6	1.9	--	1.7	1.7
Restaurant, bar, or club	--	2.5	3.2	1.6	--	2.7	2.5	--	2.7	2.9	2.5	--	2.4	2.7
Public place	--	2.4	2.9	1.8	--	3.3	2.4	--	3.9	3.9	3.7	--	4.3	3.9
Public event	--	0.2	0.0	0.5	--	0.3	0.2	--	1.6	1.8	1.5	--	1.7	1.6
School property	--	2.0	1.1	3.1	--	2.7	2.0	--	1.3	0.7	2.0	--	1.4	1.3
Some other place	--	8.6	5.0	12.8	--	9.8	8.6	--	11.1	9.0	13.7	--	10.6	11.1

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Okaloosa and Florida Statewide youth, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	26.0	30.7	20.6	--	26.7	26.0	--	29.6	31.6	27.4	--	30.5	29.6
2	--	20.4	23.8	15.8	--	18.4	20.4	--	22.5	24.8	19.8	--	22.4	22.5
3	--	19.2	19.3	19.5	--	19.3	19.2	--	17.3	17.9	16.3	--	16.9	17.3
4	--	9.1	7.5	11.2	--	9.9	9.1	--	8.6	9.0	8.3	--	8.5	8.6
5 or more	--	25.3	18.8	32.8	--	25.7	25.3	--	22.0	16.7	28.2	--	21.8	22.0

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Okaloosa and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.0	5.9	4.2	4.0	2.0	6.2	4.2	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	2.8	10.6	6.8	7.8	2.8	11.3	7.2	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	0.8	5.2	2.8	3.6	1.1	5.5	3.3	1.4	3.9	2.9	2.9	1.5	4.1	2.9

Table 12. Percentages of Okaloosa and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.1	5.9	3.2	10.7	7.3	6.5	6.9	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	1.4	7.0	3.5	5.8	1.6	7.4	4.5	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	0.4	1.0	1.0	0.5	0.6	0.9	0.7	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	1.9	2.4	1.7	2.7	1.5	2.4	2.1	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.1	0.3	0.1	0.3	0.1	0.4	0.2	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	5.5	6.1	3.3	8.2	5.0	6.5	5.8	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	5.3	5.3	4.4	6.2	5.1	5.3	5.3	6.2	6.1	5.3	6.9	6.0	6.6	6.1

Table 13. Trends in delinquent behaviors for Okaloosa, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	--	--	--	2.7	5.2	4.2	5.1	3.2	4.0	5.5	4.1	4.7	3.6	3.8	3.7	8.1	5.9	6.9
Selling drugs	--	--	--	1.5	9.0	5.9	3.7	8.3	6.4	1.7	7.1	4.8	0.7	3.4	2.3	1.4	7.0	4.5
Attempting to steal a vehicle	--	--	--	1.3	3.2	2.4	2.5	1.7	2.1	0.8	2.2	1.6	0.5	0.3	0.4	0.4	1.0	0.7
Being arrested	--	--	--	3.0	7.2	5.5	3.0	4.3	3.8	2.4	3.2	2.9	0.7	1.8	1.3	1.9	2.4	2.1
Taking a handgun to school	--	--	--	0.3	0.8	0.6	1.2	0.6	0.9	0.3	0.4	0.4	0.0	0.2	0.1	0.1	0.3	0.2
Getting suspended	--	--	--	11.1	16.1	14.0	11.9	10.8	11.2	11.8	10.1	10.8	4.1	5.5	4.9	5.5	6.1	5.8
Attacking someone with intent to harm	--	--	--	10.3	13.5	12.2	11.3	8.5	9.7	5.4	4.9	5.1	2.9	7.0	5.3	5.3	5.3	5.3

Table 14. Percentages of Okaloosa and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Family members who have been or are now in jail or prison	42.2	41.9	44.5	39.5	41.3	41.7	42.0	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have been or are in trouble because of alcohol or drugs	26.1	54.5	44.9	39.0	29.3	52.7	42.0	23.9	46.5	38.4	35.8	26.0	47.1	37.1

Table 15. Percentages of Okaloosa and Florida Statewide youth who reported involvement in bullying behavior, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.1	9.1	13.1	4.5	8.6	8.7	8.6	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	18.0	8.8	11.9	13.4	17.7	8.8	12.8	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	36.6	24.2	32.6	26.3	35.0	24.9	29.6	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	7.4	9.8	12.3	5.3	7.8	10.1	8.8	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	5.9	3.2	3.8	4.7	5.6	3.1	4.4	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	12.0	9.2	10.0	10.9	11.4	9.5	10.4	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	2.2	3.6	3.9	2.0	2.5	3.5	3.0	3.6	4.1	4.0	3.7	3.7	4.1	3.9

Table 16. Percentages of Okaloosa and Florida Statewide youth who reported gang membership, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	3.5	2.8	2.1	4.0	2.8	3.6	3.1	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	32.9	14.2	13.3	25.0	23.7	19.9	19.9	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?	--	1.3	0.8	1.8	--	1.3	1.3	--	2.0	1.1	2.8	--	2.0	2.0

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Okaloosa and Florida Statewide youth, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	3.8	2.7	4.6	--	3.8	3.8	--	5.0	4.3	5.5	--	5.0	5.0
Protection	--	4.5	3.0	5.6	--	5.5	4.5	--	4.2	2.6	5.4	--	4.5	4.2
Friend or relative in a gang	--	3.8	1.4	5.9	--	3.6	3.8	--	4.1	2.9	4.9	--	4.1	4.1
Forced to join	--	1.2	2.3	0.3	--	1.4	1.2	--	1.1	1.1	1.2	--	1.2	1.1
To get respect	--	2.6	0.8	3.7	--	2.8	2.6	--	3.5	2.0	4.7	--	3.5	3.5
Money	--	2.9	2.3	3.5	--	1.9	2.9	--	3.8	2.5	4.8	--	4.1	3.8
To fit in better	--	1.8	0.8	2.7	--	2.2	1.8	--	1.2	1.1	1.4	--	1.2	1.2
Other reasons	--	4.9	1.2	7.8	--	5.0	4.9	--	5.9	4.5	7.0	--	5.6	5.9

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Okaloosa and Florida Statewide youth who reported participation in extracurricular activities, 2016

	Okaloosa							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	48.1	38.1	38.4	45.8	46.9	39.6	42.5	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	42.4	20.1	28.8	30.5	40.2	20.3	29.8	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	22.2	16.0	20.3	16.6	23.2	15.3	18.7	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	28.2	34.7	40.6	23.4	29.7	33.8	31.8	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	8.5	12.9	13.3	8.3	9.3	12.8	11.0	9.3	12.8	14.6	8.2	9.4	12.6	11.3

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Okaloosa and Florida Statewide youth, 2016

	Okaloosa							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	11.7	12.8	10.8	--	10.9	11.7	--	16.4	17.5	15.3	--	16.3	16.4
Marijuana	--	19.9	20.2	19.8	--	19.0	19.9	--	22.7	23.7	21.7	--	22.9	22.7
<i>Driving a vehicle</i>														
Alcohol	--	5.8	6.3	5.0	--	4.7	5.8	--	5.4	5.0	5.8	--	5.2	5.4
Marijuana	--	8.7	6.9	10.6	--	8.4	8.7	--	10.3	9.1	11.4	--	9.9	10.3

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Okaloosa, 2012 and 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	18.8	18.8	--	13.8	13.8	--	11.7	11.7
Marijuana	--	--	--	--	--	--	--	--	--	--	18.1	18.1	--	15.3	15.3	--	19.9	19.9
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	7.1	7.1	--	6.0	6.0	--	5.8	5.8
Marijuana	--	--	--	--	--	--	--	--	--	--	10.2	10.2	--	8.9	8.9	--	8.7	8.7

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Okaloosa, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Okaloosa		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	52	75	46	69	56	63
Family	Family Opportunities for Prosocial Involvement	63	61	60	59	59	54
	Family Rewards for Prosocial Involvement	58	57	56	56	54	55
School	School Opportunities for Prosocial Involvement	62	70	53	63	57	60
	School Rewards for Prosocial Involvement	52	60	49	59	53	58
Peer and Individual	Religiosity	56	59	49	57	56	62
Average Prevalence Rate		57	64	52	61	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Okaloosa, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Okaloosa		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	37	39	42	44	47	47
	Transitions and Mobility	60	67	59	61	47	46
	Laws and Norms Favorable to Drug Use	34	30	37	31	42	42
	Perceived Availability of Drugs	42	28	37	27	45	45
	Perceived Availability of Handguns	34	39	24	36	25	42
Family	Poor Family Management	33	32	40	38	44	45
	Family Conflict	39	34	38	33	42	37
School	Poor Academic Performance	41	45	42	44	45	48
	Lack of Commitment to School	50	54	53	54	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	36	39	35	40	46
	Favorable Attitudes toward ATOD Use	30	38	32	36	39	45
	Early Initiation of Drug Use	23	22	23	22	41	46
Average Prevalence Rate		38	39	39	38	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Okaloosa, 2006 to 2016

Domain	Scale	Okaloosa					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	--	59	57	58	58	52
Family	Family Opportunities for Prosocial Involvement	--	54	56	60	67	63
	Family Rewards for Prosocial Involvement	--	52	55	54	61	58
School	School Opportunities for Prosocial Involvement	--	51	52	59	61	62
	School Rewards for Prosocial Involvement	--	47	50	52	59	52
Peer and Individual	Religiosity	--	62	59	57	52	56
Average Prevalence Rate		--	54	55	57	60	57

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Okaloosa, 2006 to 2016

Domain	Scale	Okaloosa					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	--	43	45	40	36	37
	Transitions and Mobility	--	61	64	62	56	60
	Laws and Norms Favorable to Drug Use	--	40	39	34	32	34
	Perceived Availability of Drugs	--	52	48	39	35	42
	Perceived Availability of Handguns	--	31	31	29	28	34
Family	Poor Family Management	--	46	39	37	26	33
	Family Conflict	--	45	42	41	31	39
School	Poor Academic Performance	--	43	41	49	40	41
	Lack of Commitment to School	--	55	50	48	44	50
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	--	45	44	37	32	39
	Favorable Attitudes toward ATOD Use	--	36	39	31	23	30
	Early Initiation of Drug Use	--	36	35	26	21	23
Average Prevalence Rate		--	41	42	37	34	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Okaloosa, 2006 to 2016

Domain	Scale	Okaloosa					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	--	65	67	65	71	75
Family	Family Opportunities for Prosocial Involvement	--	54	58	57	62	61
	Family Rewards for Prosocial Involvement	--	54	58	56	61	57
School	School Opportunities for Prosocial Involvement	--	61	64	71	68	70
	School Rewards for Prosocial Involvement	--	60	64	63	70	60
Peer and Individual	Religiosity	--	67	66	67	68	59
Average Prevalence Rate		--	60	63	63	67	64

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Okaloosa, 2006 to 2016

Domain	Scale	Okaloosa					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	--	36	37	37	35	39
	Transitions and Mobility	--	66	66	63	62	67
	Laws and Norms Favorable to Drug Use	--	32	30	26	25	30
	Perceived Availability of Drugs	--	47	35	30	27	28
	Perceived Availability of Handguns	--	47	39	39	38	39
Family	Poor Family Management	--	44	38	36	27	32
	Family Conflict	--	39	34	34	31	34
School	Poor Academic Performance	--	46	43	46	35	45
	Lack of Commitment to School	--	49	51	43	50	54
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	--	50	39	35	31	36
	Favorable Attitudes toward ATOD Use	--	45	41	35	29	38
	Early Initiation of Drug Use	--	36	30	26	21	22
Average Prevalence Rate		--	46	43	39	34	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.