

2016 Florida Youth Substance Abuse Survey

Wakulla Data Tables

Table 1. Major demographic characteristics of surveyed Wakulla and Florida Statewide, 2016

	Wakulla		Florida Statewide	
	N	%	N	%
Sex				
Female	299	49.7	31,515	47.9
Male	296	49.2	32,905	50.0
Race/Ethnic group				
African American	59	9.8	14,666	22.3
American Indian	14	2.3	568	0.9
Asian	5	0.8	743	1.1
Hispanic/Latino	14	2.3	13,174	20.0
Native Hawaiian/Pacific Islander	2	0.3	144	0.2
Other/Multiple	83	13.8	7,523	11.4
White, non-Hispanic	420	69.8	28,309	43.0
Age				
10	2	0.3	65	0.1
11	59	9.8	3,856	5.9
12	99	16.4	8,338	12.7
13	107	17.8	9,230	14.0
14	88	14.6	9,454	14.4
15	81	13.5	10,070	15.3
16	73	12.1	9,684	14.7
17	60	10.0	9,348	14.2
18	24	4.0	4,799	7.3
19 or older	7	1.2	618	0.9
Grade				
6th	135	22.4	9,301	14.1
7th	123	20.4	9,215	14.0
8th	96	15.9	9,326	14.2
9th	70	11.6	10,140	15.4
10th	79	13.1	9,834	15.0
11th	63	10.5	9,254	14.1
12th	36	6.0	8,705	13.2
Overall Middle School	354	58.8	27,678	42.1
Overall High School	248	41.2	37,765	57.4
Total	602	100.0	65,776	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Wakulla and Florida Statewide youth who reported having used various drugs in their lifetimes, 2016

	Wakulla							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.5	61.3	45.3	46.3	24.8	63.2	45.5	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out	--	27.1	31.9	23.6	--	24.7	27.1	--	15.9	16.5	15.4	--	16.1	15.9
Cigarettes	10.9	34.5	24.2	24.3	11.2	33.2	23.8	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	16.6	45.4	31.0	34.5	18.5	43.0	32.6	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	8.0	43.7	26.0	28.8	8.8	45.0	27.5	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana	--	11.6	8.7	14.8	--	11.2	11.6	--	4.9	4.8	5.0	--	4.8	4.9
Inhalants	6.9	6.9	6.4	7.6	6.9	8.0	6.9	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka	--	2.5	3.0	2.1	--	2.1	2.5	--	1.0	0.9	1.1	--	1.0	1.0
Club Drugs	0.8	7.0	3.7	4.8	0.9	6.3	4.2	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	0.9	10.8	3.6	9.0	2.0	11.4	6.3	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	0.8	2.2	1.5	1.6	0.4	1.5	1.6	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	0.7	4.9	2.6	3.6	0.6	4.8	3.0	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.3	0.6	0.6	0.4	0.3	0.8	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	1.9	8.9	6.9	4.7	1.7	8.9	5.7	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	2.4	9.0	6.0	6.2	2.9	9.0	6.1	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	1.0	15.7	7.3	11.1	3.6	14.5	9.2	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	0.4	0.7	0.6	0.6	0.4	0.4	0.6	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	4.2	7.7	6.2	6.3	4.1	8.6	6.2	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs	--	1.4	0.8	1.9	--	1.4	1.4	--	0.8	0.6	0.8	--	0.8	0.8
Any illicit drug	14.9	48.1	34.5	32.2	16.6	50.2	33.2	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	10.5	25.5	19.2	18.9	11.3	26.6	18.8	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	15.2	17.7	15.6	17.8	13.4	17.8	16.6	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	29.6	65.8	50.2	49.6	29.6	68.0	49.6	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	4.8	4.2	5.5	3.2	5.4	4.5	4.5	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Wakulla and Florida Statewide youth who reported having used various drugs in the past 30 days, 2016

	Wakulla							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	11.4	30.9	23.6	21.2	11.7	29.3	22.3	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	5.6	21.0	13.2	15.5	5.7	17.6	14.2	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	1.1	12.5	6.9	7.9	1.6	9.6	7.3	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	6.6	17.4	10.5	14.9	7.0	13.6	12.6	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	4.6	28.6	19.0	16.7	4.6	28.9	17.8	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana	--	3.3	2.4	4.2	--	3.1	3.3	--	1.0	0.9	1.2	--	1.1	1.0
Inhalants	3.4	3.7	3.0	4.2	3.6	4.3	3.6	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka	--	1.1	0.0	2.2	--	0.9	1.1	--	0.5	0.4	0.7	--	0.5	0.5
Club Drugs	0.7	1.2	0.3	1.6	0.3	1.8	0.9	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.9	4.4	0.6	5.0	1.3	4.6	2.8	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.4	1.0	0.3	1.0	0.2	1.4	0.7	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.2	1.8	0.7	1.5	0.2	1.9	1.1	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.2	1.1	0.0	1.4	0.2	1.4	0.7	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	0.8	3.6	2.3	2.4	1.3	1.9	2.3	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	0.3	3.9	2.0	2.5	0.9	3.7	2.3	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.3	5.9	2.2	4.6	1.9	5.8	3.4	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	0.0	0.5	0.0	0.5	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	1.1	2.9	2.3	2.0	1.6	3.1	2.1	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	8.9	32.9	24.7	19.8	9.9	33.5	22.1	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	5.5	13.6	10.3	9.9	6.9	12.6	10.0	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	6.6	11.3	7.9	10.2	7.0	9.8	9.2	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	15.1	43.8	32.9	29.4	16.6	42.6	31.0	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	4.1	12.8	9.8	8.0	5.3	13.3	8.9	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Wakulla, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	43.8	74.1	59.1	46.7	69.0	58.4	40.3	73.3	57.8	37.2	68.9	53.0	32.2	61.8	47.3	25.5	61.3	45.5
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	28.1	28.1	--	27.1	27.1
Cigarettes	28.9	52.5	41.3	31.0	41.7	36.6	25.3	49.7	38.2	23.6	44.4	34.0	17.7	29.5	23.6	10.9	34.5	23.8
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16.6	45.4	32.6
Marijuana or Hashish	13.4	41.5	27.8	16.1	33.2	25.0	15.2	44.5	30.8	14.9	45.9	30.4	14.7	42.6	28.8	8.0	43.7	27.5
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	17.9	17.9	--	10.2	10.2	--	11.6	11.6
Inhalants	14.8	11.1	12.8	14.8	10.7	12.7	10.3	8.7	9.4	15.5	6.1	10.8	10.5	4.1	7.3	6.9	6.9	6.9
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.5	2.5
Club Drugs	--	--	--	2.6	--	2.6	1.8	6.4	4.2	1.2	5.5	3.3	1.2	4.2	2.7	0.8	7.0	4.2
LSD, PCP or Mushrooms	--	--	--	4.1	--	4.1	3.5	7.5	5.6	3.6	6.8	5.2	5.0	6.3	5.6	0.9	10.8	6.3
Methamphetamine	1.9	1.2	1.7	0.5	0.7	0.6	0.5	0.7	0.6	2.5	2.0	2.3	1.1	1.0	1.1	0.8	2.2	1.6
Cocaine or Crack Cocaine	--	--	--	3.6	--	3.6	0.8	4.8	2.9	2.2	6.0	4.1	1.1	4.5	2.8	0.7	4.9	3.0
Heroin	1.3	2.2	1.7	1.5	1.1	1.3	0.5	0.8	0.6	1.7	1.0	1.4	1.3	2.3	1.8	0.3	0.6	0.5
Depressants	2.0	10.2	6.3	4.5	8.4	6.6	2.1	10.5	6.6	4.2	9.6	6.9	1.1	12.2	6.7	1.9	8.9	5.7
Prescription Pain Relievers	6.2	20.8	13.8	10.6	12.6	11.7	5.1	18.1	12.0	7.5	16.5	12.0	6.7	14.0	10.4	2.4	9.0	6.1
Prescription Amphetamines	4.2	12.4	8.5	6.9	10.1	8.5	4.0	14.6	9.6	4.7	12.9	8.8	4.4	11.9	8.1	1.0	15.7	9.2
Steroids (without a doctor's order)	3.4	2.7	3.0	1.5	1.0	1.2	0.5	0.2	0.4	0.6	1.4	1.0	1.1	2.8	1.9	0.4	0.7	0.6
Over-the-Counter Drugs	--	--	--	11.0	--	11.0	5.0	9.4	7.3	6.0	7.2	6.6	2.8	8.2	5.5	4.2	7.7	6.2
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.4	1.4
Any illicit drug	24.7	51.7	38.7	27.7	41.4	34.8	23.5	49.0	37.0	26.9	50.1	38.4	23.6	48.0	35.9	14.9	48.1	33.2
Any illicit drug other than marijuana	19.4	32.2	26.1	23.2	23.6	23.4	17.7	31.2	24.9	22.1	28.4	25.2	17.9	25.7	21.8	10.5	25.5	18.8
Alcohol only	22.4	27.6	24.9	22.8	30.6	26.9	22.0	27.7	25.0	16.7	21.6	19.1	12.2	18.4	15.3	15.2	17.7	16.6
Alcohol or any illicit drug	46.7	79.1	63.3	50.6	72.4	62.0	45.2	76.7	61.9	43.6	71.9	57.7	35.7	66.0	51.0	29.6	65.8	49.6
Any illicit drug, but no alcohol	3.0	4.9	4.2	3.9	3.7	3.8	5.2	3.4	4.2	6.4	3.2	4.8	3.8	4.2	4.0	4.8	4.2	4.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Wakulla, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	23.3	48.1	35.9	23.4	40.7	32.4	23.9	45.4	35.3	18.2	44.9	31.5	15.4	34.6	25.2	11.4	30.9	22.3
Binge Drinking	11.5	31.1	21.8	9.9	26.4	18.5	13.5	25.2	19.7	8.9	22.7	15.8	7.9	20.2	14.2	5.6	21.0	14.2
Cigarettes	10.3	22.6	16.8	11.4	14.8	13.1	10.0	21.0	15.8	6.1	15.8	10.9	4.8	10.4	7.6	1.1	12.5	7.3
Vaporizer/E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.6	17.4	12.6
Marijuana or Hashish	7.5	24.2	16.2	11.1	16.1	13.7	8.2	26.3	17.9	10.1	27.9	19.0	9.9	25.1	17.5	4.6	28.6	17.8
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	6.1	6.1	--	2.1	2.1	--	3.3	3.3
Inhalants	8.1	2.9	5.3	7.3	1.1	4.1	5.2	2.4	3.7	6.4	0.8	3.6	5.3	0.9	3.1	3.4	3.7	3.6
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.1	1.1
Club Drugs	--	--	--	1.3	--	1.3	0.8	2.6	1.8	1.5	1.1	1.3	0.3	1.0	0.7	0.7	1.2	0.9
LSD, PCP or Mushrooms	--	--	--	2.3	--	2.3	0.9	2.8	1.9	2.2	1.5	1.8	1.7	0.9	1.3	0.9	4.4	2.8
Methamphetamine	0.3	0.8	0.8	0.0	0.7	0.3	0.3	0.5	0.4	1.1	0.7	0.9	0.0	0.0	0.0	0.4	1.0	0.7
Cocaine or Crack Cocaine	--	--	--	0.0	--	0.0	0.0	0.8	0.4	0.9	1.4	1.1	0.4	0.7	0.5	0.2	1.8	1.1
Heroin	1.1	0.4	0.7	0.5	0.7	0.6	0.0	0.0	0.0	1.2	0.3	0.7	0.5	1.1	0.8	0.2	1.1	0.7
Depressants	0.8	5.4	3.2	2.1	2.7	2.4	1.2	3.4	2.4	1.5	3.2	2.4	0.4	6.0	3.2	0.8	3.6	2.3
Prescription Pain Relievers	3.2	11.2	7.3	6.4	4.2	5.2	2.0	8.3	5.4	3.3	3.3	3.3	2.1	4.4	3.2	0.3	3.9	2.3
Prescription Amphetamines	2.3	7.0	4.7	2.3	3.4	2.9	1.8	5.7	3.9	2.2	6.5	4.4	3.3	5.1	4.2	0.3	5.9	3.4
Steroids (without a doctor's order)	1.2	0.9	1.0	0.3	0.7	0.5	0.3	0.0	0.1	0.5	0.6	0.5	0.0	1.1	0.6	0.0	0.5	0.2
Over-the-Counter Drugs	--	--	--	4.5	--	4.5	2.2	2.5	2.3	2.8	1.7	2.3	1.6	2.5	2.1	1.1	2.9	2.1
Any illicit drug	16.1	30.3	23.5	19.6	20.8	20.2	13.7	30.8	22.8	15.7	30.3	23.0	16.9	29.1	23.0	8.9	32.9	22.1
Any illicit drug other than marijuana	12.2	16.3	14.4	14.2	9.7	11.9	9.6	16.3	13.2	11.4	11.3	11.4	11.4	12.2	11.8	5.5	13.6	10.0
Alcohol only	13.1	25.7	19.5	10.4	24.3	17.6	14.7	21.3	18.2	10.8	18.1	14.4	4.7	12.2	8.4	6.6	11.3	9.2
Alcohol or any illicit drug	28.8	55.9	42.8	29.7	45.5	37.9	27.9	51.9	40.6	25.9	49.1	37.5	21.6	40.5	31.1	15.1	43.8	31.0
Any illicit drug, but no alcohol	5.9	7.7	7.0	6.4	4.9	5.6	4.3	6.8	5.6	8.0	4.9	6.4	6.2	6.0	6.1	4.1	12.8	8.9

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Wakulla and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016

	Wakulla						Florida Statewide							
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	25.6	17.1	34.5	--	26.0	25.6	--	19.4	18.3	20.2	--	19.3	19.4
Drinking at least once a month	--	6.3	5.2	7.6	--	5.2	6.3	--	3.5	3.7	3.4	--	3.5	3.5
Smoke cigarettes	--	19.5	15.3	24.2	--	20.4	19.5	--	9.3	8.6	9.8	--	9.4	9.3
Smoke marijuana	--	20.5	13.2	28.0	--	19.4	20.5	--	10.6	9.0	12.0	--	10.8	10.6
Great risk of harm														
1 or 2 drinks nearly every day	42.2	30.3	40.0	32.1	42.5	25.8	35.7	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	57.2	45.1	54.9	45.6	55.8	45.4	50.6	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	69.2	64.4	68.2	65.8	69.4	62.2	66.6	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	50.5	19.5	32.6	34.5	50.1	15.6	33.5	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	38.0	12.7	23.5	25.1	37.4	8.5	24.2	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	74.7	63.1	70.5	67.4	73.0	63.7	68.3	69.1	68.2	70.0	67.3	69.4	67.9	68.5
Think it would be wrong to...														
Smoke cigarettes	95.0	80.3	85.5	88.2	94.6	82.4	86.9	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	88.0	55.7	68.1	71.4	87.4	54.5	70.1	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	88.0	52.0	69.0	67.1	85.5	54.3	67.9	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	94.0	81.9	84.9	89.1	93.4	84.2	87.3	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	98.2	85.2	91.0	90.7	97.4	86.4	91.0	97.5	93.6	95.8	94.7	97.3	93.6	95.2
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	96.0	87.2	91.5	91.2	96.5	88.1	91.2	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	98.4	90.6	93.7	94.4	98.0	92.0	94.2	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	95.1	79.2	86.0	86.8	95.5	80.5	86.4	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	97.5	93.5	94.8	96.2	97.2	94.2	95.3	98.2	97.3	97.4	97.9	98.1	97.4	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	92.1	62.7	78.4	73.3	91.8	65.6	76.0	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	94.3	74.4	85.5	80.9	94.5	78.1	83.4	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	85.7	48.6	66.5	63.9	84.9	50.6	65.4	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	95.0	83.2	87.1	89.5	95.3	84.1	88.5	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Wakulla, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	37.6	37.6	--	35.4	35.4	--	31.4	31.4	--	30.3	30.3	--	33.8	33.8	--	25.6	25.6
Drink monthly	--	8.0	8.0	--	4.3	4.3	--	6.6	6.6	--	5.8	5.8	--	8.2	8.2	--	6.3	6.3
Smoke cigarettes	--	34.3	34.3	--	27.0	27.0	--	28.8	28.8	--	25.0	25.0	--	18.7	18.7	--	19.5	19.5
Smoke marijuana	--	15.7	15.7	--	14.5	14.5	--	16.6	16.6	--	17.9	17.9	--	18.6	18.6	--	20.5	20.5
Great risk of harm																		
Daily alcohol use	38.5	39.5	39.0	38.2	42.3	40.4	42.7	33.5	37.8	42.9	32.0	37.4	41.1	36.4	38.7	42.2	30.3	35.7
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	54.9	47.1	50.9	57.2	45.1	50.6
Daily cigarette use	64.6	64.5	64.2	65.4	68.3	66.9	63.5	64.2	63.9	66.2	65.6	65.9	65.0	70.5	67.7	69.2	64.4	66.6
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	51.7	24.5	37.9	50.5	19.5	33.5
Try marijuana	45.2	23.5	33.8	42.4	27.3	34.5	37.6	16.6	26.3	41.7	20.0	30.8	36.5	16.8	26.6	38.0	12.7	24.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	63.9	63.9	71.6	65.1	68.3	74.7	63.1	68.3
Think it wrong																		
Smoke cigarettes	86.3	61.2	72.9	85.0	73.5	78.9	84.2	69.0	76.0	88.6	72.5	80.5	91.3	76.9	84.1	95.0	80.3	86.9
Drink regularly	71.7	45.8	58.0	72.1	55.4	63.3	73.0	54.0	62.8	78.6	47.3	62.9	81.9	53.2	67.5	88.0	55.7	70.1
Smoke marijuana	88.2	65.2	75.6	84.3	75.9	79.9	84.3	64.3	73.6	84.3	56.2	70.2	83.9	54.5	69.1	88.0	52.0	67.9
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.0	81.9	87.3
Use other illicit drugs	96.3	94.8	95.4	95.6	96.0	95.8	96.5	95.7	96.1	95.3	94.0	94.7	95.3	86.7	91.0	98.2	85.2	91.0
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	93.5	90.6	92.0	96.0	87.2	91.2
Smoke cigarettes	96.7	87.3	91.6	96.4	88.3	92.2	95.4	87.8	91.4	96.7	92.2	94.5	98.2	93.2	95.7	98.4	90.6	94.2
Smoke marijuana	97.2	89.6	93.1	97.3	91.6	94.4	94.2	87.8	90.8	94.3	87.1	90.7	95.2	87.6	91.4	95.1	79.2	86.4
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	98.5	94.6	96.6	97.5	93.5	95.3
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	79.7	69.7	74.7	92.1	62.7	76.0
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	87.0	78.2	82.5	94.3	74.4	83.4
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	77.1	55.6	66.2	85.7	48.6	65.4
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	91.0	85.6	88.3	95.0	83.2	88.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Wakulla and Florida Statewide youth, 2016

	Wakulla						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	9.9	7.7	12.1	--	1.2	9.9	--	8.3	5.0	12.4	--	7.3	8.3
Bought in a restaurant, bar, or club	--	4.0	5.5	2.4	--	0.0	4.0	--	1.6	1.2	2.1	--	1.5	1.6
Bought at a public event	--	0.0	0.0	0.0	--	0.0	0.0	--	0.7	0.7	0.8	--	0.6	0.7
Someone bought it for me	--	20.3	23.5	17.1	--	14.9	20.3	--	14.7	13.3	16.3	--	14.5	14.7
Someone gave it to me	--	41.4	39.0	43.9	--	48.9	41.4	--	44.8	50.6	37.8	--	47.0	44.8
Took it from a store	--	0.0	0.0	0.0	--	0.0	0.0	--	0.3	0.2	0.4	--	0.4	0.3
Took it from a family member	--	8.3	10.4	6.1	--	10.7	8.3	--	11.7	14.2	8.7	--	12.4	11.7
Some other way	--	16.2	14.0	18.5	--	24.3	16.2	--	17.8	14.7	21.5	--	16.5	17.8

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Wakulla and Florida Statewide youth, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	34.9	36.2	33.7	--	31.0	34.9	--	37.7	39.2	35.9	--	37.1	37.7
Another person's home	--	31.1	31.3	30.8	--	38.6	31.1	--	40.0	41.0	38.9	--	40.8	40.0
Car or other vehicle	--	1.2	2.4	0.0	--	1.7	1.2	--	1.7	1.6	1.9	--	1.7	1.7
Restaurant, bar, or club	--	6.0	9.7	2.5	--	4.7	6.0	--	2.7	2.9	2.5	--	2.4	2.7
Public place	--	3.8	2.3	5.4	--	1.6	3.8	--	3.9	3.9	3.7	--	4.3	3.9
Public event	--	1.2	2.5	0.0	--	1.8	1.2	--	1.6	1.8	1.5	--	1.7	1.6
School property	--	3.4	0.0	6.6	--	2.3	3.4	--	1.3	0.7	2.0	--	1.4	1.3
Some other place	--	18.4	15.6	21.1	--	18.3	18.4	--	11.1	9.0	13.7	--	10.6	11.1

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Wakulla and Florida Statewide youth, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	19.4	24.9	14.5	--	18.6	19.4	--	29.6	31.6	27.4	--	30.5	29.6
2	--	14.8	11.9	17.4	--	12.6	14.8	--	22.5	24.8	19.8	--	22.4	22.5
3	--	14.5	14.0	15.0	--	16.1	14.5	--	17.3	17.9	16.3	--	16.9	17.3
4	--	19.6	28.9	11.3	--	22.8	19.6	--	8.6	9.0	8.3	--	8.5	8.6
5 or more	--	31.7	20.3	41.8	--	29.9	31.7	--	22.0	16.7	28.2	--	21.8	22.0

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Wakulla and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.4	6.4	3.8	5.3	3.5	5.4	4.6	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	2.8	19.8	12.4	12.3	2.8	19.5	12.1	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	0.8	8.9	3.4	7.0	1.1	8.5	5.2	1.4	3.9	2.9	2.9	1.5	4.1	2.9

Table 12. Percentages of Wakulla and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.8	13.1	3.4	18.2	9.4	13.6	11.2	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	1.2	9.9	2.5	9.2	2.8	8.4	6.0	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	0.8	2.3	1.0	2.2	1.7	1.8	1.6	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	2.2	3.7	1.8	4.2	1.9	4.0	3.0	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.8	1.5	0.8	1.6	0.8	1.9	1.2	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	7.4	13.7	5.8	15.1	7.5	14.2	10.9	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	6.5	7.8	5.8	8.4	6.4	8.3	7.2	6.2	6.1	5.3	6.9	6.0	6.6	6.1

Table 13. Trends in delinquent behaviors for Wakulla, 2006 to 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.9	5.9	6.4	5.1	5.3	5.2	5.7	3.1	4.3	12.1	5.9	9.0	9.6	4.8	7.2	8.8	13.1	11.2
Selling drugs	3.3	9.4	6.7	4.3	8.8	6.6	4.9	9.7	7.4	3.6	11.6	7.6	2.3	10.3	6.3	1.2	9.9	6.0
Attempting to steal a vehicle	3.3	3.2	3.2	3.7	2.3	3.0	1.6	2.2	1.9	1.5	2.5	2.0	0.7	1.0	0.9	0.8	2.3	1.6
Being arrested	4.9	8.4	6.7	4.6	5.3	5.0	3.8	3.1	3.4	4.1	2.6	3.4	1.1	1.0	1.1	2.2	3.7	3.0
Taking a handgun to school	1.5	1.7	1.6	0.7	1.5	1.1	0.3	0.5	0.4	0.7	1.0	0.9	0.2	0.4	0.3	0.8	1.5	1.2
Getting suspended	12.9	13.7	13.6	10.8	8.2	9.4	10.7	9.3	10.0	8.3	6.3	7.3	5.9	5.8	5.8	7.4	13.7	10.9
Attacking someone with intent to harm	12.2	13.8	13.3	9.0	12.6	10.9	8.3	11.9	10.2	9.7	5.7	7.7	4.0	5.6	4.8	6.5	7.8	7.2

Table 14. Percentages of Wakulla and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Family members who have been or are now in jail or prison	44.4	48.8	50.5	43.9	41.9	52.1	46.8	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have been or are in trouble because of alcohol or drugs	26.9	47.3	38.7	37.3	25.5	51.6	38.2	23.9	46.5	38.4	35.8	26.0	47.1	37.1

Table 15. Percentages of Wakulla and Florida Statewide youth who reported involvement in bullying behavior, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.0	12.7	15.7	5.9	7.9	13.2	10.6	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	20.4	13.2	16.1	16.8	22.0	11.3	16.4	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	38.7	30.3	38.0	30.7	39.7	30.6	34.0	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	10.2	10.6	14.5	6.8	9.9	12.8	10.4	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	5.3	4.4	4.4	5.3	4.8	4.9	4.8	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	10.2	9.5	10.3	9.7	9.9	11.4	9.8	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	2.7	4.5	2.9	4.5	2.8	5.0	3.7	3.6	4.1	4.0	3.7	3.7	4.1	3.9

Table 16. Percentages of Wakulla and Florida Statewide youth who reported gang membership, 2016

	Wakulla							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Have you ever belonged to a gang?	4.2	6.6	4.0	6.7	4.1	5.2	5.5	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	24.8	27.6	34.1	24.0	24.7	21.7	26.8	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?	--	3.9	2.4	5.2	--	4.8	3.9	--	2.0	1.1	2.8	--	2.0	2.0

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Wakulla and Florida Statewide youth, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	14.3	3.6	22.8	--	14.6	14.3	--	5.0	4.3	5.5	--	5.0	5.0
Protection	--	18.5	11.4	24.4	--	20.2	18.5	--	4.2	2.6	5.4	--	4.5	4.2
Friend or relative in a gang	--	9.9	1.4	16.7	--	10.8	9.9	--	4.1	2.9	4.9	--	4.1	4.1
Forced to join	--	0.0	0.0	0.0	--	0.0	0.0	--	1.1	1.1	1.2	--	1.2	1.1
To get respect	--	7.4	0.0	13.3	--	7.4	7.4	--	3.5	2.0	4.7	--	3.5	3.5
Money	--	5.4	0.0	9.6	--	4.7	5.4	--	3.8	2.5	4.8	--	4.1	3.8
To fit in better	--	3.0	0.0	5.3	--	4.0	3.0	--	1.2	1.1	1.4	--	1.2	1.2
Other reasons	--	13.3	4.0	20.7	--	10.4	13.3	--	5.9	4.5	7.0	--	5.6	5.9

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Wakulla and Florida Statewide youth who reported participation in extracurricular activities, 2016

	Wakulla							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	52.1	34.0	39.2	45.7	48.2	40.1	42.1	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	38.3	18.6	30.0	25.1	38.9	16.6	27.4	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	17.6	8.4	14.9	10.7	17.4	7.6	12.5	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	21.8	23.0	33.1	12.9	23.9	19.0	22.5	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	10.1	7.7	11.2	6.6	11.3	7.4	8.8	9.3	12.8	14.6	8.2	9.4	12.6	11.3

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Wakulla and Florida Statewide youth, 2016

	Wakulla							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	27.0	31.6	23.6	--	28.0	27.0	--	16.4	17.5	15.3	--	16.3	16.4
Marijuana	--	32.3	33.8	32.0	--	31.9	32.3	--	22.7	23.7	21.7	--	22.9	22.7
<i>Driving a vehicle</i>														
Alcohol	--	9.0	8.0	10.3	--	9.0	9.0	--	5.4	5.0	5.8	--	5.2	5.4
Marijuana	--	17.2	14.5	20.5	--	17.0	17.2	--	10.3	9.1	11.4	--	9.9	10.3

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Wakulla, 2012 and 2016

	2006			2008			2010			2012			2014			2016		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	23.6	23.6	--	26.7	26.7	--	27.0	27.0
Marijuana	--	--	--	--	--	--	--	--	--	--	29.6	29.6	--	30.8	30.8	--	32.3	32.3
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	10.9	10.9	--	10.4	10.4	--	9.0	9.0
Marijuana	--	--	--	--	--	--	--	--	--	--	17.6	17.6	--	16.4	16.4	--	17.2	17.2

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Wakulla, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Wakulla		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	47	70	46	69	56	63
Family	Family Opportunities for Prosocial Involvement	63	56	60	59	59	54
	Family Rewards for Prosocial Involvement	56	49	56	56	54	55
School	School Opportunities for Prosocial Involvement	59	60	53	63	57	60
	School Rewards for Prosocial Involvement	57	53	49	59	53	58
Peer and Individual	Religiosity	56	62	49	57	56	62
Average Prevalence Rate		56	58	52	61	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Wakulla, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Wakulla		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	41	49	42	44	47	47
	Transitions and Mobility	52	56	59	61	47	46
	Laws and Norms Favorable to Drug Use	39	46	37	31	42	42
	Perceived Availability of Drugs	44	38	37	27	45	45
	Perceived Availability of Handguns	35	56	24	36	25	42
Family	Poor Family Management	35	47	40	38	44	45
	Family Conflict	40	37	38	33	42	37
School	Poor Academic Performance	47	43	42	44	45	48
	Lack of Commitment to School	53	64	53	54	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	36	42	39	35	40	46
	Favorable Attitudes toward ATOD Use	31	45	32	36	39	45
	Early Initiation of Drug Use	28	36	23	22	41	46
Average Prevalence Rate		40	47	39	38	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Wakulla, 2006 to 2016

Domain	Scale	Wakulla					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	51	53	46	51	52	47
Family	Family Opportunities for Prosocial Involvement	53	55	56	60	60	63
	Family Rewards for Prosocial Involvement	51	46	48	52	56	56
School	School Opportunities for Prosocial Involvement	49	43	51	55	63	59
	School Rewards for Prosocial Involvement	50	43	46	50	59	57
Peer and Individual	Religiosity	55	51	55	57	56	56
Average Prevalence Rate		52	49	50	54	58	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Wakulla, 2006 to 2016

Domain	Scale	Wakulla					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	39	44	44	45	37	41
	Transitions and Mobility	54	55	56	56	48	52
	Laws and Norms Favorable to Drug Use	54	51	54	44	46	39
	Perceived Availability of Drugs	56	61	54	50	43	44
	Perceived Availability of Handguns	36	41	35	44	40	35
Family	Poor Family Management	57	49	49	44	41	35
	Family Conflict	39	42	43	45	37	40
School	Poor Academic Performance	50	52	48	44	43	47
	Lack of Commitment to School	55	64	60	49	51	53
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	52	48	47	37	36
	Favorable Attitudes toward ATOD Use	51	51	48	42	35	31
	Early Initiation of Drug Use	51	52	43	39	34	28
Average Prevalence Rate		49	53	49	45	41	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Wakulla, 2006 to 2016

Domain	Scale	Wakulla					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	62	65	67	63	62	70
Family	Family Opportunities for Prosocial Involvement	53	47	59	57	55	56
	Family Rewards for Prosocial Involvement	53	52	54	54	51	49
School	School Opportunities for Prosocial Involvement	49	54	56	53	67	60
	School Rewards for Prosocial Involvement	48	54	56	56	64	53
Peer and Individual	Religiosity	61	65	63	62	61	62
Average Prevalence Rate		54	56	59	58	60	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Wakulla, 2006 to 2016

Domain	Scale	Wakulla					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	41	42	42	37	42	49
	Transitions and Mobility	59	57	54	55	52	56
	Laws and Norms Favorable to Drug Use	50	46	46	43	35	46
	Perceived Availability of Drugs	50	47	47	42	35	38
	Perceived Availability of Handguns	48	54	53	51	49	56
Family	Poor Family Management	49	51	43	35	40	47
	Family Conflict	31	34	34	35	36	37
School	Poor Academic Performance	57	44	48	50	41	43
	Lack of Commitment to School	55	58	53	53	51	64
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	52	47	41	41	36	42
	Favorable Attitudes toward ATOD Use	49	39	44	49	46	45
	Early Initiation of Drug Use	50	41	43	42	37	36
Average Prevalence Rate		51	46	48	49	42	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.